



**TOWN OF SEWALL'S POINT BUILDING DEPARTMENT**  
**One S. Sewall's Point Road**  
**Sewall's Point, Florida 34996**  
**Tel 772-287-2455 Fax 772-220-4765**

**V-ZONE DESIGN CERTIFICATE FOR IN-GROUND POOLS**

Name of Property Owner \_\_\_\_\_  
 Building Address \_\_\_\_\_  
 Legal Description \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

**FLOOD INSURANCE RATE MAP INFORMATION**

Community # \_\_\_\_\_ Panel # \_\_\_\_\_ Suffix \_\_\_\_\_  
 Date of FIRM \_\_\_\_\_ Zone \_\_\_\_\_ Base Flood Elevation \_\_\_\_\_

**ELEVATION INFORMATION**

Base Flood Elevation \_\_\_\_\_  
 Elevation of Lowest Adjacent Grade \_\_\_\_\_ Highest Adjacent Grade \_\_\_\_\_  
 Depth of Anticipated Scour used for foundation design \_\_\_\_\_  
 Embedment Of Piles/Footings/Columns Below Lowest Adjacent Grade \_\_\_\_\_  
 Elevation of top edge of pool \_\_\_\_\_ Elevation of deck around pool \_\_\_\_\_

**V-ZONE CERTIFICATION STATEMENT**

I certify that I have developed or reviewed the structural design, specifications and location for construction. The design and methods of construction to be used are in accordance with accepted standards of practice for meeting the following provisions: ...The foundation and structure attached thereto is anchored to resist flotation, collapse and lateral movement due to the combined effects of wind and water loads acting simultaneously on all structural components. Water loading values used are those associated with the 100 year storm event. Wind loading values are those associated with a 160 mph (3 second gust) wind potential. The potential for scour and erosion at the foundation has been anticipated for conditions associated with the base flood.

**CERTIFIED BY**

Certifiers Name \_\_\_\_\_ Title \_\_\_\_\_  
 Company Name \_\_\_\_\_ License # \_\_\_\_\_  
 Address \_\_\_\_\_ City \_\_\_\_\_  
 State \_\_\_\_\_ Zip Code \_\_\_\_\_ Phone # \_\_\_\_\_

Signature \_\_\_\_\_ SEAL: \_\_\_\_\_  
 Date: \_\_\_\_\_