



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
One S. Sewall's Point Road
Sewall's Point, Florida 34996
Tel 772-287-2455 Fax 772-2204765

RE-ROOF CHECKLIST 2010 FBC

A document review will be performed on the following items prior to the submittal of a permit application. Failure to submit these items will result in the application package returned to the applicant until the deficient documents are included.

THIS REVIEW SHEET MUST ACCOMPANY THE APPLICATION SUBMITTAL.

Please make sure you have ALL required copies before submitting permit application

The following minimum requirements must be provided for permitting and inspections:

- 1 Copy Completed application
- 1 Copy Complete list of proposed materials
- 1 Copy Re-roof certification
- 1 Copy Re-roof Inspection affidavit if used, prior to final inspection.

RESIDENTIAL REROOFS:

- 1 Copy approved roofing manufacturer specifications for all products used.
 - Manufacturer specs/fastening schedule for roof shingles (must meet the minimum area wind load).
 - Manufacturer must have Florida Product Approval
 - Location of proposed re-roof (if only a partial re-roof) and area % calculation
 - Section/detail through hip and ridge tile caps per F.R.S.A. for tile roofs**
- 1 Copy Re-roof windstorm loss mitigation certification (and affidavit if applicable)

COMMERCIAL REROOFS:

- 1 Copy Roof Plan:
 - Show all features (pitch, drains, equipment, etc.)
 - Details: 3/4" = 1'.0" min. scale
 - Parapet or edge
 - Rooftop mounting or equipment expansion joints
 - Type of roofing (& insulation if any) being removed
 - Type of roof deck
- 1 Copy Approved roofing manufacturer specifications for all products used.
 - Manufacturers complete roofing system specifications & installation guidelines (Include fastening schedule meeting minimum area wind load).
- 1 Copy Verification of Contractor form
 - Contractor verification form (HVAC and/or electric) required if roof top HVAC equipment is removed/reinstalled and/or if HVAC electric is disconnected/reconnected.

****Concrete or ClayTile Roof: Specify how the roof field tile will be attached to the deck (reference F.S.R.A Installation Manual). Provide section details showing the installation/attachment of ridge and hip cap tile. Demonstrate compliance with the 2010 FBC 1507.3. & 2010 FBC/Residential R905.3. Also provide Product Approval for all roof adhesives.**

**All Product Approval & Installation Spec's must be on the job site for inspection.
All tile re-roofs require an "in progress" tile installation inspection or certified pull test at final.**

Town of Sewall's Point

BUILDING PERMIT APPLICATION

Date: _____ Permit Number: _____

OWNER/LESSEE NAME: _____ Phone(Day) _____ Fax _____

Job Site Address: _____ City: _____ State: _____ Zip: _____

Legal Description: _____ Parcel Control Number: _____

Fee Simple Holder Name: _____ Address: _____

City: _____ State: _____ Zip: _____ Telephone: _____

* SCOPE OF WORK (BE SPECIFIC):

WILL OWNER BE THE CONTRACTOR?

(If yes, Owner Builder questionnaire must accompany application)

YES _____ NO _____

Has a Zoning Variance ever been granted on this property?

Yes _____ Year _____ No _____

(Must include copy of all variance approvals with application)

COST AND VALUES: (Required on ALL permit applications)

Estimated Value of Improvements: \$ _____

(Notice of Commencement required when over \$2500 prior to first inspection, \$7500 on HVAC Change out)

** Is subject property located in flood hazard area? VE8__VE7__AE8__AE7__AE6__X__X500__

FOR ADDITIONS, REMODELS AND RE-ROOF APPLICATIONS ONLY:

Estimated Fair Market Value prior to improvement: \$ _____

(Fair Market Value of the primary structure only. Minus the land value)

PRIVATE APPRAISALS MUST BE SUBMITTED WITH PERMIT APPLICATION

Construction Company: _____ Phone: _____ Fax: _____

Qualifiers name: _____ Street: _____ City: _____ State: _____ Zip: _____

State License Number: _____ OR: Municipality: _____ License Number: _____

LOCAL CONTACT: _____ Phone Number: _____

DESIGN PROFESSIONAL: _____ Fla. License# _____

Street: _____ City: _____ State: _____ Zip: _____ Phone Number: _____

AREAS SQUARE FOOTAGE: Living: _____ Garage: _____ Covered Patios/ Porches: _____ Enclosed Storage: _____

Carport: _____ Total under Roof _____ Elevated Deck: _____ Enclosed area below BFE*:

* Enclosed non-habitable areas below the Base Flood Elevation greater than 300 sq. ft. require a Non-Conversion Covenant Agreement.

**CODE EDITIONS IN EFFECT THIS APPLICATION: Florida Building Code (Structural, Mechanical, Plumbing, Existing, Gas): 2014
National Electrical Code: 2011, Florida Energy Code: 2014, Florida Accessibility Code: 2014, Florida Fire Prevention Code: 2014**

WARNINGS TO OWNERS AND CONTRACTORS:

1. YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. WHEN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION.
2. IT IS YOUR RESPONSIBILITY TO DETERMINE IF YOUR PROPERTY IS ENCUMBERED BY ANY DEED RESTRICTIONS. SOME RESTRICTIONS APPLICABLE TO THIS PROPERTY MAY BE FOUND IN THE PUBLIC RECORDS OF MARTIN COUNTY OR THE TOWN OF SEWALL'S POINT. THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.
3. BUILDING PERMITS FOR SINGLE FAMILY RESIDENCES AND SUBSTANTIAL IMPROVEMENTS TO SINGLE FAMILY RESIDENCES ARE VALID FOR A PERIOD OF 24 MONTHS. RENEWAL FEES WILL BE ASSESSED AFTER 24 MONTHS PER TOWN ORDINANCE 50-95.
4. THIS PERMIT WILL BECOME *NULL AND VOID* IF THE WORK AUTHORIZED BY THIS PERMIT IS NOT COMMENCED WITHIN 180 DAYS, OR IF WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER THE WORK IS COMMENCED. ADDITIONAL FEES WILL BE ASSESSED ON ANY PERMIT THAT BECOMES NULL AND VOID. REF. FBC 2014 SECT. 105.4.1, 105.4.1.1 - .5.

******* A FINAL INSPECTION IS REQUIRED ON ALL BUILDING PERMITS*********AFFIDAVIT: APPLICATION IS HEREBY MADE TO OBTAIN A PERMIT TO DO THE WORK AS SPECIFICALLY INDICATED ABOVE. I CERTIFY THAT NO WORK OR INSTALLATION HAS COMMENCED PRIOR TO THE ISSUANCE OF A PERMIT AND THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS, AND ORDINANCES OF THE TOWN OF SEWALL'S POINT.**

OWNER /AGENT/LESSEE - NOTARIZED SIGNATURE:

X _____
State of Florida, County of: _____
On This the _____ day of _____, 20____
by _____ who is personally
known to me or produced _____
As identification. _____

Notary Public

My Commission Expires: _____

CONTRACTOR/LICENSEE NOTARIZED SIGNATURE:

X _____
State of Florida, County of: _____
On This the _____ day of _____, 20____
by _____ who is personally
known to me or produced _____
As identification. _____

Notary Public

My Commission Expires: _____

SINGLE FAMILY PERMIT APPLICATIONS MUST BE ISSUED WITHIN 30 DAYS OF APPROVAL NOTIFICATION (FBC 105.3.4) ALL OTHER APPLICATIONS WILL BE CONSIDERED ABANDONED AFTER 180 DAYS (FBC 105.3.2) – PICK UP YOUR PERMIT PROMPTLY!



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

RE-ROOF CERTIFICATION

PERMIT # _____

CONTRACTOR'S NAME: _____ PHONE #: _____ FAX: _____

OWNER'S NAME: _____

CONSTRUCTION ADDRESS: _____ CITY _____ STATE _____

RE-ROOF: RESIDENTIAL(SINGLEFAMILY)
 COMMERCIAL ***-REMOVE/REINSTALL ROOF TOP HVAC EQUIP YES NO

**...DISCONNECT/RECONNECT HVAC ELECTRIC YES NO

** REQUIRES A CONTRACTOR VERIFICATION FORM (HVAC AND/OR ELECTRICAL) W/ PERMIT APPLICATION

RE-ROOF DEEMED TO COMPLY WITH 553.844 F. S. YES NO - **INSURED VALUE OF RESIDENCE: \$** _____

ROOF TYPE: HIP BOSTON-HIP GABLE FLAT _____ OTHER _____

ROOF PITCH: _____/12 SLOPE

ROOF DECK:* **SHEATH-OVER** - (APPLYING PLYWOOD PANELS OVER EXISTING SPACED
 RE-SHEATH - (REMOVAL OF SPACED SHEATHING/PLYWOOD FOR APPLICATION OF NEW PLYWOOD PANELS) - REQUIRES USE OF MINIMUM PLYWOOD AS PER FLORIDA BUILDING CODE "2004".
 SPACED SHEATH FILL-IN - SPACES BETWEEN EXISTING SPACED-SHEATHING BOARD MAY BE FILLED-IN WITH BOARDS OF THE SAME SIZE AND THICKNESS TO PROVIDE A CLOSELY FITTED SOLID DECK NAIL NEW BOARDS AS PER FLORIDA BUILDING CODE "2004".
 EXISTING DECK TO REMAIN/REPAIRED& RENAILED

EXISTING ROOF COVERING: _____ EXISTING COVERING TO BE REMOVED? YES NO

PROPOSED NEW ROOF COVERING: _____

MANUFACTURER _____ PRODUCT NAME _____ PRODUCT APPR # _____

(APPROVED ROOF COVERING MATERIAL WITH CURRENT FLORIDA PRODUCT APPROVAL)
 MANUFACTURER'S INSTALLATION SPECS MUST BE ON THE JOB SITE AT TIME OF INSPECTION.

*WHEN CONCRETE/CLAY TILES REPLACE ANY OTHER TYPE OF ROOF COVERING, THE EXISTING TRUSSES SHALL BE INSPECTED BY A FLORIDA REGISTERED ARCHITECT OR ENGINEER TO VERIFY ADEQUACY OF THE TRUSSES TO SUPPORT INCREASED DEAD LOADS. AN ENGINEERING INSPECTION REPORT SHALL BE SUBMITTED WITH THE PERMIT APPLICATION.

PROPOSED FLASHING: GALV./STEEL ALUMINUM COPPER OTHER _____

RIDGEVENT TO BE INSTALLED: YES NO

DESCRIPTION OF WORK: _____

I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

DATE: _____
 SIGNATURE OF CONTRACTOR _____



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

**LICENSED GENERAL, BUILDING OR RESIDENTIAL CONTRACTORS'
 REROOF WINDSTORM LOSS MITIGATION COMPLIANCE AFFIDAVIT**

A RESIDENTIAL STRUCTURE VALUED AT \$300,000 OR MORE SHALL COMPLY WITH THE FOLLOWING:

- Roof to wall connections must be enhanced up to 15% additional cost of the reroofing cost.
- A certified or registered general, building or residential contractor compliance affidavit must accompany the re-roof permit application and submit details to perform the following:
 1. Sufficient amount of eave sheathing shall be removed to view 6 ft. of roof rafters.
 2. Wherever a strap is missing or an existing strap has fewer than 4 fasteners on each end of connection with the wall, the connection shall be strengthened by adding:
 - a. Metal connectors, clips, straps and fasteners to achieve an uplift capacity as specified in Table 201.3 OR
 - b. Approved strap ties or right angle gusset brackets with a minimum uplift capacity of 500 lbs shall be installed to the top plate or masonry wall below
 - c. Refer to sections 201.3.1 to 201.3.4 for prescriptive requirements.

A RESIDENTIAL STRUCTURE VALUED AT \$750,000 OR MORE SHALL COMPLY WITH THE FOLLOWING:

When any activity requiring a building permit that is applied for on or after July 1, 2008, and for which the estimated cost is \$50,000 or more for a building that is located in the wind borne debris region as defined in s. 1609.2 of the Florida Building Code, Building: Opening protections as required within the Florida Building Code, Building or Florida Building Code, Residential for new construction shall be provided.

TO BE COMPLETED IF INSURED VALUE OF SINGLE FAMILY IS OVER \$300,000.00 AND WAS PERMITTED PRIOR TO MARCH 1, 2002.

YEAR PERMITTED _____ INSURED OR P.A. IMPROVED VALUE \$ _____
 DETAILS OF MITIGATION WORK TO BE PERFORMED (Add additional sheets if necessary):

JOB SITE ADDRESS: _____

QUALIFIER NAME: _____ LICENSE NO.: _____

COMPANY NAME: _____ PHONE NO.: _____

X _____ X _____

Qualifier's Signature _____ Owner's Signature _____

Date: _____ Date: _____

Sworn to and subscribed before me _____ Sworn to and subscribed before me _____

this ____ day of _____ 20 ____ this ____ day of _____ 20 ____.

By _____ By _____

 Notary Public, State of Florida
 Personally known to me _____
 Produced ID _____
 Type: _____

 Notary Public, State of Florida
 Personally known to me _____
 Produced ID _____
 Type: _____



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
One S. Sewall's Point Road
Sewall's Point, Florida 34996
Tel 772-287-2455 Fax 772-2204765

**RESIDENTIAL REROOF WINDSTORM LOSS
MITIGATION CERTIFICATION (FLORIDA STATUTE 553.844)**

ALL RE-ROOFS REGARDLESS OF VALUE SHALL COMPLY WITH THE FOLLOWING:

Re-nailing: All sheathing and decking shall be re-nailed per section 201.1 and a secondary water barrier installed.

- Existing fasteners that are 8d clipped head, round head or ring shank and spaced 6 in. or less o.c. may be counted. Additional fasteners shall be 8d ring shank nails with round heads spaced at 6 in. o.c. along framing.
- Indicate below which method is to be used to satisfy the secondary water barrier requirements:

All joints in roof sheathing shall be covered with a minimum of 4 in. strip of self-adhering polymer modified bitumen tape. Wood deck and self-adhering tape shall be covered by one layer of approved underlayment.

Entire roof deck shall be covered with an approved self-adhering polymer modified bitumen cap sheet. No additional underlayment is required.

Outside of the HVHZ, an underlayment complying with section 1507.2.3 of the Florida Building Code, Building fastened as described below or a layer of asphalt impregnated approved #30 felt shall be installed. The felt is to be fastened with 1" round plastic cap or metal cap nails, attached to a nailable deck in a grid pattern of 12 inches (305 mm) staggered between the overlaps, with 6-inch (152 mm) spacing at the overlaps. For slopes of 2:12 to 4:12 an additional layer of felt shall be installed in a single-fashion and lapped 19" and fastened as described above. (No additional underlayment shall be required over the top of this sheet.)

Exception: An approved 30# underlayment installed per HVHZ using nails and tin-tags and covered with an approved self-adhering polymer modified bitumen cap sheet or an approved cap sheet hot-mopped shall be deemed to meet the requirements for secondary water barrier.

Residential Structures valued at \$300,000 or more shall comply with the following:

- Roof to wall connections must be enhanced up to 15% additional cost of the re-roofing cost.
- A certified or registered general, building or residential contractor compliance affidavit must accompany the re-roof permit application and submit details to perform the following:
 1. Sufficient amount of eave sheathing shall be removed to view 6 ft. of roof rafters.
 2. Wherever a strap is missing or an existing strap has fewer than 4 fasteners on each end of connection with the wall, the connection shall be strengthened by adding:
 - a. Metal connectors, clips, straps and fasteners to achieve an uplift capacity as specified in Table 201.3 OR
 - b. Approved strap ties or right angle gusset brackets with a minimum uplift capacity of 500 lbs shall be installed to the top plate or masonry wall below
 - c. Refer to sections 201.3.1 to 201.3.4 for prescriptive requirements.



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

RE: Permit # _____

Date _____

Inspection Affidavit

I _____, licensed as a(n) Contractor* /Engineer/Architect,
 (please print name and circle Lic. Type) FS 468 Building Inspector*

License #: _____

On or about _____, I did personally inspect the roof
 (Date & time)

deck nailing and/or secondary water barrier work at _____,
 (circle one) (Job Site Address)

Based upon that examination I have determined the installation was done according to the Hurricane Mitigation Retrofit Manual (Based on 553.844 F.S.)

 Signature

STATE OF FLORIDA
 COUNTY OF _____

Sworn to and subscribed before me this _____ day of _____, 200__

By _____

Notary Public, State of Florida

 (Print, type or stamp name)

Commission No.: _____

Personally known _____ or

Produced Identification _____

Type of identification produced. _____

* General, Building, Residential, or Roofing Contractor or any individual certified under 468 F.S. to make such an inspection. Include photographs of each plane of the roof with the permit # or address # clearly shown marked on the deck for each inspection.

NOTICE OF COMMENCEMENT

TO BE COMPLETED WHEN CONSTRUCTION VALUE EXCEEDS \$2,500.00 (\$7,500 Mechanical)

PERMIT #: _____ TAX FOLIO #: _____

STATE OF FLORIDA

COUNTY OF MARTIN

THE UNDERSIGNED HEREBY GIVES NOTICE THAT IMPROVEMENT WILL BE MADE TO CERTAIN REAL PROPERTY, AND IN ACCORDANCE WITH CHAPTER 713, FLORIDA STATUTES, THE FOLLOWING INFORMATION IS PROVIDED IN THIS NOTICE OF COMMENCEMENT.

LEGAL DESCRIPTION OF PROPERTY (AND STREET ADDRESS IF AVAILABLE):

GENERAL DESCRIPTION OF IMPROVEMENT:

OWNER NAME OR LESSEE INFORMATION, IF LESSEE CONTRACTED FOR THE IMPROVEMENT

NAME: _____
ADDRESS: _____
PHONE NUMBER: _____ FAX _____ NUMBER: _____
INTEREST IN PROPERTY: _____

NAME AND ADDRESS OF FEE SIMPLE TITLE HOLDER (IF OTHER THAN OWNER):

CONTRACTOR:

ADDRESS: _____
PHONE NUMBER: _____ FAX NUMBER: _____

SURETY COMPANY (IF APPLICABLE, A COPY OF THE PAYMENT BOND IS ATTACHED) _____
ADDRESS: _____
PHONE NUMBER: _____ FAX _____ NUMBER: _____
BOND AMOUNT: _____

LENDER/MORTGAGE

COMPANY: _____

ADDRESS: _____
PHONE _____ NUMBER: _____
FAX NUMBER: _____

PERSONS WITHIN THE STATE OF FLORIDA DESIGNATED BY OWNER UPON WHOM NOTICES OR OTHER DOCUMENTS MAY BE SERVED AS PROVIDED BY SECTION 713.13 (1) (b) , FLORIDA STATUTES:

NAME: _____
ADDRESS: _____
PHONE NUMBER: _____ FAX NUMBER: _____

IN ADDITION TO HIMSELF OR HERSELF, OWNER DESIGNATES _____ OF _____ TO RECEIVE A COPY OF THE LIENOR'S NOTICE AS PROVIDED IN SECTION 713.13(1)(B), FLORIDA STATUTES:

PHONE NUMBER: _____ FAX NUMBER: _____ EXPIRATION DATE OF NOTICE OF COMMENCEMENT: _____

EXPIRATION DATE MAY NOT BE BEFORE THE COMPLETION OF CONSTRUCTION AND FINAL PAYMENT TO CONTRACTOR BUT WILL BE ONE (1) YEAR FROM THE DATE OF RECORDING UNLESS A DIFFERENT DATE IS SPECIFIED

WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.

UNDER PENALTIES OF PERJURY, I DECLARE THAT I HAVE READ THE FOREGOING AND THAT THE FACTS IN IT ARE TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF (SECTION 92.525, FLORIDA STATUTES).

SIGNATURE OF OWNER OR LESSEE OR OWNER'S AUTHORIZED OFFICER/DIRECTOR/PARTNER/MANAGER/ATTORNEY-IN-FACT

SIGNATORY'S TITLE/OFFICE

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS _____ DAY OF _____, 20 ____

BY: _____ AS _____ FOR _____
NAME OF PERSON TYPE OF AUTHORITY PARTY ON BEHALF OF WHOM INSTRUMENT WAS EXECUTED

PERSONALLY KNOWN _____ OR PRODUCED IDENTIFICATION _____ TYPE OF IDENTIFICATION PRODUCED _____

NOTARY SIGNATURE/ SEAL