

4 Miramar Road

#853

TOWN OF SEWALL'S POINT, FLORIDA

RECEIVED JUN 30 1978

APPLICATION FOR BUILDING PERMIT

Permit No. _____

Date 30 June 1978

--(This application must be accompanied by 3 sets of complete plans, to proper scale, including plot plan, foundation plan, floor plans, wall and roof cross sections, plumbing and electrical layouts, and at least, two elevations as applicable) Copy of property Deed required for new home construction.

Owner Dorwin Shelton Present Address _____ Ph _____

General Contractor Douglas Moline Address 597 Hidden River Ave, Stuart Ph 283-7462

Where licensed MARTIN County License No. 32

Plumbing Contractor Vince Angelo Plumb License No. _____
Electrical Contractor Hurley Electric License No. 71

Street building will front on MIRAMAR RD

Subdivision MIRAMAR Lot No. 7 Area 14,980 S/F

Building area, inside walls (excluding garage, carport, porches) Sq ft 1596 S/F

Other Construction (Pools, additions, etc.) _____

Contract Price (excluding land, rugs, appliances, landscaping) \$ 42,000.⁰⁰

Total cost of permit \$ 230

Plans approved as submitted Plans approved as marked _____

I understand that this permit is good for 12 months from date of issue and that the building must be completed in accordance with the approved plan and that the site be clean and rough-graded within 12 month period

Douglas W. Moline
Signed by General Contractor

I understand that this building must be in accordance with the approved plan and comply with all code requirements before a Certificate of Approval for Occupancy will be issued and the property approved for all utility services. I, also, agree that within 90 days after the building has been approved for occupancy, that the property will, also, be landscaped as to be compatible with the neighborhood.

Dorwin L. Shelton
Signed by Owner

Note: Speculation Builders will be required to sign both statements.

TOWN RECORDS

#853

Date submitted: Thad O'Brien 7/10/78

~~By~~ approved Paul G. ... 6 July 1978

Certificate of Occupancy issued 12 Dec. 1978 Date _____

#853

THIS PERMIT EXPIRES ONE (1) YEAR FROM DATE OF ISSUANCE

7/12/78

Application/Permit NO. HD 78-598

Martin County Health Department

Permit VOID if well or septic system is installed in a location other than area permitted. PRIOR HEALTH DEPARTMENT APPROVAL REQUIRED

DEPARTMENT OF HEALTH AND REHABILITATIVE SERVICES
DIVISION OF HEALTH
Application and Permit
of
Individual Sewage Disposal Facilities

Well MUST be installed BEFORE a Final approval is issued.

Section I - Instructions:

1. Percolation test data, soil profile and water table elevation information must be attached. (Note: Test must be made at proposed location of system).
2. Existing building and proposed buildings on lot must be shown and drawn to scale at their location or proposed location. (Use block on this sheet or attach plot plan).
3. Proposed location of septic tank must be shown on plan.
4. Any pond or stream areas must be indicated on the plan.
5. Indicate name and date of recording of subdivision. If not recorded, attach metes and bounds description.
6. Complete the following information section.

- Notes:
1. Not valid if sewer is available.
 2. Individual well must be 75 feet from any part of system.
 3. Call 287-2277 and give this office a 24-hour notice when ready for inspection.

Section II - Information:

1. Property Address (Street & House No.)
Lot 7 Block _____ Subdivision MIRAMAR S/D
Date Recorded 4-6-59 Directions to Job _____
2. Owner or Builder Moline & Mortensen
P.O. Address 2738 City Stuart, Florida
3. Specifications
3-Bedrooms

Tank	Drainfield	
Gals. _____	ft. of 6" clay tile or 5" perforated plastic drain in a _____ trench or	
<u>900</u> Gals.	ft. of 4" clay drain or 4" perforated plastic drain in an _____ trench	

Scale 1" = 50'
(Rear)

REMOVE ALL IMPERVIOUS MATERIALS TO A DEPTH OF 6' AND BACKFILL WITH A GOOD GRADE OF SAND IN ENTIRE AREA OF DRAINFIELD.

SEE ATTACHED

4. House to be constructed:
Check one: _____ FHA
_____ VA Conventional

This is to certify that the project described in this application, and as detailed by the plans and specifications and attachments will be constructed in accordance with state requirements.

Applicant: MOLINE & MORTENSEN
Please Print

Signature: Douglas Moline Date: 11 JULY, '78

***** DO NOT WRITE BELOW THIS LINE *****

Section III - Application Approval & Construction Authorization
Installation subject to following special conditions: Separate septic system from driveway
The above signed application has been found to be in compliance with Chapter 17-13, Florida Administrative Code, and construction is hereby approved, subject to the above specifications and conditions.
By: John S. Cole, Jr. County Health Dept. Martin Date 7/14/78

Section IV - Final Construction Approval

Construction of installation approved: _____ Yes _____ No
Date: _____ By: _____
FHA No. _____ VA No. _____

#853
10F3

FLORIDA DEPARTMENT OF POLLUTION CONTROL

S. E. Subregion
806 South 6th Street
Fort Pierce, Florida 33450
Tel (305) 464-8525

INDIVIDUAL SEWAGE DISPOSAL FACILITIES
DATA SHEET

Location: LOT 7, MIAMAR S/D Applicant: MOUNE & MORTENSEN
P.B. 3, pg III County: MARTIN

NOTE. This septic tank system is not located within 50 feet of the high water line of a lake, stream, canal or other waters, nor within 75 feet of any private well; nor within 100 feet of any public water supply; nor within 10 feet of water supply pipes; nor within 100 feet of any public sewer system


SEE ATTACHED

← Plot plan must show all data required in IOD-6.03 2(a) and all other pertinent data.

ALL DISTANCE BETWEEN SEPTIC TANKS AND WELLS MUST BE CHECKED AND VERIFIED IN THE FIELD BY THE CONTRACTOR

PLAN
Scale: 1" = _____

SOIL DATA



LEGEND

- Drainage Pattern
- Proposed Septic Tank and Drainfield
- Proposed Water Supply Well
- Existing Water Supply Well
- Soil Boring and Percolation Test Location

#853

SOIL BORING LOG

Soil Identification: CLASS I GROUP SP
Soil Characteristics Light gray, White & Light Brown Sand

Percolation Rate: 30 min/inch

Water Table Depth ≥ 6'

Water Table Depth During Wet Season ≥ 6'

Compacted Fill Of _____ Req'd


Compacted Fill Checked By: _____

Date _____

CERTIFIED BY: Willie L. Gentry


FLORIDA PROFESSIONAL No. 2370

Date 11 JULY, '78 Job No. 77-48



VICINITY MAP N.T.S.

LOT 7, OF PLAT OF MIRAMAR AS RECORDED IN PLAT BOOK 3, PAGE 111, PUBLIC RECORDS OF MARTIN COUNTY FLORIDA.



I HEREBY CERTIFY that the plat shown hereon is a true and correct representation of a survey made under my direction and that said survey is accurate to the best of my knowledge and belief and that, unless otherwise shown, there are no encroachments.

CREECH & ASSOCIATES
 LAND SURVEYORS
 STUART, FLORIDA

Will L. Creech
 PROFESSIONAL LAND SURVEYOR
 FLORIDA CERTIFICATE NO. 2370

PLAT BK. 3 PG. 111 FIELD BK: File DATE: 7-11-78 DRAWN BY: P.A.R. SCALE: 1" = 30' ORDER # 77-48

308760

This Warranty Deed Made the _____ day of June A. D. 19 78 by DOUGLAS MOLINE, joined by his wife, Natalie A. Moline, and MICHAEL MATHIAS, joined by his wife, Stacey E. Mathias hereinafter called the grantor to DORWIN L. SHELTON and MONIKA M. SHELTON, his wife, whose postoffice address is 1501 N.E. 15th Terr. Apt. H-12, Jensen Beach, Fl. 33457 hereinafter called the grantee.

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth: That the grantor, for and in consideration of the sum of \$ 10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Martin County, Florida, viz:

Lot 7, MIRAMAR, according to the plat thereof, recorded April 10, 1959, in Plat Book 3, page 111, Martin County, Florida public records.

SUBJECT to mortgage from the grantee to First Federal Savings and Loan Association of Fort Pierce in the original sum of \$56,000.00, dated May 30, 1978, recorded in O. R. Book 445, page 1698 of the public records of Martin County, Florida.

STATE OF FLORIDA DOCUMENTARY STAMP TAX DEPT. OF REVENUE 58.50

DOCUMENTARY SURTAX 21.45

LOUISIANA RECORDS DEPARTMENT OF REVENUE

78 JUN 26 P 2: 12

MARTIN COUNTY, FLA

Together, with all the tenements, hereditaments and appurtenances thereto belonging or in any wise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 19 77.

In Witness Whereof, the said grantor has executed this Deed the day and year first above written.

Signed, sealed and delivered in our presence: [Signatures]

[Signatures and names of Douglas Moline, Natalie A. Moline, Michael Mathias, Stacey E. Mathias]

State of Florida, County of MARTIN BOOK 447 PAGE 535

I Hereby Certify that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgments, personally appeared Douglas Moline and Natalie A. Moline, his wife, and Michael Mathias and Stacey E. Mathias, his wife to me known to be the person s described in and who executed the foregoing instrument and they acknowledged before me that they executed the same.

Witness my hand and official seal in the County and State last aforesaid this day of 23rd June, A. D. 19 78.

THIS INSTRUMENT PREPARED BY FRANK M. FEE, III FIRST FEDERAL BLDG. FT. PIERCE, FLORIDA 33450

[Notary Signature] Notary Public in and for State and County aforesaid. PAMELA LUCE SMITH Notary Public, State of Florida at Large My Commission Expires April 16, 1981 Bonded thru General Insurance Underwriters

1853

TOWN OF SEWALL'S POINT, FLORIDA

CERTIFICATE OF APPROVAL FOR OCCUPANCY

Date 12/12/78

This is to request that a Certificate of Approval for Occupancy be issued to
For property built under Permit No. 853 Dated 6/30/78 when completed in
conformance with the Approved Plans

Signed _____

RECORD OF INSPECTIONS

Item	Date	Approved by
Set-backs and footings	8/2	Dunlap, Jan
Rough plumbing	7/27	Dunlap, Jan
Slab	8/7	Jan
Perimeter beam		
Close-in, roof and rough electric	9/25	Dunlap, Jan
Final Plumbing	12/12/78	
Final Electric	12/12/78	

Final Inspection for Issuance of Certificate for Occupancy.

Approved by Building Inspector _____ date

Approved by Building Commissioner _____ date

Utilities notified Dec 12, 1978 date

Original Copy sent to _____

(Keep carbon copy for Town files)

DORWIN SHELTON

TOWN OF SEWALL'S POINT, FLORIDA

CERTIFICATE OF APPROVAL FOR OCCUPANCY

Date 12/12/78

This is to request that a Certificate of Approval for Occupancy be issued to _____
For property built under Permit No. 853 Dated 6/30/78 when completed in
conformance with the Approved Plans.

Signed

RECORD OF INSPECTIONS

Item	Date	Approved by
Set-backs and footings	8/2	Dunya, Jan
Rough plumbing	7/27	Dunya, Jan
Slab	8/7	Jan
Perimeter beam		
Close-in, roof and rough electric	9/25	Dunya, Jan
Final Plumbing	12/12/78	
Final Electric	12/12/78	

Final Inspection for Issuance of Certificate for Occupancy.

Approved by Building Inspector _____ date

Approved by Building Commissioner _____ date

Utilities notified Dec 12, 1978 date

Original Copy sent to _____

(Keep carbon copy for Town files)

1247

SOLAR HOT WATER
SYSTEM

1247

TOWN OF SEWALL'S POINT FLORIDA

Permit No. 1247

Date 11/19/80

APPLICATION FOR A PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING.

This application must be accompanied by three sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two elevations, as applicable.

Owner William Walter Present address 4 MIRAMAR

Phone 287-0246

Contractor Seacoast Distributors of Stuart Address Box 782 Port Salerno

Phone 286-2183

Where licensed Martin County License number 1106-00397

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: Solar Hot Water System SAME AS

Permit # 1132 (4-10-80) for T.A. Freeman as a permit
State the street address at which the proposed structure will be built:
67 HUD AND FLORIDA SOLAR ENERGY CENTER
4 MIRAMAR

Subdivision _____ Lot No. _____

Contract price \$ 1350.00 Cost of Permit \$ 7.00

Plans approved as submitted Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or a Town Commissioner "Red-tagging" the construction project.

Contractor Bonnie L. Ziegler

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner Etta E. Walter

TOWN RECORD

Date submitted

Approved: J. Mazzuca 11/20/80
Building Inspector Date

Approved: J.C. Strubell 12/3/80
Commissioner Date

Final Approval given: Jan 12/17/80
Date

Certificate of Occupancy issued _____
Date

1247

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

SOLAR SYSTEM INSTALLATION
DRAWINGS AND DATA

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

SOLAR DEVELOPMENT, INC.
3630 REESE AVENUE
GARDEN INDUSTRIAL PARK
RIVIERA BEACH, FLORIDA 33404

SUN COAST DISTRIBUTORS OF STUART, INC.
P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183




SUN COAST DISTRIBUTORS OF STUART, INC.
P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

RECEIVED NOV 19 1980

12/3
Jane 11/20/80

Approval of these plans in no way
relieves the contractor or builder of
complying with the Town of Sewall's
Point's Ordinances, the South Florida
Building Code and the State of Florida
Model Energy Efficiency Building Code.


These drawings have been prepared to substitute for blueprint drawings utilized
for building permit applications. Nothing in these drawings shall be interpreted
to conflict with the drawings filed with the cognizant Building Official which
are signed and sealed by William G. Wallace, Professional Engineer, North Palm
Beach, Florida.



1. ASG SUNADEX TRU-TEMP (WATER WHITE, TEMPERED, PATTERNED) GLAZING. BED TO FRAME W. GE. CLEAR SILICONE SEAL OR EQUIV.
2. FOR ASSEMBY SEE SD 6 SHOP NOTES.

SD-6 COLLECTOR

RHEEM/RUUD RCG-307



REMOVE PANEL WIND LOADS > 19" FROM EACH END OF EACH 76 11/16" SIDE.

SUN COAST DISTRIBUTORS OF STUART, INC.


P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

RECEIVED NOV 19 1980

John 11/20/80

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Depts Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.




WET WEIGHT 86.00 LBS.
APERTURE 16.99 FT.²
GROSS 18.58 FT.²
ROOF MOUNT 37.25" GC



SOLAR DEVELOPMENT, INC.
3630 REESE AVE.
GARDEN INDUSTRIAL PARK
RIVIERA BEACH, FLA. 33404
3051842-8935

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183




RECEIVED NOV 19 1980

Jan 11/20/80

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point's Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

SOLAR DEVELOPMENT, INC.
3630 REESE AVE.
GARDIN INDUSTRIAL PARK
RIVIERA BEACH, FLA. 33404
305/842-8935

SD-5 SOLAR COLLECTOR ASSEMBLY



ALUMAX DWG 3802 & 3803 FOR EXTRUSION DETAILS (ALT. 171-1101)

SOLAR DEVELOPMENT, INC.
 3630 REESE AVE.
 GARDEN INDUSTRIAL PARK
 RIVIERA BEACH, FLA. 33404
 30518-42-8935

SUN COAST DISTRIBUTORS OF STUART, INC.
 P. O. BOX 782
 BOAT SALERNO, FLA 33492
 286-2183



3610 RIVER AVE.
GARDEN INDUSTRIAL PARK
RIVIERA BEACH, FLA. 33404
305/842-8935

PLATE 3-0 B

RECEIVED APR - 9 1980

SD-5 SOLAR COLLECTOR (FOR 1500 MB.)


FLUSH MOUNT
TO PITCHED ROOF

TRUSS JOIST CHORD CE

48" NOM

15,000 NOM

MOUNTING CLIP (TYP. 6)



RECEIVED NOV 19 1980

Approval of these plans in no way
relieves the contractor or builder of
complying with the Town of Seawall's
Point's Ordinances, the South Florida
Building Code and the State of Florida
Model Energy Efficiency Building Code.

J. J. [Signature]
11/20/80
R/S

1" NOM

3/8" ST

120 1/2

336"

ALUMINUM DWG J802 & J803 FOR EXTRUSION DETAILS (ALT 171-1101)

1/4" X 1" TEKS-3 SS. (2)

3" x 2" x 0.125" AL

COLLECTOR BOX

2 - 5/16" x 2 1/4" LAG W. L.W.

BED EACH CLIP TO MEMBRANE W SILICONE SEAL

SEAL EA LAG HEAD TO BRACKET W SILICONE SEAL. MAX PILOT DIA. 0.150"

MEMBRANE

MOUNTING CLIP

SHIM 3/8" - 1/2"

AT EA. BRACKET BEFORE FASTENING

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183




3430 KIEW AVE.
GARDEN INDUSTRIAL PARK
RIVIERA BEACH, FLA. 33404
3051847 8935

PLATE 30-A

SD-5 SOLAR COLLECTOR ASSEMBLY (2'-10")

0.063" TIGARC WELDED COR STIFFENER (4)

30.0"
NOM.



RECEIVED NOV 19 1980

Jan 11/20/80
JL 12/13

Approval of these plans in no way
relieves the contractor or builder of
complying with the Town of Sewall's
Point's Ordinances, the South Florida
Building Code and the State of Florida
Model Energy Efficiency Building Code.

ALUMAX DWG 3802 & 3803 FOR EXTRUSION DETAILS

FASTENER SCHEDULE FOR SOUTH FLORIDA BUILDING CODE

ISOLATE CUTTING FROM AL
BOX W ADHESIVE 1/2" RIBBS
GROMMET (2)




SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

SOLAR DEVELOPMENT INC.
 3630 PLUS AVE.
 GARDEN INDUSTRIAL PARK
 RIVIERA BEACH, FLA. 33404
 305/842-8935

SD-5 SOLAR COLLECTOR MOUNTING SYSTEM - RHEEM/RUUD R1P210
 ONE BRACKET ASSY EA. END 96" O.C.

PLATE 4-0



FASTENER SCHEDULE
 A 3/8" 16NC 1" 18-8 STAINLESS
 C TEK 3 1/4" 1" (2) 410 STAINLESS
 LOCK WASHER ALL NUTS

REAR STRUT
 0.125" x 1 1/2" x 1/2" x 3/2" 60637 S ALX
 FOR FLAT ROOF 37° COLL. X

NOTE 1: FULL PFM HELI-
 ARC WELD EA BRACKET
 TO STRONGBACK (2 SIDES)
 MIN WELD LENGTH 175"
 EA WELD



RECEIVED NOV 19 1980

James P. ...
 11/20/80

Approval of these plans in no way
 relieves the contractor or builder of
 complying with the Town of Sewall's
 Point's Ordinances, the South Florida
 Building Code and the State of Florida
 Model Energy Efficiency Building Code.

SUN COAST DISTRIBUTORS OF STUART, INC

P. O. BOX 782
 PORT SALERNO, FLA. 33492
 286-2183


RECEIVED NOV 19 1980

John 11/20/80
12/3



Approval of these plans in no way
relieves the contractor or builder of
complying with the Town of Sewall's
Point's Ordinances, the South Florida
Building Code and the State of Florida
Model Energy Efficiency Building Code.

SD-5 SBEAR COLLECTOR ROOF SEAL



1. THORVELL 6"x6" SQUARE 3/16" THICK (AREA A).
2. SET PITCH PAN IN AREA A.
3. FILL PITCH PAN AREA B 1/4" GRC.
4. FILL LAG SCREW HOLES IN PLYWOOD BLOCK GRC.
5. THORVELL 1/8" GRC AREA C.
6. TORQUE LAGS \approx 20 LBS-FT.
7. MAX. LAG PILOT DIA. 15/64"
8. MIN. RAFTER LAG PENETRATION SEVEN DIAS.
OR 2.20"

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

SOLAR DEVELOPMENT, INC.
3630 REESE AVE.
GARDNH INDUSTRIAL PARK
RIVIERA BEACH, FLA. 33404
305/842-8935


RECEIVED NOV 19 1980

NOTES:

Jan 11/20/80

- 1. Set Watts 70A 3/4 in. mixing valve at 140°.

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Seaside Point's Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.



- 2. Insulate all pipes and outdoor valves with Fiberglas (2 in. wall thickness) or equivalent.
- 3. All piping 1/2 in. copper to and from collector.
- 4. Set heating element of tank at 120 deg.
- 5. Pressure/temp. relief valves (2) Watts 1L 1/2 in. or equivalent.
- * Mixing valve required on RUL systems only.

SUN COAST DISTRIBUTORS OF STUART, INC.

P. O. BOX 782
 PORT SALERNO, FLA. 33492
 286-2183

RECEIVED APR - 3 1980

Solar Development, Inc.
 3530 Reese Ave.
 Riviera Beach, Florida 33404

SLS Standard
 4' x 10'


RECEIVED NOV 19 1980 SUN COAST DISTRIBUTORS OF STUART, INC.

Jan 11/20/80 JG 12/3
Approval of these plans in no way
relieves the contractor or builder of
complying with the Town of Seaside's
Point's Ordinances, the South Florida
Building Code and the State of Florida
Model Energy Efficiency Building Code.

P. O. BOX 782
PORT SALERNO, FLA. 33492
286-2183

SDI

SOLAR HOT WATER HEATER



SOLAR WATER HEATING

In a world of rapidly vanishing supplies of fossil fuels, use of gas or electricity for low temperature applications such as water heating is not prudent. Solar energy can do the job as it has in Florida for over 40 years. Solar energy will easily heat water to over 150° and can supply most of our needs right now. The energy is infinite and the technology is up to date. In the average family, SDI recommends one 4' x 10' copper solar panel with an 82 gallon tank, and one 2' x 10' panel with a 40 gallon tank for two people. Since a high percentage of an annual utility bill is for heating hot water (every day, 365 days per year), a solar water heater makes sense — with an occasional boost from the back up electric unit, most of the water heating bill can be saved. This provides an excellent "tax free" return on an investment and is particularly attractive in new construction where the SDI system can be included in all types of home mortgages, including FHA.

SDI SYSTEM

The heart of a solar water heater is a solar collector that transfers energy from the sun to water. The collector is basically a formed copper plate that has several rows of copper tubing soldered in the grooves. The plate and tubes are painted black to absorb heat. Thermax insulation is used to insulate the plate and the entire assembly is housed in an insulated extruded aluminum box with sheet aluminum backing.


Above the collector plate is a sheet of tough Kalwall Sun-Lite Premium glazing. The glazing has two purposes. It prevents cooling of the plate by the wind and provides a "greenhouse effect" which allows solar radiation to enter the collector but traps the heat inside the unit. As the sun's energy penetrates the Kalwall, it heats the plate. Water circulating through the tubes extracts this energy. The collector is normally roof mounted facing south at an angle of latitude or latitude + 10°.

SDI's hot water heater is uniquely designed to be compatible with today's existing household and commercial plumbing systems. Instead of utilizing a separate hot water tank that circulates water by the slow thermal siphon principle, SDI uses a standard hot water tank and forces circulation to speed up heat transfer and system effectiveness.

A small hot water circulating pump transfers water through a copper line leading to the solar collector. After the water passes through the collector and is heated by the sun, it is returned to the side of the existing hot water tank.

Attached to the circulating pump is a small solid-state, electronic controller. This device compares temperatures of the water in the tank to that of the collector plate and instructs the pump to circulate only when energy can be added to the system. Each time the water from the tank is passed through the collector, it picks up heat thereby saving dollars.

TECHNICAL SPECIFICATIONS



DIMENSIONS — 4' x 10', dual 2' x 10' or single 2' x 10'

WEIGHT — 100 lbs. + 9.5 lbs. for roof mounting hardware, 57 lbs. for 2' x 10'.

COLLECTOR PLATE — .012" thick copper.

PIPING — 100 ft. of 1/2" copper tubing, 4.6" on center.

PLATE/PIPE CONNECTION — Plate grooved to accept half of pipe circumference for excellent heat transfer, 100% capillary flow solder bond.

BOX — 6063T5 extruded aluminum with .032" aluminum backing.

COATING — High quality flat black paint or black chrome on nickel flash.


INSULATION — 1" Celotex Thermax (R8). 2" available on large orders.

GLAZING — .025" Kalwall Sun-Lite Premium.

WIND LOADING — Designed for 30 lbs./sq. ft. (48 lbs./sq. ft. available).

FREEZE PROTECTION — Geographic location dictates the type of freeze protection device needed. Contact SDI for recommendations.

PERFORMANCE — The SDI Collectors have been tested by the Florida Solar Energy Center in accordance with National Standards. Test data is available on request.



SDI Plate/Tube Design for High Heat Transfer


DISTRIBUTED BY:

HOT WATER ALWAYS AVAILABLE

Normally this method of heating water will provide adequate hot water. However, in periods of prolonged cloudiness and high water usage at night, extra heat will be needed. By setting the thermostat on your electric hot water heater at approximately 120-125 degrees, hot water will always be available.

© SOLAR DEVELOPMENT, INC. 1976

SDI



1498

FENCE

1498

TOWN OF SEWALL'S POINT FLORIDA

Permit No. _____

Date 8-5-82

APPLICATION FOR A PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING.

This application must be accompanied by three sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two elevations, as applicable.

Owner THOMAS W WALTER Present address 4 MIRAMAR WAY

Phone 287 0246

Contractor SELF Address SAME

Phone 287 0246

Where licensed N/A License number _____

Electrical contractor N/A License number _____

Plumbing contractor N/A License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: 48" CHAIN LINK FENCE

State the street address at which the proposed structure will be built:

SAME

Subdivision MIRAMAR Lot No. _____

Contract price \$ 400.00 Cost of Permit \$ 5XX

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or a Town Commissioner "Red-tagging" the construction project.

Contractor Thomas W Walter

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner Thomas Walter Jr.

Approved: _____ TOWN RECORD Date submitted _____
Building Inspector J. Amador 8/6/82 Date

Approved: _____
Commissioner J.C. Strubell 8/6/82 Date


Final Approval given: _____ Date 9/13/82 Jen

Certificate of Occupancy issued _____ Date Not Rec

SP/1-79

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point's Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

1498




4 MIRAMAR WAY
 T. WALTER 287 0246
 \$400.00 OR 287 9970

John 8/6/82 JWS 8/6

Approval of these plans in no way
 relieves the contractor or builder of
 complying with the Town of Sewall's
 Point's Ordinances, the South Florida
 Building Code and the State of Florida
 Model Energy Efficiency Building Code.

SEWALL POINT, FLORIDA



RECEIVED
 AUG - 6 1982
 Ans'd.....

#4 MIRAMAR WAY

T. WALTER

287 0246

Jan 8/6/82 \$400.00

OR
 287 9970

Approval of these plans in no way
 relieves the contractor or builder of
 complying with the Town of Sewall's
 Point's Ordinances, the South Florida
 Building Code and the State of Florida
 Model Energy Efficiency Building Code.

Sewall's Point, Florida

2154

GARAGE

2154

PERMIT NUMBER

DATE OF APPLICATION

To obtain this permit, the following are required:

1. Florida certification of builder and sub-contractors
2. Certificate of insurance from contractor or owner/builder re: liability + workers' comp.
3. Two sets of building plans which must include:
1/4" scale building drawings; plot plan; foundation plan; floor plans; wall and roof cross-sections; plumbing, electrical + air conditioning layouts; and at least two elevations
4. Recorded warranty deed to the property
5. Septic tank permit and 1 set of plans with Martin Co. Health Dept. seal
6. Energy code calculations
7. Notarized copy of attached affidavit re: removal of nuisance trees
8. Tree removal permit (for trees other than in #7 above)
9. Certificate of elevation from licensed surveyor and determination of flood zone
10. Manufacturer's schedule of windows

Owner THOMAS W WALTER JR Current Address 4 MIRAMAR Rd,

Telephone 287 0246

General Contractor JAMES J. AUDET CONST. INC. Address 5467 SE 51ST DR.

Telephone 286-5524 STUART FLA. 33494

Where Licensed STATE OF FLA License Number CGC 008718

Plumbing Contractor _____ License Number _____

Electrical Contractor _____ License Number _____

Roofing Contractor _____ License Number _____

A/C Contractor _____ License Number _____

Describe the building or alteration to existing building ADD GARAGE

Name the street on which the building, its front building line and its front yard will face
MIRAMAR Rd Subdivision MIRAMAR Lot 7


Building area (inside walls) _____ Garage, carport, porch area 468 SQ FT.

Contract price (excluding land, carpet, appliances, landscaping) \$ 6,500

Cost of permit \$ _____ Plans approved as submitted _____ or, as marked _____

In addition, the following are understood by owner and contractor:

1. Building area inside walls must be a minimum of 1,500 square feet.
2. Building permit fees are \$5. per thousand dollars of the cost of the building, plus \$10. each for plumbing, electric, air conditioning and roofing. For example, a \$100,000. building x \$5. = \$500. plus \$40. (a.c., pl., el. and roof) = \$540. cost of permit.
3. If no contract is submitted as proof of cost, the permit will be based on \$60. per square foot (inside walls) and \$25. per square foot (other areas).
4. The Town has adopted the South Florida Building Code as a part of its ordinances.
5. Building permits are issued for one year's duration.
6. Construction must be started within 180 days or the permit will be subject to revocation and forfeiture of fee.
7. ALL changes in plans must be approved by the Building Department.
8. Work hours are 8: AM to 5: PM Monday through Saturday. NO SUNDAY WORK.
9. Portable toilets must be on all construction sites.
10. Inspections are made Monday through Friday, 8: AM to Noon. 24 hour notice is required prior to all inspections.
11. String lines along property lines to facilitate set back inspections.
12. Before a certificate of occupancy is issued, the following are required:
 - a. An owner's affidavit of building cost (form available) - any discrepancy between the original fee and the final fee (based on the affidavit) will be adjusted.
 - b. Approval of septic tank installation by Martin Co. Health Dept.
 - c. Rough grading and clean-up of grounds.
 - d. Affidavit from licensed surveyor showing slab elevation (if in a flood zone). Affidavit from licensed surveyor showing elevation of piers (if in "v" zone).
 - e. Certification by a qualified engineer or architect of the structural adequacy of the building.
13. THIS SUMMARY IS NOT A SUBSTITUTE FOR TOWN ORDINANCES. APPROVAL OF THE BUILDING PLANS IN NO WAY RELIEVES THE OWNER OR CONTRACTOR FROM COMPLIANCE WITH TOWN ORDINANCES.



Contractor's Signature James J. Audet Owner's Signature Thomas W Walter Jr

Approved by Building Inspector Bob Ben Date 4/17/87

Approved by Commissioner _____ Date _____

Certificate of Occupancy Issued _____ Date _____

5197

REROOF

MASTER PERMIT NO. N/A

TOWN OF SEWALL'S POINT

Date 01/02/01

BUILDING PERMIT NO. 5197

Building to be erected for WALT MYKIETYN

Type of Permit RE ROOF

Applied for by PACIFIC ROOFING (Contractor)

Building Fee _____

Subdivision MIRAMAR Lot 7 Block _____

Radon Fee _____

Address 4 MIRAMAR ROAD

Impact Fee _____

Type of structure S.F.R.

A/C Fee _____

Electrical Fee _____

Parcel Control Number:

Plumbing Fee _____

01-38-41-009-000-0007.0-8000

Roofing Fee \$ 120.00

Amount Paid \$ 120.00 Check # 5694 Cash _____ Other Fees (_____) _____

Total Construction Cost \$ 7,000.00

TOTAL Fees \$ 120.00

Signed Rob Austin
Applicant

Signed [Signature]
Town Building Inspector [Signature]

RE-ROOFING PERMIT

INSPECTIONS			
DRY IN PROGRESS	DATE _____ DATE _____	PROGRESS FINAL	DATE _____ DATE <u>1/17/01</u>
24 HOURS NOTICE REQUIRED FOR INSPECTIONS.		CALL 287-2455	
WORK HOURS - 8:00 AM UNTIL 5:00 PM			
MONDAY THROUGH SATURDAY			

New Construction Remodel Addition Demolition

**This permit must be visible from the street, accessible to the inspector.
FURTHER CONDITIONS ARE SET FORTH IN THE APPLICATION FOR PERMIT,
NOTATIONS ON THE APPROVED SUBMITTALS, AND ATTACHMENTS IN THE PERMIT FILE.
DO NOT FASTEN THIS OR ANY OTHER SIGN TO A TREE!**

Permit # _____

Tax Folio # 01-38-41-009-000-0007, 0-0000

NOTICE OF COMMENCEMENT

STATE OF FLORIDA
MARTIN COUNTY

THIS IS TO CERTIFY THAT THE
FOREGOING 1 PAGES IS A TRUE
AND CORRECT COPY OF THE ORIGINAL.

MARSHA STILLER, CLERK

BY T. C. [Signature] D.C.

DATE 12-4-03



State of FLORIDA
County of MARTIN

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of commencement.

1. Description of property: MIRAMAR lot 7
2. General description of improvement: RE ROOF
3. Owner information:
 - a. Name & Address: WALT & JEAN MYGELYN
4 MIRAMAR ROAD STUART, FL. 34997
 - b. Interest In Property: _____
 - c. Name & Address of fee simple titleholder (other than owner): _____
4. Contractor's Name & Address: PACIFIC ROOFING
PO. BOX 2697 STUART FL. 34995
 - a. Phone number: 283-7663
 - b. Fax number: 283-9506
5. Surety Information:
 - a. Name & Address: _____
 - b. Phone number: _____
 - c. Fax number: _____
 - d. Amount of Bond: \$ _____
6. Lender's Name & Address: _____
 - a. Phone number: _____
 - b. Fax number: _____
7. Person within the State of Florida designated by owner upon whom notices or other documents may be served as provided by 713.13 (1) (a), 7 Florida Statutes:
Name & Address: _____
 - a. Phone number: _____
 - b. Fax number: _____
8. In addition to himself, owner designates _____ of _____ to receive a copy of the Lienor's Notice as provided in Section 713.13 (1) (b), Florida Statutes.
9. Expiration date of Notice of Commencement (the expiration date is one (1) year from the date of recording unless a different date is specified): _____

(signature of owner)


[Handwritten signature of Jean Mygelyn]

Sworn to and subscribed before me
this 28th day of Nov, 2000

Notary James Nickerson

Known Personally/ I.D. Shown _____

My commission expires:





**Town of Sewall's Point
BUILDING PERMIT APPLICATION**

RECEIVED Bldg. Permit Number **5197**
DEC 04 2000
BY: lgg Phone No. (561) 288-3769

Owner or Titleholder's Name WALT MYKIEFYN
Street: 4 MIRAMAR ROAD City: STUART State: FL Zip: 34997
Legal Description of Property: MIRAMAR Lot 7

Parcel Number: 01-38-41-009-000-0007.0-8000

Location of Job Site: 4 MIRAMAR ROAD

TYPE OF WORK TO BE DONE: REMOVE EXISTING ASPHALT SHINGLE ROOF. INSTALL NEW 30 YR. M.D.A.

CONTRACTOR/Company Name: PACIFIC ROOFING Phone No. (561) 283-7663 SHINGLE

Street: PO BOX 2697 City: STUART State: FL Zip: 34995

State Registration: _____ State License: CC056793

ARCHITECT: _____ Phone No. () _____

Street: _____ City: _____ State: _____ Zip: _____

ENGINEER: _____ Phone No. () _____

Street: _____ City: _____ State: _____ Zip: _____

AREA SQUARE FOOTAGE - SEWER - ELECTRIC:

Living Area: 40P Garage Area: _____ Carport: _____ Accessory Bldg: _____

Covered Patio: _____ Scr. Porch: _____ Wood Deck: _____

Type Sewage: _____ Septic Tank Permit # from Health Dept. _____

New Electrical Service Size: _____ AMPS

FLOOD HAZARD INFORMATION

Flood zone: _____ Minimum Base Flood Elevation (BFE): _____ NGVD

Proposed first habitable floor finished elevation: _____ NGVD (minimum 1 foot above BFE)

COSTS AND VALUES

Estimated cost of construction or improvement: \$ 7,000

Estimated Fair Market Value (FMV) prior to improvement: \$ _____

If Improvement, is cost greater than 50% of Fair Market Value? YES _____ NO _____

Method of determining Fair Market Value: _____

SUBCONTRACTOR INFORMATION: (Notification to this office of subcontractor change is mandatory.)

Electrical: _____ State: _____ License # _____

Mechanical: _____ State: _____ License # _____

Plumbing: _____ State: _____ License # _____

Roofing: PACIFIC ROOFING State: FL License # CC056793

Application is hereby made to obtain a permit to do the work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work will be performed to meet the standard of all laws regulating construction in this jurisdiction. I understand that a separate permit from the Town may be required for ELECTRICAL, PLUMBING, SIGNS, WELLS, POOLS, FURNACES, BOILERS, HEATERS, TANKS, AIR CONDITIONERS, DOCKS, SEA WALLS, ACCESSORY BUILDINGS, SAND OR FILL ADDITION OR REMOVAL, AND TREE REMOVAL.

I HEREBY CERTIFY: THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE 'BEST OF MY KNOWLEDGE AND I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS AND ORDINANCES DURING THE BUILDING PROCESS, INCLUDING FLORIDA MODEL ENERGY CODES.

OWNER or AGENT SIGNATURE (Required)

Jean Mykiefyn
Owner

State of Florida, County of: Martin On this the 28th day of Nov., 2000,

by JEAN MYKIEFYN who is personally known to me or produced _____ as identification.

James Nickerson
Notary Public

My Commission Expires: 12/13/2003

CONTRACTOR SIGNATURE (Required)



Richard J. Gomes
Contractor

State of Florida, County of: Martin On this the 30 day of Nov., 2000,

by RICHARD J. GOMES who is personally known to me or produced _____ as identification.

James Nickerson
Notary Public

My Commission Expires: 12/13/2003



TREE REMOVAL (Attach sealed survey)

Number of trees to be removed: _____ Number of trees to be retained: _____ Number of trees to be planted: _____ Number of Specimen trees removed: _____
Fee: \$ _____ Authorized/Date: _____

DEVELOPMENT ORDER # _____

1. ALL APPLICATIONS REQUIRE

- a. Property Appraisers Parcel Number.
- b. Legal Description of your property. (Can be found on your deed survey or Tax Bill.)
- c. Contractors name, address, phone number & license numbers.
- d. Name all sub-contractors (properly licensed).
- e. Current Survey

2. Take completed application to the Permits and Inspections Office for approval. Provide construction details and a plot plan(s) showing setbacks, yard coverage, parking and position of all buildings on the property, stormwater retention plan, etc. Compliance with subdivision regulations can also be determined at this time.

3. Take the application showing Zoning approval (complete with plans & plot plan) to the Health Department for septic tank. Attach the pink copy to the building application.

4. Return all forms to the Permits and Inspection Office. All planned construction requires: two (2) sets of plans, drawn to scale with engineer's or architects seal and the following items:

- a. Floor Plan
- b. Foundation Details
- c. Elevation Views - Elevation Certificate due after slab inspection,
- d. Plot Plan (show desired floor elevation relative to Sea Level in front of building, plus location of driveway).
- e. Truss layout
- f. Vertical Wall Sections (one detail for each wall that is different)
- g. Fireplace drawing: If prefabricated submit manufacturers data

ADDITIONAL Required Documents are:

- 1. Use permit (for driveway connection to public Right of Way). Return form with plot plan showing driveway location (State Road A-1-A East Ocean Boulevard only).
- 2. Well Permit or information on existing well & pump.
- 3. Flood Hazard Elevation (if applicable).
- 4. Energy Code Compliance Certification plus any Approved Forms and/or Energy Code Compliance Sheets.
- 5. Statement of Fact (for Homeowner Builder), and proof of ownership (Deed or Tax receipt).
- 6. Irrigation Sprinkler System layout showing location of heads, valves, etc.
- 7. A certified copy of the Notice of Commencement must be filed in this office and posted at the job site prior to the first inspection.
- 8. Replat required upon completion of slab or footing inspection And Prior to any further inspections.

NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of COUNTY OF MARTIN, and there may be additional permits required' from other governmental entities such as water management districts, state and federal agencies.

Approved by Building Official: _____ Date: _____

Approved by Town Engineer _____ Date: _____
(If required)



MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Owens Corning
One Owens Corning Parkway
Toledo, OH 43659

CONTRACTOR ENFORCEMENT SECTION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

Your application for Product Approval of:

→ Oakridge 30 AR

under Chapter 8 of the Metropolitan Dade County Code governing the use of Alternate Materials and Types of Construction, and completely described in the plans, specifications and calculations as submitted by: Underwriters Laboratories, Inc. and Celotex Corporation Testing Services has been recommended for acceptance by the Building Code Compliance Office to be used in Dade County, Florida under the specific conditions set forth on pages 2-9 and the standard conditions on page 10.

This approval shall not be valid after the expiration date stated below. The Building Code Compliance Office reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, the Building Code Compliance Office may revoke, modify, or suspend the use of such product or material immediately. The Building Code Compliance Office reserves the right to revoke this approval, if it is determined by the Building Code Compliance Office that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 98-0820.02
EXPIRES: 10.01.01

Raul Rodriguez
Product Control Supervisor

THIS IS THE COVERSHEET. SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS BUILDING CODE COMMITTEE

This application for Product Approval has been reviewed by the Metropolitan Dade County Building Code Compliance Office and approved by the Building Code Committee to be used in Dade County, Florida under the conditions set forth above.

12/11/00 TOWN OF SEWALL'S POINT
REVIEW:
BLDG OFFICIAL

Charles Danger, P.E.
Director
Building Code Compliance Dept.
Metropolitan Dade County

APPROVED: 10.01.98

FILE TOWN COPY
4 MIRAMAR RD

PN 5197



Certificate of Insurance

This certificate is issued as a matter of information only and confers no rights upon you the certificate holder. This certificate is not an insurance policy and does not amend, modify, or alter the coverage afforded by the policies listed below.

FILE

Named Insured(s):

Staff Leasing, LP, By Staff Acquisition, Inc., The General Partner, And The Affiliated Limited Partnerships Of Which Staff Acquisition, Inc. Is The General Partner And Staff Leasing, Inc. Is The Limited Partner including Staff Leasing of Texas, LP, Staff Leasing of Texas II, LP, Staff Leasing IV, LP
 600 301 Boulevard West, Suite 202
 Bradenton, Florida 34205



Insurer Affording Coverage

Continental Casualty Company

Coverages:

The policy(ies) of insurance listed below have been issued to the insured named above for the policy period indicated. The insurance afforded by the policy(ies) described herein is subject to all the terms, exclusions and conditions of such policy(ies).

Type of Insurance	Certificate Exp. Date <input type="checkbox"/> Continuous <input type="checkbox"/> Extended <input checked="" type="checkbox"/> Policy Term	Policy Number	Limits	
			Employer's Liability	
Workers' Compensation	1-1-2002	WC 189165165 WC 189165182 WC 247848874 WC 247848888	Bodily Injury By Accident	Each Accident
			\$1,000,000	
			Bodily Injury By Disease	Policy Limit
			\$1,000,000	Each Person

Other:

Employees Leased To:
 16459 Pacific Roofing Corp Inc Office

Effective Date: 1/1/01

The above referenced workers' compensation policy(ies) provide(s) statutory benefits only to the employees of the Named Insured(s) on such policy(ies), not to the employees of any other employer.

*If the certificate expiration date is continuous or extended term, you will be notified if coverage is terminated or reduced before the certificate expiration date. However, you will not be notified annually of the continuation of coverage.

Notice of Cancellation: (Not applicable unless a number of days are entered below)

Before the stated expiration date the company will not cancel or reduce the insurance afforded under the above policy(ies) until at least 30 days notice of such cancellation has been mailed to:

Certificate Holder:

Town of Sewall Point
 1 S Sewalls Point Rd
 Stuart, FL 34996-6736



Martin Oosterbaan

Martin Oosterbaan
 Authorized Representative

Office: St. Louis, MO 12/15/00
 Phone: (877) 427-5567 Date Issued

BATCH NUMBER



JEB BUSH
GOVERNOR

DISPLAY AS REQUIRED BY LAW

CYNTHIA A. HENDERSON
SECRETARY

FILE

FILE
before

RECEIVED
SEP 22 2000
BY: *[Signature]*

PRODUCT CONTROL NOTICE OF ACCEPTANCE
ROOFING SYSTEM APPROVAL

Applicant:

Owens Corning
One Foundation Drive
Savannah, GA 31408-2211

Product Control No: 98-0820.02

Approval Date: 10.01.98

Expiration Date: 10.01.01

Category: Prepared Roofing
Sub-Category: Shingle Roofing System
Type: Asphalt
Sub-Type: Dimensional

System Trade Name:

Oakridge 30 AR

Maximum Fire Classification

Deck Type

Classification

Min. 19/32" Plywood, or Wood Plank

See Limitation #1

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
→ Oakridge 30 AR	13 1/4" x 39 3/8"	PA 110	A heavy weight, fiberglass reinforced four tab asphalt shingle.
Accessory Shingles	various	proprietary	Accessory shingles for hip, ridge and starter strip applications.

TRADE NAMES OF PRODUCTS MANUFACTURED BY OTHERS

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>	<u>Manufacturer</u>
Flashing Cement	Various	ASTM D 4586	Cut back, asphalt modified adhesive for flashing attachment.	generic
Shingle Nails	Min. 12 ga. x 1 1/4"	PA 110	Corrosion resistant, deformed, roofing nails for Shingle application	generic

Frank Zuloaga, RRC
Roofing Product Control Examiner

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>	<u>Manufacturer</u>
→ Roofing Nails	Min 12ga. x 1/4"	PA 110	Corrosion resistant, deformed, annular ring shank roofing nails for metal and accessory attachment	generic
Mineral Surface Roll Roofing	Various	ASTM D 249	Asphalt impregnated, mineral surfaced organic roll roofing.	generic
Smooth Surfaced Asphalt Rolled Roofing	Various	ASTM D 224	Smooth surfaced organic rolled roofing	generic
Roofing Fabric	Various	ASTM D1668	Organic or inorganic woven fabric to reinforce flashing cement.	generic
→ # 30 Felt	Various	ASTM D 226 type II	Asphalt impregnated organic felt for use as a shingle underlayment.	generic
#15 Felt	Various	ASTM D 226, type I	Asphalt impregnated organic felt for use as a shingle underlayment.	generic

EVIDENCE SUBMITTED

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
Celotex Corporation	258495B	Uplift and wind driven rain resistance PA 100-95	06/1/98
Underwriters Laboratories, Inc.	94NK9632	Wind uplift resistance PA 107	06/30/98
Underwriters Laboratories, Inc	98NK16342	Material properties ASTM 3462	05/14/98
Underwriters Laboratories, Inc	96NK305003	Fire Resistance ASTM E108	10/11/96

The testing listed above, submitted with this application confirms the shingle assembly complies with all test requirements set forth under Chapter 34 of the South Florida Building Code. The shingle system has been tested in compliance with Miami-Dade County Protocols PA 100 and 107. The shingle component physical properties have been tested in compliance with ASTM D 3462. All accessory components listed within this application are in compliance with South Florida Building Code Requirements.



Frank Zuloaga, RRC
Roofing Product Control Examiner

SYSTEM APPLICATION

Slope Range: 2":12" and Greater

Underlayment:

Underlayment shall be applied in accordance with the South Florida Building Code: All underlayments shall be applied in a double layer of ASTM D 226, type I with a 19" overlap or by the application of a single layer of ASTM D 226, type II organic felt or an ASTM D 2626 coated base sheet as a base ply with a 4" overlap. End laps shall be 6". Underlayment shall be installed with minimum 12 ga. x 1 1/4" corrosion resistant roofing nails and minimum 32 ga. x 1 3/4" diameter tin caps, spaced 12" o.c. in a grid pattern in the field and 6" o.c. at the laps. Nails shall penetrate through the sheathing or wood plank a minimum of 3/16" or penetrate a 1" or greater thickness of lumber a minimum of 1".

Note: All flashing cement used shall be ASTM D 4586 asbestos-free flashing cement. All products shall have Miami-Dade Component Approval.

→ Edge Metal:

Edge metal and installation shall be in compliance with the South Florida Building Code: Minimum .021" (26 ga.), 2" x 2" galvanized or other approved corrosion resistant material nailed over top of the underlayment at 4" o.c., with minimum 12 ga. x 1 1/4" corrosion resistant annular ring shank roofing nails at all perimeters. The nails shall be manufactured from similar and compatible material to the termination profile. All composite materials shall be fashioned with non-ferrous nails. At corners, the ends of adjoining approved drip edge shall be overlapped 5", notched and bent around the corner. Straight lengths of approved drip edge shall be overlapped not less than 3". See Dade County Protocol PA 111.


Note: All intersections, eaves, rakes, valleys, gable ends, and starter course shall be set in a 8" wide strip of ASTM D 4586 flashing cement.

Valleys:

Valleys may be applied in an open, closed or weaved fashion.

Install a 36" wide sheet of ASTM D 249 mineral surfaced rolled roofing; or ASTM D 224 smooth roll roofing felt centered over the valley and set in a full bed of hot asphalt or ASTM D 4586 flashing cement over the underlayment. The roll roofing shall be nailed 6" o.c. with minimum 12 ga. x 1 1/4" roofing nails at each edge. Nails shall penetrate the sheathing or wood plank a minimum of 3/16" or penetrate a 1" or greater thickness of lumber a minimum of 1". Endlaps shall be 12" and adhered with hot asphalt or ASTM D 4586 flashing cement.

A minimum 18" wide valley metal; in compliance with 3408 of the SFBC, shall be centered over the valley and set in a full bed of hot asphalt or ASTM D 4586 flashing cement. Valley metal shall be fastened with minimum 12 ga. x 1 1/4" annular ring shank roofing nails of compatible materials spaced 12" o.c. 1" in from each exterior edge. Nails shall penetrate the sheathing or wood plank a minimum of 3/16" or penetrate a 1" or greater thickness of lumber a minimum of 1". Strip in the two exterior edges with flashing cement and approved reinforcement. Valley metal overlaps shall be 12" minimum and fully adhered.



Frank Zuloaga, RRC
Roofing Product Control Examiner

Starter strip:

The starter strip may be either a row of non-laminated shingles trimmed to the shingle manufacturer's recommendations or a strip of mineral-surfaced roll roofing not less than 7 inches wide. Starter strip and shingles shall overhang the eaves by $\frac{1}{4}$ " to $\frac{3}{4}$ ".

If self-sealing shingles are used for the starter strip, remove the tab portion of each shingle and position the remaining strip with the factory-applied adhesive face up along the eaves. Trim material from the end of the first shingle in the starter strip according to manufacturer's specifications to ensure that the cutouts of the first course of shingles are not placed over the starter strip joints. Fasten starter strips parallel to the eaves along a line above the eave line according to manufacturer's specifications. Position fasteners to insure they will not be exposed under the cutouts in the first course.

If shingles without a self-sealing strip are applied, the tabs shall be removed and ASTM D 4586 flashing cement shall be applied in spots approximately the size of a quarter at the corner of each tab of the first course. Starter shingles shall be nailed along a line not greater than 4" above the eave line nailing not greater than 6" o.c.. Trim at least three inches from the end of the first shingle to ensure that the cutouts of the first course are not placed over the starter strip joints.

If roll roofing is used for the starter strip, nail along a line not greater than 4" above the eave line nailing not greater than 12" o.c. ASTM D 4586 flashing cement shall be applied as noted above for non sealing shingle starter. If more than one piece of roll roofing must be used, the end joint shall be butted. Joints shall be staggered with succeeding shingle joints. Number of starter joints shall be kept to a minimum.

First and Succeeding Courses:

Be sure the first course is laid straight, checking it regularly during application against a horizontal chalk line. A few vertical chalk lines aligned with the ends of shingles in the first course will ensure proper alignment of cutouts. A shingle hatchet is an acceptable alternative to the use of succeeding chalk lines. If starter used does not provide a seal strip, bond the tabs of each shingle in the first course to the starter strip by placing a spot of ASTM D 4586 flashing cement about the size of a quarter on the starter strip beneath each tab if a non self sealing starter is used. Avoid excessive use of the cement, as it may cause blistering.

The first course starts with a full shingle, while succeeding courses start with 4, 5, or 6 inches removed relative to the preceding course, or as approved by the manufacturer. Rake and valley courses shall be terminated with tabs not less than 12" wide.

To obtain the correct exposure for square-tab strip shingles, align the butts with the top of the cutouts in the course below. Install no-cutout shingles and those with variable butt lines according to the manufacturer's directions to obtain correct exposure.

Note: Manufacturer's label states additional installation requirements for this product. Follow manufacturer's instructions concerning shingle alignment. See 'Exposure and Course Layout' - Detail 'A' attached.

Fastening:

Shingles shall be fastened with a minimum of six nails. Fasteners shall be minimum 12 ga. x $1\frac{1}{4}$ " corrosion resistant roofing nails. Place the fasteners according to fastening Detail 'B', attached. Align the shingles properly to avoid exposing fasteners in the course below. Fasteners shall penetrate through the sheathing or wood plank a minimum of $\frac{3}{16}$ " or penetrate a 1" or greater thickness of lumber a minimum of 1". Fasteners shall be driven straight and flush, and shall not break the shingle surface with the fastener

head. Do not drive fasteners into knot holes or cracks in the roof deck. Repair faulty fastening immediately. If fastener does not penetrate the deck properly, remove the fastener and repair the hole in the shingle with ASTM D 4586 flashing cement or replace the entire shingle.

Do not nail into or above factory-applied adhesives. Ensure no cutout or end joint is less than 2 inches from a nail in an underlying course.

Note: Manufacturer's label states additional installation requirements for this product. Follow manufacturer's instructions concerning fastener alignment. See Fastening Pattern and Physical Dimensions - Detail "B" attached.

Flashing:

Roof planes that butt against vertical walls shall be step flashed with 10" long metal shingles which are 2" wider than the exposed face of the roofing shingles. Place the first flashing unit over the end of the starter strip and position it so that the tab of the end shingle in the first course covers it completely. Secure the horizontal arm to the roof with two approved roofing nails. Do not nail flashing to the wall; settling of the roof could damage the seal. Apply the first course of shingles up to the wall. Position the second step flashing strip over the end shingle in the first course 5 inches up from the butt so that the tab of the end shingle in the second course covers it completely. Fasten the horizontal arm to the roof. The second course of shingles follows, the end is flashed as in the preceding courses and so on to the top of the intersection. Bring siding or other wall treatment down over the vertical sections of the step flashing to serve as cap flashing. Wall treatment or cap flashing shall terminate a minimum of 3" above the roof line.

Vertical sidewalls shall be flashed. Apply shingles up the roof until a course must be trimmed to fit at the base of the vertical wall. Adjust the exposure slightly in the previous two courses so that the last course is at least 8 inches wide. Apply a continuous piece of metal flashing over the last course of shingles by embedding it in approved flashing cement and nailing it to the roof. The metal flashing strip shall be bent to extend at least 5 inches up the vertical wall and at least 4 inches onto the last shingle course. Do not nail the strip to the wall. Apply an additional row of shingles over the metal flashing strip, trimmed to the width of the strip. Bring siding down over the vertical flashing to serve as cap flashing. Wall treatment or cap flashing shall terminate a minimum of 3" above the roof line. Do not nail siding into the vertical flashing. If the vertical front wall meets a sidewall, as in dormer construction, cut flashing so that it extends at least 7 inches around the corner. Continue up the sidewall with step flashing as detailed above.

Soil Stacks and Vent Pipes:

Apply shingles up to the vent pipe. Cut a hole in a shingle to go over the pipe and set the shingle in ASTM D 4586 flashing cement. A preformed flashing flange that fits snugly over the pipe is then placed over the shingle and vent pipe and set in approved flashing cement. Place the flange over the pipe to lay flat on the roof. After the flashing is in place, resume shingle application. Cut shingles in successive courses to fit around the pipe and embed them in approved flashing cement where they overlap the flange. Avoid excessive use of cement as it may cause blistering. Do not drive fasteners close to the pipe. The lower part of the flange shall overlap the lower shingles and the side and upper shingles shall overlap the flange.

For ventilator and exhaust stacks, follow the same procedure, but bring the shingles up to the pipe from both sides and bend the flange over the ridge to lie in both roof planes, overlapping the roof shingles at all points. Ridge shingles are then positioned to cover the flange. Embed the ridge shingles in approved flashing cement where they overlap the flange.



Chimneys:

Chimneys shall be flashed with a two-piece base and cap flashing to allow for differential movement. Apply shingles up to the front edge of the chimney before any flashings are installed. Apply a coat of ASTM D 41 asphalt primer if the chimney is constructed of masonry or metal to seal the surface and to provide good adhesion to all points where flashing cement will later be applied.

Install 26 ga. corrosion resistant metal, or other approved corrosion resistant materials, as base flashing between the chimney and the roof deck, on all sides. Apply the base flashing to the low side of the chimney first. Bend the base flashing so that the lower section extends at least 4" over the shingles and the upper section extends at least 12" up the vertical face of the chimney. Work the flashing firmly and smoothly into the joint between the shingles and chimney. Set both the roof and chimney overlaps in approved flashing cement placed over the shingles and on the chimney face. The flashing may be secured against the chimney with one or two nails to hold it in place until the cement sets. Use metal step flashing for the sides of the chimney, positioning the units in the same manner as flashing on a vertical sidewall. Cut, bend and apply the step flashing around the side of the chimney. Secure each flashing unit to the masonry with approved flashing cement and to the deck with approved nails. Embed the end shingles in each course that overlap the flashing in an 8" bed of approved flashing cement. Place the rear base flashing over the cricket and the high side of the chimney.

Apply the high side base flashing by bringing the end shingles in each course up to the cricket and secure in a bed of approved flashing cement. Cap flashings shall be installed over all base flashings. Set the metal cap flashing into the brickwork or exterior siding material. If brick, rake out the mortar joint to a depth of 1½ inches and insert the bent edge of the flashing into the cleared joint. Refill the joint with mortar. Bend the cap flashing down to overlap the base flashing. Use one continuous piece of cap flashing on the low side of the chimney. On the sides and high side of the chimney, use several pieces of similar-sized flashing, trimming each to fit the particular location of brick joint or substrate material. Start the side units at the lowest point and overlap at least 3 inches. Chimney crickets shall be waterproofed in compliance with options published by the shingle manufacturer. If crickets are formed from wood, or other nailable materials a double layer underlayment shall be applied prior to waterproofing.

→Hips and Ridges:

Apply premanufactured hip and ridge shingle components or cut hip and ridge shingles from manufacturer's shingles, where approved. Lay hip and ridge away from prevailing wind. Insure all fasteners are covered. Exposure shall not exceed 5" unless premanufactured hip and ridge specifically allows for greater exposure. Taper the lap portion of each cap shingle slightly so that it is narrower than the exposed portion.

Maximum Fire Classification:

See Limitation #1

LIMITATIONS:


1. Fire classification is not part of this acceptance. refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Shingles shall be labeled with the Miami-Dade Logo or the wording "Miami-Dade County-Dade Product Control Approved".
3. The manufacturer shall provide clearly written application instructions.
4. Underlayment materials and application shall be in compliance with Chapter 34 of the South Florida Building Code.
4. This is a general application procedure for asphalt and modified asphalt shingles. Manufacturers may place additional requirements upon roof system installations in the South Florida Building Code jurisdiction . Consult manufacturer's application instructions before system installation.
5. Exposure and course layout shall be in compliance with Detail 'A', attached.
6. Nailing shall be in compliance with Detail 'B', attached.
7. System shall not be installed at slopes less than 2":12".

This acceptance is a new system acceptance.




Frank Zuloaga, RRC
Roofing Product Control Examiner

DETAIL A



DETAIL B



OWENS CORNING
FASTENING PATTERN & PHYSICAL DIMENSIONS

OAKRIDGE 30 AR LAMINATE

Frank Zuloaga, RRC
Roofing Product Control Examiner


Owens Corning
One Owens Corning Parkway
Toledo, OH 43659

ACCEPTANCE NO.:	98-0820.02
APPROVED	:10.01.98
EXPIRES	:10.01.01

NOTICE OF ACCEPTANCE STANDARD CONDITIONS

- 1 Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
- 2 Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Metro-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
- 3 Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
- 4 Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
- 5 Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process;
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
- 6 The Notice of Acceptance number preceded by the words Metro-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
- 7 A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all times. The copies need not be resealed by the engineer.
- 8 Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
- 9 This Acceptance contains pages 1 through 10.

END OF THIS ACCEPTANCE



Frank Zuloaga, RRC
Roofing Product Control Examiner

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon ~~11/12/11~~ Fri ~~11/12/11~~, 2000; Page ___ of ___.

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
✓ 5063	ROBINSON 173 S. RIVER RD. MORRIS	BEAM	Passed 8/1/10	LAST INSP. IF POSSIBLE
7				
4901	HOGAN 1 W. HIGHPOINT CARDINAL	FINAL- REROOF	Passed 8/1/10	dry in: April ???
5				
✓ 5138	RIBELLINO 18 ISLAND RD. WILSON	COLUMN INSP.	Passed 8/1/10	LATE AS POSSIBLE 120 1 □ colour
6				
✓ 5197	Mykietyn 4 Miramar Pacific	tin metal inspect sheathing/nail	8/1/10 Failed 1/14	8/1/10 Shed: ??? Enter questions
4978	Rimer-Bird 29 S. River Rd. Pacific	tin metal	Passed 8/1/10	900
4				
✓ 5075	Vesquez 82 S. S. Pt. Rd. GROZA	frame all phase 2 sheathing cupola	Passed 8/1/10	1100
4				
✓ 4965	Danielson 161 S. River Rd. Miller	all trades	Passed 8/1/10	
3				

OTHER: GI and 10' walls → drill deeper ?

INSPECTOR (Name/Signature): _____

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri 11/20/12

Page 2 of 3

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5220	PARMELEE	SHEATHING	X	Monday
X	215 RIDGEVIEW RD	IN PROGRESS	X	
	CAPPS & HUFF			
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5200	Danielson	footer	Passed	11/12
(4)	161 S. River Rd. Miller			
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4965	Danielson	insulation	Passed	11/12
(4)	161 S. River Rd Miller			(mix 3/4" + fiber)
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4625	Coverdale	dock #	Passed	DOCK FIDAL (REINSP.) VERIF.
4973	51 N. River Rd.	covered boat	Passed	TO CLOSE PERMIT, PRIOR
(10)	sandy	slip final	11/12	INSP. (REINSP.) w/ PD 4973
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4978	Rimer/Bird	slab	Passed	as late as
(11)	29 S. River Rd. Lear		11/12	possible
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5197	Mykiety ██████████	sheathing	Passed	11/12
(1)	4 Miramar			
	Pacific			
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5075	VASQUEZ	INSULATION	PASSED	
(12)	82 S. SEWALL'S POINT RD GROZA	(BAL. OF BLDG)	✓	

OTHER: _____

INSPECTOR (Name/Signature): _____

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri 11/1/17

Page 1 of 2

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4895	SEELY	D/W INSP. (PTL.)		
(8)	37 N.E. LOFTING WAY GRIBBEN	(PHASE III) IIR	Passed	EARLY AS POSSIBLE 5/17 (Partial)
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5772	Eckna	rough pl.	Passal	5/17
(4)	107 H. Sewall Way JMC	V/G.		
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5197	MYKIETYN	FINAL -	Passed	5/17
(2)	4 MIRIMAR DR PACIFIC	ROOF		
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5219	AMSLER	SHEATHING	Passed	5/17
(2)	3 SIMARA ST. PACIFIC			9/17
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5220	PARMALEE	TIN TAG +	Passed	EARLY AS
(1)	21 S. RIDGEVIEW RD. CAPPS + HUFF	METAL	5/17	POSSIBLE
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4992	BAUER	FENCE - FINAL	Passed	5/17
(6)	49 S. SPR OIB		(front out, no drg?)	
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
5084	Elliot	final c.o.	Passed	5/17
(7)	8 Lagoon Island court	(addition) Porch enclosure		

OTHER: _____

INSPECTOR (Name/Signature): _____

5789

REPLACE SIDING

MASTER PERMIT NO. N/A

TOWN OF SEWALL'S POINT

Date 5/2/02

BUILDING PERMIT NO. 5789

Building to be erected for WALT MYKIEFYN Type of Permit REPLACE SIDING

Applied for by WALT MYKIEFYN (Contractor) Building Fee 35⁰⁰~~xx~~

Subdivision MIRAMAR Lot 7 Block _____ Radon Fee _____

Address 4 MIRAMAR Impact Fee _____

Type of structure SFR A/C Fee _____

Parcel Control Number: _____ Electrical Fee _____

013841009000000708000 Plumbing Fee _____

Amount Paid 35⁰⁰~~xx~~ - Check # _____ Cash _____ Other Fees (_____) _____

Total Construction Cost \$ _____ TOTAL Fees 35⁰⁰~~xx~~

Signed [Signature]
Applicant

Signed [Signature]
Town Building Official

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> BUILDING | <input type="checkbox"/> ELECTRICAL | <input type="checkbox"/> MECHANICAL |
| <input type="checkbox"/> PLUMBING | <input type="checkbox"/> ROOFING | <input type="checkbox"/> POOL/SPA/DECK |
| <input type="checkbox"/> DOCK/BOAT LIFT | <input type="checkbox"/> DEMOLITION | <input type="checkbox"/> FENCE |
| <input type="checkbox"/> SCREEN ENCLOSURE | <input type="checkbox"/> TEMPORARY STRUCTURE | <input type="checkbox"/> GAS |
| <input type="checkbox"/> FILL | <input type="checkbox"/> HURRICANE SHUTTERS | <input type="checkbox"/> RENOVATION |
| <input type="checkbox"/> TREE REMOVAL | <input type="checkbox"/> STEMWALL | <input type="checkbox"/> ADDITION |

INSPECTIONS

UNDERGROUND PLUMBING	_____	UNDERGROUND GAS	_____
UNDERGROUND MECHANICAL	_____	UNDERGROUND ELECTRICAL	_____
STEMWALL FOOTING	_____	FOOTING	_____
SLAB	_____	TIE BEAM/COLUMNS	_____
ROOF SHEATHING	_____	WALL SHEATHING	_____
TRUSS ENG/WINDOW/DOOR BUCKS	_____	LATH	_____
ROOF TIN TAG/METAL	_____	ROOF-IN-PROGRESS	_____
PLUMBING ROUGH-IN	_____	ELECTRICAL ROUGH-IN	_____
MECHANICAL ROUGH-IN	_____	GAS ROUGH-IN	_____
FRAMING	_____	EARLY POWER RELEASE	_____
FINAL PLUMBING	_____	FINAL ELECTRICAL	_____
FINAL MECHANICAL	_____	FINAL GAS	_____
FINAL ROOF	_____	BUILDING FINAL	_____

Town of Sewall's Point

BUILDING PERMIT APPLICATION

Building Permit Number: _____

Owner or Titleholder Name: WALT MYKLETYN City: SUBBT State: FL Zip: 34994

Legal Description of Property: LOT 7. Parcel Number: 01384100900000076800

Location of Job Site: 4 MIRAMAR. Type of Work To Be Done: REPLACE T-11 SIDING.

CONTRACTOR/Company Name: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

State Registration Number: _____ State Certification Number: _____ Martin County License Number: _____

ARCHITECT: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

ENGINEER: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

AREA SQUARE FOOTAGE - SEWER - ELECTRIC Living: _____ Garage: _____ Covered Patios: _____ ScreenedPorch: _____

Carport: _____ Total Under Roof _____ Wood Deck: _____ Accessory Building: _____

Type Sewage: _____ Septic Tank Permit Number From Health Dept. _____ Well Permit Number: _____

FLOOD HAZARD INFORMATION Flood Zone: _____ Minimum Base Flood Elevation (BFE): _____ NGVD

Proposed First Floor Habitable Floor Finished Elevation: _____ NGVD (Minimum 1 Foot Above BFE)

COST AND VALUES Estimated Cost of Construction or Improvements: 1200.00 Estimated Fair Market Value (FMV) Prior

To Improvements. _____ If Improvement, Is Cost Greater Than 50% Of Fair Market Value YES _____ NO _____

SUBCONTRACTOR INFORMATION

Electrical: _____ State: _____ License Number: _____

Mechanical: _____ State: _____ License Number: _____

Plumbing: _____ State: _____ License Number: _____

Roofing: _____ State: _____ License Number: _____

I understand that a separate permit from the Town may be required for ELECTRICAL, PLUMBING, SIGNS, WELLS, POOLS, FURNANCE, BOILERS, HEATERS, TANKS, AIR CONDITIONERS, DOCKS, SEA WALLS, ACCESSORY BUILDINGS, SAND OR FILL ADDITION OR REMOVAL, AND TREE REMOVAL AND RELOCATIONS.

CODE EDITIONS IN EFFECT AT TIME OF APPLICATION

Florida Building Code (Structural, Mechanical, Plumbing, Gas) _____ South Florida Building Code (Structural, Mechanical, Plumbing, Gas) _____

National Electrical Code _____ Florida Energy Code _____

Florida Accessibility Code _____

I HEREBY CERTIFY THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS AND ORDINANCES DURING THE BUILDING PROCESS.

OWNER OR AGENT SIGNATURE (Required) _____
State of Florida, County of: _____
This the _____ day of _____, 200____
by _____ who is personally
known to me or produced _____
as identification. _____

Notary Public
My Commission Expires: _____

Seal

CONTRACTOR SIGNATURE (Required) _____
On State of Florida, County of: _____
This the _____ day of _____, 200____
by _____ who is personally
known to me or produced _____
As identification. _____

Notary Public
My Commission Expires: _____

Seal

MASTER PERMIT NO. N/A

TOWN OF SEWALL'S POINT

Date 5/2/02

BUILDING PERMIT NO. 5789

Building to be erected for WALT MYKIETYN

Type of Permit REPLACE SIDING

Applied for by WALT MYKIETYN

(Contractor)

Building Fee 35⁰⁰~~xx~~

Subdivision _____ Lot 7 Block _____

Radon Fee _____

Address 4 MIRAMAR

Impact Fee _____

Type of structure SFR

A/C Fee _____

Parcel Control Number:

Electrical Fee _____

013841009000000708000

Plumbing Fee _____

Amount Paid 35⁰⁰~~xx~~ - Check # _____ Cash _____

Other Fees (_____) _____

Total Construction Cost \$ _____

TOTAL Fees 35⁰⁰~~xx~~

Signed [Signature]
Applicant

Signed [Signature]
Town Building Official

- BUILDING
- PLUMBING
- DOCK/BO
- SCREEN I
- FILL
- TREE REM

- UNDERGROU
- UNDERGROU
- STEMWALL FC
- SLAB
- ROOF SHEAT

- TRUSS ENG/WINDOW/DOOR BUCKS _____
- ROOF TIN TAG/METAL _____
- PLUMBING ROUGH-IN _____
- MECHANICAL ROUGH-IN _____
- FRAMING _____
- FINAL PLUMBING _____
- FINAL MECHANICAL _____
- FINAL ROOF _____

- LATH _____
- ROOF-IN-PROGRESS _____
- ELECTRICAL ROUGH-IN _____
- GAS ROUGH-IN _____
- EARLY POWER RELEASE _____
- FINAL ELECTRICAL _____
- FINAL GAS _____
- BUILDING FINAL _____


WALTER J. OR JEAN MYKIETYN
4 MIRAMAR RD.
STUART, FL 34996

996
63-515/670
03

DATE 4-25-02

PAY TO THE ORDER OF TOWN OF SEWALL'S POINT \$ 35.00

THIRTY FIVE DOLLARS

 **First National**
BANK AND TRUST COMPANY
THE SUPERCOMMUNITY BANK
STUART, FLORIDA 34996

TREASURE COAST CLUB

FOR PERMIT [Signature] MP

⑆067005158⑆ 0300498736⑈ 0996

Town of Sewall's Point

BUILDING PERMIT APPLICATION

Building Permit Number: _____

Owner or Titleholder Name: JEAN MYKIETYN City: STUART State: FL Zip: 34996

Legal Description of Property: LOT 7 MIRAMAR SUB. Parcel Number: 13841009000007010000

Location of Job Site: 4 MIRAMAR RD. Type of Work To Be Done: REPLACE SOFT WOOD ON NORTH SIDE OF HOUSE. (APPROX 224 SQ. FT.)

CONTRACTOR/Company Name: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

State Registration Number: _____ State Certification Number: _____ Martin County License Number: _____

ARCHITECT: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

ENGINEER: _____ Phone Number: _____

Street: _____ City: _____ State: _____ Zip: _____

AREA SQUARE FOOTAGE - SEWER - ELECTRIC Living: _____ Garage: _____ Covered Patios: _____ Screened Porch: _____

Carpport: _____ Total Under Roof _____ Wood Deck: _____ Accessory Building: _____

Type Sewage: _____ Septic Tank Permit Number From Health Depart. _____ Well Permit Number: _____

FLOOD HAZARD INFORMATION Flood Zone: _____ Minimum Base Flood Elevation (BFE): _____ NGVD

Proposed First Floor Habitable Floor Finished Elevation: _____ NGVD (Minimum 1 Foot Above BFE)

COST AND VALUES Estimated Cost of Construction or Improvements: _____ Estimated Fair Market Value (FMV) Prior

To Improvements: _____ If Improvement, Is Cost Greater Than 50% Of Fair Market Value YES _____ NO _____

SUBCONTRACTOR INFORMATION

Electrical: _____ State: _____ License Number: _____

Mechanical: _____ State: _____ License Number: _____

Plumbing: _____ State: _____ License Number: _____

Roofing: _____ State: _____ License Number: _____

I understand that a separate permit from the Town may be required for ELECTRICAL, PLUMBING, SIGNS, WELLS, POOLS, FURNANCE, BOILERS, HEATERS, TANKS, AIR CONDITIONERS, DOCKS, SEA WALLS, ACCESSORY BUILDINGS, SAND OR FILL ADDITION OR REMOVAL, AND TREE REMOVAL AND RELOCATIONS.

CODE EDITIONS IN EFFECT AT TIME OF APPLICATION

Florida Building Code (Structural, Mechanical, Plumbing, Gas) _____ South Florida Building Code (Structural, Mechanical, Plumbing, Gas) _____

National Electrical Code _____ Florida Energy Code _____

Florida Accessibility Code _____

I HEREBY CERTIFY THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS AND ORDINANCES DURING THE BUILDING PROCESS.

OWNER OR AGENT SIGNATURE (Required) Jean Mykiety

State of Florida, County of: Martin

This the 25th day of April, 2002

by J. Mykiety who is personally

known to me or produced Fl. d. l.

as identification. Joan H. Barrow

Notary Public Joan H. Barrow

My Commission Expires MY COMMISSION # CC743445 EXPIRES

November 30, 2002

BONDED THRU TROY FAIN INSURANCE, INC.

Seal



CONTRACTOR SIGNATURE (Required) G. Frizell

On State of Florida, County of: Martin

This the 25th day of April, 2002

by G. Frizell who is personally

known to me or produced Fl. d. l.

As identification. Joan H. Barrow


Notary Public Joan H. Barrow

My Commission Expires MY COMMISSION # CC743445 EXPIRES

November 30, 2002

BONDED THRU TROY FAIN INSURANCE, INC.

Seal



ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YY)
07/17/2001

PRODUCER (561)287-2030 FAX (561)288-2481
Deakins-Carroll Insurance Agency
www.deakinscarroll.com
P.O. Box 1597
Pt. Salerno, FL 34992

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

INSURED Gary Frizzell d/b/a
Gary Frizzell Trim Carpentry
4800 SE Federal Hwy., #128
Stuart, FL 34997

INSURER A: American States Ins Co

INSURER B:

INSURER C:

INSURER D:

INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	GENERAL LIABILITY	01CG04620310	06/25/2001	06/25/2002	EACH OCCURRENCE	\$ 100,00
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				FIRE DAMAGE (Any one fire)	\$ 50,00
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person)	\$ 10,00
					PERSONAL & ADV INJURY	\$ 100,00
					GENERAL AGGREGATE	\$ 200,00
					PRODUCTS - COMP/OP AGG	\$ 200,00
					GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	
	AUTOMOBILE LIABILITY					
	<input type="checkbox"/> ANY AUTO				COMBINED SINGLE LIMIT (Ea accident)	\$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per person)	\$
	<input type="checkbox"/> SCHEDULED AUTOS				BODILY INJURY (Per accident)	\$
	<input type="checkbox"/> HIRED AUTOS				PROPERTY DAMAGE (Per accident)	\$
	<input type="checkbox"/> NON-OWNED AUTOS					
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
	<input type="checkbox"/> ANY AUTO				OTHER THAN EA ACC	\$
					AUTO ONLY: AGG	\$
	EXCESS LIABILITY				EACH OCCURRENCE	\$
	<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	\$
	<input type="checkbox"/> DEDUCTIBLE					\$
	<input type="checkbox"/> RETENTION \$					\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATU-TORY LIMITS	OTH-ER
					E.L. EACH ACCIDENT	\$
					E.L. DISEASE - EA EMPLOYEE	\$
					E.L. DISEASE - POLICY LIMIT	\$
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

CERTIFICATE HOLDER

ADDITIONAL INSURED; INSURER LETTER


CANCELLATION

Jack and Ann Hunter
4680 B. SW Parkgate Blvd.
Palm City, FL 34990

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

David Deakins/BAG



©ACORD CORPORATION 19

STATE OF FLORIDA
DEPARTMENT OF LABOR AND EMPLOYMENT SECURITY
DIVISION OF WORKERS' COMPENSATION



CONSTRUCTION INDUSTRY CERTIFICATE OF EXEMPTION
FROM FLORIDA WORKERS' COMPENSATION LAW

EFFECTIVE DATE OF EXEMPTION 11/22/96
EXEMPTED INDIVIDUAL NAME FRIZZELL GARY
SOCIAL SECURITY NUMBER 543-55-1678
BUSINESS NAME FRIZZELL GARY TRIM CARPENTRY
FEDERAL IDENTIFICATION NUMBER 543441678
BUSINESS ADDRESS 5000 SE FEDERAL HWY LOT 3301
STUART, FL 34997

F
O
L
D

H
E
R
E

NOTE: Pursuant to chapter 440.10(1)(g), 2, F.S., a sole proprietor, partner, or officer of a corporation who elects exemption from the Florida Workers' Compensation Law may not recover benefits or compensation under Chapter 440.

AUTHORIZED SIGNATURE



MARTIN COUNTY, FLORIDA
Construction Industry Lic Bd
Certificate of Competency
License: NS00036
Expires September 30, 2003

Name: GARY L FRIZZELL
Company: GARY FRIZZELL TRIM CARPENTR
Address: 4800 SE Fed Hwy Lot 128
City, ST: Stuart FL 34997
License Type: NON STRUC HOME IMPROVE


TOWN OF SEWALL'S POINT
ONE SOUTH SEWALL'S POINT ROAD
SEWALL'S POINT, FLORIDA 34996

TOWN OF SEWALL'S POINT OWNER/BUILDER AFFIDAVIT
(To be submitted if permit is to be pulled by Owner/Builder)

DISCLOSURE STATEMENT

State law requires construction to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own contractor even though you do not have a license. You must supervise the construction yourself. You may build or improve a one-family or two-family residence or a farm outbuilding. You may also build or improve a commercial building at a cost of \$25,000 or less. The building must be for your own use and occupancy. It may not be built for sale or lease. If you sell or lease a building you have built yourself within 1 year after the construction is complete, the law will presume that you built it for sale or lease, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. It is your responsibility to make sure that people employed by you have licenses required by State law and by County or Municipal licensing ordinances. Any person working on your building who is not licensed must work under your supervision and must be employed by you, which means that you must deduct F.I.C.A. and withholding tax and provide workers' compensation for that employee, all as prescribed by law. Your construction must comply with all applicable laws, ordinances, building codes and zoning regulations. Florida Statutes 489.103(7).

I have read the above and agree to comply with the provisions as stated.








Name: JEAN MYKIETIN Date: 4-25-02
Signature: 
Address: 4 MIRAMAR RD.
City & State: STUART, FL
Permit No. _____

This form is for all permits except electrical.

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri May 31, , 2001 Page 1 of 2.

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5813	Flaugh	GAS Rough	Passed	CELL# GARY.
	6 INIA Lucie Alley		except tank.	260-9618-
	MARTIN County Paper		+ linen u ground	INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5789	WALT MARKETEN	FINAL	Passed	
	4 MIRAMAR			
	O/B			INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5764	BOAS, MARK	Pool	Passed	
	12 RIO VISTA DR.	Plumbing		
	STRACUZZI			INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5739	SCOTT GASIOREK	Insulation	Passed	
①	67 N. River Rd			
	CONWA			INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
	ED Reilly	TREE	Passed	
	78 S. Sewalls Pt. Rd	REMOVAL		
	SAMPSON'S Tree SVC			INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5761	BILL INERO	ILAB	Passed	
	7 W. H.P.	+ gas age column		
				INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5820	PICUE.	GROUND ROUGH	Passed	
	45 RIVER RD.	ELEC. (Landscaping)		
	ILLUMINAM			INSPECTOR: 

OTHER: _____

MASTER PERMIT NO. N/A

TOWN OF SEWALL'S POINT

Date 5/2/02

BUILDING PERMIT NO. 5789

Building to be erected for WALT MYKIEFYN Type of Permit REPLACE SIDING.

Applied for by WALT MYKIEFYN (Contractor) Building Fee 35⁰⁰~~xx~~

Subdivision _____ Lot 7 Block _____ Radon Fee _____

Address 4 MIRAMAR Impact Fee _____

Type of structure SFR A/C Fee _____

Parcel Control Number: _____ Electrical Fee _____

013841009000000708000 Plumbing Fee _____

Amount Paid 35⁰⁰~~xx~~ - Check # _____ Cash _____ Other Fees (_____) _____

Total Construction Cost \$ _____ TOTAL Fees 35⁰⁰~~xx~~

Signed [Signature] Applicant Signed [Signature] Town Building Official

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> BUILDING | <input type="checkbox"/> ELECTRICAL | <input type="checkbox"/> MECHANICAL |
| <input type="checkbox"/> PLUMBING | <input type="checkbox"/> ROOFING | <input type="checkbox"/> POOL/SPA/DECK |
| <input type="checkbox"/> DOCK/BOAT LIFT | <input type="checkbox"/> DEMOLITION | <input type="checkbox"/> FENCE |
| <input type="checkbox"/> SCREEN ENCLOSURE | <input type="checkbox"/> TEMPORARY STRUCTURE | <input type="checkbox"/> GAS |
| <input type="checkbox"/> FILL | <input type="checkbox"/> HURRICANE SHUTTERS | <input type="checkbox"/> RENOVATION |
| <input type="checkbox"/> TREE REMOVAL | <input type="checkbox"/> STEMWALL | <input type="checkbox"/> ADDITION |

INSPECTIONS

UNDERGROUND PLUMBING	_____	UNDERGROUND GAS	_____
UNDERGROUND MECHANICAL	_____	UNDERGROUND ELECTRICAL	_____
STEMWALL FOOTING	_____	FOOTING	_____
SLAB	_____	TIE BEAM/COLUMNS	_____
ROOF SHEATHING	_____	WALL SHEATHING	_____
TRUSS ENG/WINDOW/DOOR BUCKS	_____	LATH	_____
ROOF TIN TAG/METAL	_____	ROOF-IN-PROGRESS	_____
PLUMBING ROUGH-IN	_____	ELECTRICAL ROUGH-IN	_____
MECHANICAL ROUGH-IN	_____	GAS ROUGH-IN	_____
FRAMING	_____	EARLY POWER RELEASE	_____
FINAL PLUMBING	_____	FINAL ELECTRICAL	_____
FINAL MECHANICAL	_____	FINAL GAS	_____
FINAL ROOF	_____	BUILDING FINAL	_____