

8 Oakwood Drive

APPLICATION FOR PERMIT TO BUILD A HOUSE OR COMMERCIAL BUILDING

PERMIT NUMBER _____ DATE OF APPLICATION _____

To obtain a permit the following are required:

1. Florida certification of builder and sub-contractors.
2. Certification of insurance from contractor or owner/builder re: liability and workers compensation.
3. Two sets of building plans which must include: a) 1/4" scale building drawings, b) plot plan, c) foundation plan, d) floor plans, e) wall and roof cross-sections, e) plumbing, electrical and air conditioning layouts, f) at least two elevations showing the height of building from finished floor.
4. Recorded warranty deed to the property.
5. Septic tank permit and one set of plans with Martin County Health Department seal.
6. Energy code calculations.
7. Tree removal permit (for trees other than nuisance trees)
8. Certification of elevation from licensed surveyor and determination of flood zone.
9. Amount of fill anticipated - rough sketch showing location of fill
10. Manufacturer's schedule of windows.

Owner Chris Ramey Current Address 2820 S.E. Market Place
 Telephone 286 1818 Stuart, Fl. 34997
 General Contractor Wilson Builders, Inc. Address 450 S. Fed. Hwy, Suite 101
 Telephone 288 2000 Stuart, Fl. 34994
 Where Licensed State of Florida License Number CGC018396
 Plumbing Contractor Dylewski Plumbing License Number 00089
 Electrical Contractor Hoff Electric License Number 201
 Roofing Contractor _____ License Number _____
 A/C Contractor Personalized A/C License Number CAC029403^D

Describe the building or alterations _____
 Name the street on which the building, its front building line and its front yard will face 8 Oakwood drive

Subdivision Oakwood Lot 3 Block _____
 Building area (inside walls) 2300+ Garage, porch, carport area 484
 Contract price (excluding carpet, land, appliances, landscaping) \$ 150,000.00
 Cost of permit \$ 1178.00 Plans approved as submitted _____ as marked _____

- In addition, the following are understood by owner and contractor:
1. Building area inside walls must be a minimum of 1,500 square feet.
 2. Building permit fees are \$5. per \$1,000. of the cost of the building, plus \$10. each for plumbing, electric, a.c. and roof. For example a \$100,000. building x \$5. = \$500. plus \$40. (a.c., pl., el., roof) = \$540. cost of permit + \$365. impact fee = \$905. total.
 3. If no contract is submitted as proof as cost, the permit will be based on \$60. per square foot (inside walls) and \$25. per square foot (other areas).
 4. The Town has adopted the South Florida Building Code
 5. Building permits are issued for one year's duration.
 6. Construction must be started within 180 days or permit will be subject to revocation and forfeiture of fee.
 7. ALL changes in plans must be approved by the Building Department.
 8. Work hours are 8:AM to 5:PM Monday through Friday. NO SUNDAY WORK
 9. Portable toilets must be on all construction sites.
 10. Inspections are made Monday through Friday, 8:AM to Noon, 1:PM to 4:PM. 24 hour notice is required prior to all inspections.
 11. String lines along property lines to facilitate set back inspections.
 12. Before a certificate of occupancy is issued, the following are required:
 - a. An owner's affidavit of building cost. (form available) any discrepancy between the original fee and final fee (based on affidavit) will be adjusted.
 - b. Approval of septic tank installation by Martin Co. Health Dept.
 - c. Rough grading and clean up of grounds.
 - d. Affidavit from licensed surveyor showing slab elevation (if in "A" zone).
 - e. Certification by a qualified engineer or architect of the structural adequacy of the building.
 13. THIS SUMMARY IS NOT A SUBSTITUTE FOR TOWN ORDINANCES. APPROVAL OF THE BUILDING PLANS IN NO WAY RELIEVES THE OWNER OR CONTRACTOR FROM COMPLIANCE WITH TOWN ORDINANCES.

14. In addition to the requirements of this permit there may be additional restrictions applicable to this property that may be found in the public records of this county.

Contractor's Signature _____ Owner's Signature Dolores E. Ramey
 Approval by Building Inspector [Signature] Date 8/10/88
 Approval by Building Commissioner [Signature] Date 8/10/88
 Certificate of Occupancy issued _____ Date _____

This instrument was prepared by:

LARRY M. STEWART

McMANUS, STEWART,
FERRARO & STEGER, P.A.

Attorneys at Law
Post Office Box 809
STUART, FLORIDA 33495

704856 Warranty Deed

(STATUTORY FORM—SECTION 689.02 F.S.)

This Indenture, Made this 30th day of MARCH 19 88, Between
BRADEN INVESTMENT CORPORATION, a Florida corporation

of the County of MARTIN, State of FLORIDA, grantor*, and

CHRISTOPHER P. RAMEY and DOLORES E. RAMEY, his wife

whose post office address is 22 Lantana Lane, Stuart, FL 34997

of the County of Martin, State of Florida, grantee*,

Witnesseth, That said grantor, for and in consideration of the sum of TEN AND NO/100 (\$10.00)-----

Dollars,

and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in Martin County, Florida, to-wit:

Lot 3, OAKWOOD SUBDIVISION, according to the plat thereof as recorded in Plat Book 8, Page 53, of the Public Records of Martin County, Florida.

SUBJECT to restrictions, reservations, easements, rights-of-way, and limitations of record, zoning and/or other prohibitions imposed by governmental authority and taxes subsequent to December 31, 1987.

FLA. DOC. PAID
\$ 357.50
Marsha Stiller
Clerk of Circuit Court
Martin Co., Fla.
By BL D.C.

and said grantor does hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.

* "Grantor" and "grantee" are used for singular or plural, as context requires.

In Witness Whereof, Grantor has hereunto set grantor's hand and seal the day and year first above written.
Signed, sealed and delivered in our presence:

[Signature]
[Signature]

BRADEN INVESTMENT CORPORATION
[Signature] (Seal)
By - EVELYN BRADEN, President (Seal)
[Signature] (Seal)
[Signature] (Seal)

STATE OF Florida
COUNTY OF Martin

I HEREBY CERTIFY that on this day before me, an officer duly qualified to take acknowledgments, personally appeared
EVELYN BRADEN, as President of BRADEN INVESTMENT CORPORATION, a Florida corporation

to me known to be the person described in and who executed the foregoing instrument and acknowledged before me that she executed the same.

WITNESS my hand and official seal in the County and State last aforesaid this 30th day of MARCH 19 88.

BOOK 759 PAGE 502

~~My commission expires~~
(NOTARY SEAL)

My Commission Expires:

MAY 23, 1990

Notary Public



STATE OF FLORIDA
DEPARTMENT OF HEALTH AND REHABILITATIVE SERVICES

Prepared By: Stephen J. Brown, Inc. Prof. Land Surveyor
295 Florida Street, Stuart, FL. 34994
407-287-0525

APPLICANT Wilson Builders, Inc.

LEGAL DESCRIPTION LOT 3 "OAKWOOD" 910

-----SITE INFORMATION-----

1. IS THERE A SEPTIC SYSTEM OR OTHER INTERFERENCE WITHIN 75 FEET OF THE PROPOSED PRIVATE WELL? No
2. IS THERE A POTABLE PRIVATE WELL WITHIN 75 FEET OF THE PROPOSED AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
3. IS THERE AN IRRIGATION WELL WITHIN 50 FEET OF THE AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
4. IS THERE A PUBLIC WELL THAT SERVES LESS THAN 25 PEOPLE OR LESS THAN 15 HOMES WITHIN 100 FEET OF THE PROPOSED SEPTIC SYSTEM? No
5. IS THERE A PUBLIC WELL WHICH SERVES MORE THAN 25 PEOPLE OR MORE THAN 15 HOMES WITHIN 200 FEET OF THE PROPOSED SEPTIC SYSTEM? No
6. IS THERE A GRAVITY SEWER LINE OR LIFT STATION WITHIN 100 FEET OF THE PROPOSED LOT? No
7. IS THERE A LAKE, STREAM, WETLAND, OR SURFACE WATER WITHIN 75 FEET OF THE PROPOSED AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
8. IS THERE A PROPOSED OR EXISTING PUBLIC DRINKING WATER LINE WITHIN 10 FEET OF THE PROPOSED SEPTIC SYSTEM? No
9. IS THERE A STORM WATER RETENTION AREA OR DRAINAGE EASEMENT WITHIN 15 FEET OF THE PROPOSED SEPTIC SYSTEM? Yes
10. IS THE SEPTIC SYSTEM IN AN AREA PROPOSED FOR PAVING OR VEHICULAR TRAFFIC? No
11. ARE ALL PRIVATE WELLS, SEPTIC SYSTEMS AND SURFACE WATER ON ADJACENT OR CONTIGUOUS LAND WITHIN 75 FEET OF THE APPLICANT'S LOT, IF PRESENT, SHOWN ON PLOT PLAN? Yes
12. ARE ALL PUBLIC WELLS WITHIN 200 FEET OF THE APPLICANT'S LOT, IF PRESENT SHOWN ON PLOT PLAN? Yes
13. DOES THE PLOT PLAN INCLUDE A PLAT OF THE LOT OR TOTAL SITE OWNERSHIP DRAWN TO SCALE, BOUNDARIES WITH DIMENSIONS, LOCATIONS OF BUILDING OR RESIDENCES, SWIMMING POOLS, RECORDED EASEMENTS, THE PROPOSED SEPTIC SYSTEM, ANY PROPOSED OR EXISTING WELLS, PUBLIC WATER LINES, PAVED AREA OR DRIVEWAYS, AND SURFACE WATERS SUCH AS LAKES, PONDS, STREAMS, CANALS OR WETLANDS? Yes
14. THERE IS 1350 SQUARE FEET OF AVAILABLE LAND TO INSTALL THE SEPTIC SYSTEM. THIS AREA EXCLUDES INTERFERENCES. SHADE THIS AVAILABLE AREA ON PLOT PLAN.

-----ELEVATIONS-----

1. CROWN OF ROAD ELEVATION 5.27 NGVD SHOW LOCATION ON PLOT PLAN. IF ROAD IS NOT PAVED, BENCHMARK ELEVATION N/A NGVD SHOW LOCATION ON PLOT PLAN.
2. NATURAL GRADE ELEVATION IN AREA OF PROPOSED SEPTIC SYSTEM 5.25 NGVD SHOW LOCATION ON PLOT PLAN.
2. IS BUILDING LOCATED IN FLOOD HAZARD AREA "A" OR "V" AS IDENTIFIED ON FEMA MAPS? Yes IF YES, WHAT IS THE MINIMUM REQUIRED FLOOD HAZARD FLOOR ELEVATION OF BUILDING? A 8 NGVD.
EL. 8.00

NOTE: MUST BE CERTIFIED BY A FLORIDA REGISTERED SURVEYOR OF ENGINEER.

CERTIFIED BY: STEPHEN J. BROWN
FL. PROFESSIONAL NO. 4049
DATE: 7/1/88 JOB NO. 514-13-01

MARTIN COUNTY PUBLIC HEALTH UNIT
131 East 7th Street
Stuart, Florida, 34997
287-2277

#20

STUBOUT ELEVATION AND EXCAVATION CERTIFICATION

APPLICANT: Wilson Builders Inc.
LEGAL DESCRIPTION: Lot 3 Oakwood
SEPTIC TANK PERMIT NUMBER: HD88-452

The items noted below must be certified by a surveyor or engineer and returned to the Health Department prior to the first plumbing inspection by the Building Department.

1. Building Permit Number: _____
2. I certify that the elevation of the top of the lowest plumbing stubout is _____ inches above benchmark elevation as indicated on septic tank permit.
3. I certify that the top of the lowest building plumbing stubout is _____ inches above crown of road elevation shown on septic tank permit.
4. I certify that all severe limited soil has been removed from an area of _____ feet by 39 feet to a minimum depth of six (6) feet below top of required stubout elevation. (Submit plot plan to scale of excavated area.) 29

Date Observed: _____

- NOTE: a. Severe limited soil includes but is not limited to hardpan, clay, silt, marl or muck.
- b. Drainfield must be centered in the excavated area. Please set stakes to identify the excavated area boundaries. Drainfield will not be approved if severe limited soils are not removed.

CERTIFIED BY: _____

As applicant or applicant's representative, I understand the above requirements.

Date: _____ Job Number: _____


Charise Wheeler
(Signature)

FOR MARTIN COUNTY PUBLIC HEALTH UNIT USE ONLY

(Signature of Environmental Health Specialist)

(Date)


DRAINFIELD MOUND REQUIREMENTS



NOTE: THESE REQUIREMENTS MUST BE MET PRIOR TO FINAL APPROVAL.

WELL REQUIREMENTS

NOTE: ALL WELLS MUST BE GROUTED AT LEAST 2" AROUND WELL CASING TO A DEPTH OF 3'. WELL CASING MUST EXTEND 6" ABOVE FINISHED GRADE AS SHOWN BELOW. NOTE LOCATION OF CHECK VALVE.



MMC 4185



WS②

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM

PERMIT NUMBER H088-452 HOME PHONE _____
 NAME OF APPLICANT Wilson Builders, Inc. WORK PHONE 288-2000
 MAILING ADDRESS OF APPLICANT 450 S. Federal Hwy Suite 101
Stuart, Fla. ZIP CODE 34994
 LOT 3 BLOCK --- SUBDIVISION "Oakwood" S/P.
 IF NOT SUBDIVIDED, ATTACH A COMPLETE LEGAL DESCRIPTION
 PLAT BOOK 8 PAGE 53 DATE SUBDIVIDED FEB 81
 RESIDENTIAL: NUMBER DWELLING UNITS 1 NUMBER BEDROOMS 3
 LOT SIZE 15,223± FT² HEATED OR COOLED AREA OF HOME 2300± FT²
 COMMERCIAL: TYPE OF BUSINESS PROPOSED _____ FT²
 BUILDING SIZE _____ FT²

X Job No. 514-13-01

-----AFFIDAVIT-----

I HAVE REVIEWED THIS PERMIT AND I CERTIFY THAT ALL WORK WILL BE PERFORMED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THIS PERMIT AND ANY APPLICABLE STATE OR COUNTY REGULATIONS.

SIGNATURE OF PROPERTY OWNER OR OWNER'S
LEGALLY AUTHORIZED REPRESENTATIVE

STEPHEN J. BROWN, INC.

-----INSTALLATION SPECIFICATIONS-----

SEPTIC TANK CAPACITY 1050 GALLONS
 DRAINFIELD SIZE 500 SQUARE FEET 18' x 28'.
 DRAINFIELD ROCK MUST BE 16 FEET FROM FRONT OR REAR PROPERTY LINES
 AND 13 FEET FROM SIDE PROPERTY LINES. EXCAVATION CAN NOT EXTEND MORE
 THAN FIVE FEET FROM APPROVED INSTALLATION AREA.

TOP OF BUILDING STUB OUT IS REQUIRED
TO BE A MINIMUM ELEVATION OF

20" ABOVE CROWN OF ROAD E.C. (5.27)
NGVD

TOP OF SEPTIC TANK IS REQUIRED
TO BE A MINIMUM ELEVATION OF

24" ABOVE CROWN OF ROAD E.C. (5.27)
NGVD

ISSUED BY: [Signature]
MARTIN COUNTY PUBLIC HEALTH UNIT

DATE 7-19-83

PLEASE NOTE:

- (1) IF BUILDING CONSTRUCTION DOES NOT START WITHIN ONE YEAR FROM DATE OF ISSUANCE, THIS PERMIT EXPIRES. IF BUILDING CONSTRUCTION STARTS WITHIN 1 YEAR FROM DATE OF ISSUANCE, THE DATE OF EXPIRATION WILL BE EXTENDED AN ADDITIONAL 90 DAYS.
- (2) APPLICANT IS RESPONSIBLE FOR REPLACING EXCAVATED SOILS WITH A GOOD GRADE OF SAND.
- (3) N/A REINSPECTION FEE IF WELL NOT INSTALLED AT TIME OF ONSITE SEWAGE DISPOSAL SYSTEM INSPECTION.
- (4) INSPECTION RESULTS WILL BE POSTED ON BUILDING PERMIT OR ON ELECTRICAL BOX.
- (5) IF BUILDING STUBOUT IS PLACED MORE THAN 20 FEET FROM SEPTIC TANK OR DRAINFIELD, A HIGHER STUBOUT ELEVATION THAN SHOWN ABOVE WILL BE REQUIRED.
- (6) IF FILL IS REQUIRED, CONTACT MARTIN COUNTY BUILDING DIVISION.
- (7) IF ANY INFORMATION ON THIS PERMIT CHANGES, AN UPDATED APPLICATION IS REQUIRED.
- (8) IF WELL OR MOUND DRAINFIELD IS PROPOSED, SEE ATTACHED SKETCH OF ADDITIONAL SPECIAL REQUIREMENTS.

-----FINAL INSPECTION-----

CONSTRUCTION APPROVED BY: _____ DATE _____
MARTIN COUNTY PUBLIC HEALTH UNIT


AN APPROVED SYSTEM DOES NOT GUARANTEE PERFORMANCE

MARTIN COUNTY PUBLIC HEALTH UNIT
131 East 7th Street
Stuart, Florida 34997
287-2277
SITE EVALUATION

APPLICANT: WILSON BUILDERS, INC.

LEGAL DESCRIPTION: LOT 3 OAKWOOD S/D

SOIL PROFILE



USDA SOIL TYPE Jonathan

USDA SOIL NUMBER # 41

No Impervious soils are present at 6' below natural grade.

Present Water Depth Below Natural Grade 3.5'

Wet Season Range Per Soil Survey 36-60"

Estimated Wet Season Water Depth Below Natural Grade 3'

Indicator Vegetation Present: Slash pine, sand pine, cactus, live oak

Is Benchmark Located on Plot Plan and Present on Site? Yes

Approximate Amount of Fill on Neighboring Lots 3'

Other Findings: Transitional zone

EVALUATION BY: Keith Ferris

DATE: 7-11-87

THIS PERMIT MUST BE DISPLAYED IN FRONT OF JOB

DO NOT REMOVE UNTIL JOB IS COMPLETED

OWNER Chas Ramsey
CONTRACTOR Wilson Builders
LOT 3 BLOCK _____ SUB Oakwood
NO. 8 Oakwood drive St. or Ave.

NO. 2342 Date Issued 5/1

Call 287-2455 From 8:00 A.M. - 12:00 Noon and
1:00 P.M. - 4:00 P.M. For Inspections of Items 1 thru


TOWN OF SEWALL'S POINT BUILDING PERMIT

- REQUESTS FOR INSPECTIONS REQUIRE AT LEAST 24 HOURS N
- ALL WORK MUST BE IN COMPLIANCE WITH THE TOWN OF SEV
POINT ORDINANCES, THE SOUTH FLORIDA BUILDING CODE, T
OF FLORIDA ENERGY EFFICIENCY BUILDING CODE AND ELEVA
BASED ON THE LATEST FLOOD INSURANCE RATE MAP.
- WORKING HOURS ARE FROM 8:00 to 5:00 P.M. MONDAY THRU S
PORTABLE TOILET FACILITIES MUST BE ON JOB SITE BEFORE
INSPECTION.

REQUIRED INSPECTIONS	INSPECTOR'S FINDING	INSPECTOR'S SIGNATURE
1. LOT STAKES/SET BACKS		
2. TERMITE PROTECTION	9/8/88	
3. FOOTING - SLAB	OK 9/13/88	DB
4. ROUGH PLUMBING	OK 9/2/88	DB
5. ROUGH ELECTRIC	OK 10/11/88	DB
6. LINTEL	OK 10/4/88	DB
7. ROOF		
8. FRAMING	OK 11/11/88	DB
9. INSULATION	OK 11/11/88	DB
10. A/C DUCTS	OK 11/11/88	DB
11. FINAL ELECTRIC		
12. FINAL PLUMBING		
13. FINAL CONSTRUCTION	OK 1/13/89	del

TO CONSTRUCT New Residence

REMARKS:



RECORD OF INSPECTIONS

TOWN OF SEWALL'S POINT, FLORIDA

CERTIFICATE OF APPROVAL FOR OCCUPANCY

Date 1/13/89

This is to request that a Certificate of Approval for Occupancy be issued to C. Ramey

For property built under Permit No. 2362 Dated 8/10/88 when completed in

conformance with the Approved Plans.

C. Ramey
Signed

Approved by

Item	Date
1. LOT STAKES/SET BACKS	
2. TERMITE PROTECTION	<u>9/8/88</u>
3. FOOTING - SLAB	<u>9/13/88</u>
4. ROUGH PLUMBING	<u>9/2/88</u>
5. ROUGH ELECTRIC	<u>11/11/88</u>
6. LINTEL	<u>10/6/88</u>
7. ROOF	
8. FRAMING	<u>11/11/88</u>
9. INSULATION	<u>11/11/88</u>
10. A/C DUCTS	<u>11/11/88</u>
11. FINAL ELECTRIC	<u>1/13/89</u>
12. FINAL PLUMBING	<u>1/13/89</u>
13. FINAL CONSTRUCTION	<u>1/13/89</u>

Final Inspection for Issuance of Certificate for Occupancy.

Approved by Building Inspector Ralph Brown 1-13-89 date

Approved by Building Commissioner Jolan Lee Dorie 1/13/89 date

Utilities notified 1/13/89 date

Original Copy sent to _____

(Keep carbon copy for Town files)

2448

POOL

Permit No. _____

Date _____

2448

APPLICATION FOR PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner Mrs & MRS CHRIS RAMEY Present Address #8 OAKWOOD DR,

Phone 286-1818 SEWALLS POINT

Contractor DESTEFANO & MARTIN POOLS Address 1501 DECKER AVE #304

Phone 692-2450 STUART, FL 34994

Where licensed MARTIN License number SP00807

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: SWIMMING POOL & PATIO

#8 OAKWOOD DRIVE

State the street address at which the proposed structure will be built:

SEWALLS POINT

Subdivision OAKWOOD S/D Lot number 3 Block number _____

Contract price \$ 11,050.00 Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.

Contractor [Signature]

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner [Signature]

TOWN RECORD

Date submitted _____ Approved: [Signature] 12/9/88
Building Inspector _____ Date _____

Approved: _____ Commissioner _____ Date _____ Final Approval given: _____ Date _____

Certificate of Occupancy issued (if applicable) _____ Date _____

SP1282

Permit No. _____

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

THIS PERMIT MUST BE DISPLAYED IN FRONT OF JOB

DO NOT REMOVE UNTIL JOB IS COMPLETED

OWNER Mr & Mrs Chris Ramey
CONTRACTOR Desferno & Martin
LOT 3 BLOCK _____ SUB Oakwood
NO. 8 Oakwood Dr St. or Ave.

NO. 2448 Date Issued 12/9/88

Call 287-2455 From 8:00 A.M. - 12:00 Noon and
1:00 P.M. - 4:00 P.M. For Inspections of Items 1 thru 13.

TOWN OF SEWALL'S POINT BUILDING PERMIT

- * REQUESTS FOR INSPECTIONS REQUIRE AT LEAST 24 HOURS NOTICE.
- * ALL WORK MUST BE IN COMPLIANCE WITH THE TOWN OF SEWALL'S POINT ORDINANCES, THE SOUTH FLORIDA BUILDING CODE, THE STATE OF FLORIDA ENERGY EFFICIENCY BUILDING CODE AND ELEVATIONS BASED ON THE LATEST FLOOD INSURANCE RATE MAP.
- * WORKING HOURS ARE FROM 8:00 to 5:00 P.M. MONDAY THRU SATURDAY. PORTABLE TOILET FACILITIES MUST BE ON JOB SITE BEFORE INITIAL INSPECTION.

REQUIRED INSPECTIONS	INSPECTOR'S FINDING	INSPECTOR'S SIGNATURE
1. LOT STAKES/SET BACKS		
2. TERMITE PROTECTION	pool dock	OK 11/10/89 RB
3. FOOTING - SLAB	stake & ground	OK 12/13/88
4. ROUGH PLUMBING		
5. ROUGH ELECTRIC		
6. LINTEL		
7. ROOF		
8. FRAMING		
9. INSULATION		
10. A/C DUCTS		
11. FINAL ELECTRIC		
12. FINAL PLUMBING		
13. FINAL CONSTRUCTION		

TO CONSTRUCT Pool

REMARKS:

2471

SCREEN ENCLOSURE

Permit No. _____

Date _____

APPLICATION FOR A PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, PORCH OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner Craig Roney Present Address 22 Lakana Lane

Phone 288-0751 Sarasota, FL

Contractor R & K Alonsson Address 3110 S.E. Starke St

Phone 283-1297 Sarasota, FL

Where licensed Markus Roswy License number SPA00122

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: _____

Screen Enclosure

State the street address at which the proposed structure will be built: _____

8 Oakwood Dr.

Subdivision Oakwood Lot number 3 Block number _____

Contract price \$ 1650 Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.

Contractor [Signature]

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner [Signature]

TOWN RECORD
Date submitted _____ Approved: Dale Brown 11/1/89
Building Inspector _____ Date _____

Approved: _____ Commissioner _____ Date _____ Final Approval given: _____ Date _____

Certificate of Occupancy issued (if applicable) _____ Date _____

SP1282 Permit No. _____

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

THIS PERMIT MUST BE DISPLAYED IN FRONT OF JOB

DO NOT REMOVE UNTIL JOB IS COMPLETED

OWNER Chris Ramey
CONTRACTOR G & K Hlum
LOT 3 BLOCK _____ SUB OAKWOOD
NO. 8 OAKWOOD DRIVE St. or Ave.

NO. 2971 Date Issued 1/11/89

Call 287-2455 From 8:00 A.M. - 12:00 Noon and
1:00 P.M. - 4:00 P.M. For Inspections of Items 1 thru 13.

TOWN OF SEWALL'S POINT BUILDING PERMIT

- * REQUESTS FOR INSPECTIONS REQUIRE AT LEAST 24 HOURS NOTICE.
- * ALL WORK MUST BE IN COMPLIANCE WITH THE TOWN OF SEWALL'S POINT ORDINANCES, THE SOUTH FLORIDA BUILDING CODE, THE STATE OF FLORIDA ENERGY EFFICIENCY BUILDING CODE AND ELEVATIONS BASED ON THE LATEST FLOOD INSURANCE RATE MAP.
- * WORKING HOURS ARE FROM 8:00 to 5:00 P.M. MONDAY THRU SATURDAY. PORTABLE TOILET FACILITIES MUST BE ON JOB SITE BEFORE INITIAL INSPECTION.

REQUIRED INSPECTIONS	INSPECTOR'S FINDING	INSPECTOR'S SIGNATURE
1. LOT STAKES/SET BACKS		
2. TERMITE PROTECTION		
3. FOOTING - SLAB		
4. ROUGH PLUMBING		
5. ROUGH ELECTRIC		
6. LINTEL		
7. ROOF		
8. FRAMING		
9. INSULATION		
10. A/C DUCTS		
11. FINAL ELECTRIC		
12. FINAL PLUMBING		
13. FINAL CONSTRUCTION		

TO CONSTRUCT SCREEN POOL

REMARKS:

SEPTEMBER 1987

TREASURE COAST CHAPTER, INC
OF THE ALUMINUM ASSOCIATION
OF FLORIDA



PREPARED BY:


NASH ENGINEERING, INC.
810 SATURN ST. SUITE 16
JUPITER, FLORIDA 33477
(305)747-7254

ROOF PAN (ALLOY 3003 H-16)	PAN THICKNESS	Sx	MAX. SPAN @ WIND VELOCITIES SHOWN
1.75" PAN W/0.032 CLEAT	.032	.238in ³	100MPH 110MPH 120MPH
			10'
CLEAT ALTERNATIVES FOR 1.75" PAN			
1-BAR	.032		11'
1-BAR	.032		11'
EXTRUDED 1" CLEAT	.032		13'

NOTE:
PANS MAY OVERHANG 1/3 OF SIMPLE SPAN. SPANS MAY BE INCREASED 2% FOR EACH 12" OF OVERHANG UP TO 3'-0". CONSULT AN ENGINEER FOR GREATER OVERHANG.

ROOF PAN (ALLOY 3003 H-16)	PAN THICKNESS	Sx	MAX. SPAN @ WIND VELOCITIES SHOWN
3" INTERLOCKING PANEL	.024	.450in ³	100MPH 110MPH 120MPH
			13'-4"
	.032	.608in ³	15'-6"
	.032	.346in ³	11'-0"


NOTE:
PANS MAY OVERHANG 1/3 OF SIMPLE SPAN. SPANS MAY BE INCREASED 2% FOR EACH 12" OF OVERHANG UP TO 3'-0". CONSULT AN ENGINEER FOR GREATER OVERHANG.



1"x2" OPEN BACK
ALLOY 6063-T5
A = 0.233in³
WT = 0.280#/L.F.
I = 0.1425in⁴
Sx = 0.1425in³

SPACING AND SPAN TABLES

SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	8'-6"	7'-4"	4'-6"	4'-0"
4'	7'-4"	6'-2"	3'-10"	3'-6"
5'	6'-7"	5'-2"	3'-6"	3'-2"
6'	6'-0"	5'-0"	3'-2"	2'-10"
7'	5'-6"	4'-8"	2'-11"	2'-8"
8'	5'-2"	4'-4"	2'-9"	2'-6"
9'	4'-10"	4'-2"	2'-6"	2'-4"
10'	4'-8"	3'-10"	2'-5"	2'-3"



2"x2" PATIO BEAM
ALLOY 6063-T5
A = 0.412in³
WT = 0.49#/L.F.
I = 0.2133in⁴
Sx = 0.2133in³

SPACING AND SPAN TABLES


SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	10'-5"	8'-8"	5'-6"	5'-0"
4'	9'-0"	7'-6"	4'-9"	4'-4"
5'	8'-0"	6'-9"	4'-3"	3'-10"
6'	7'-4"	6'-2"	3'-10"	3'-6"
7'	6'-10"	5'-8"	3'-8"	3'-4"
8'	6'-4"	5'-4"	3'-4"	3'-0"
9'	6'-0"	5'-0"	3'-2"	2'-11"
10'	5'-8"	4'-9"	3'-0"	2'-9"

CLEATED ROOF PANS

INTERLOCKING ROOF PANS

1"x2" OPEN BACK


2"x2" PATIO BEAM



2"x3" PATIO BEAM
ALLOY 6063-T5
A = 0.65in³
WT = 0.78#/L.F.
I = 0.741in⁴
R = 1.068in
Sb = 0.4359in³
Sx = 0.57in³

SPACING AND SPAN TABLES


SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	16'-5"	13'-9"	8'-8"	8'-0"
4'	14'-3"	11'-11"	7'-6"	6'-11"
5'	12'-9"	10'-8"	6'-9"	6'-2"
6'	11'-8"	9'-9"	6'-2"	5'-7"
7'	10'-9"	9'-1"	5'-8"	5'-2"
8'	10'-1"	8'-5"	5'-4"	4'-10"
9'	9'-6"	7'-11"	5'-0"	4'-7"
10'	9'-1"	7'-6"	4'-9"	4'-4"



2"x4" SELF MATING BEAM
ALLOY 6063-T6
WALL = .050
FLANGE = .120
A = 0.950in³
WT = 1.14#/L.F.
I = 2.45in⁴
Sx = 1.25in³

SPACING AND SPAN TABLES


SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	25'-0"	20'-11"	13'-3"	12'-0"
4'	21'-8"	18'-1"	11'-5"	10'-5"
5'	19'-4"	16'-2"	10'-3"	9'-4"
6'	17'-8"	14'-9"	9'-4"	8'-6"
7'	16'-4"	13'-8"	8'-8"	7'-11"
8'	15'-3"	12'-10"	8'-0"	7'-4"
9'	14'-4"	12'-0"	7'-8"	7'-0"
10'	13'-8"	11'-5"	7'-3"	6'-7"



2"x6" SELF MATING BEAM
ALLOY 6063-T6
A = 1.596in³
WT = 1.87#/L.F.
I = 8.46in⁴
Sx = 2.82in³

SPACING AND SPAN TABLES

SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	37'-10"	31'-8"	20'-0"	18'-3"
4'	32'-9"	27'-5"	17'-4"	15'-10"
5'	29'-4"	24'-8"	15'-6"	14'-2"
6'	26'-9"	22'-5"	14'-2"	12'-11"
7'	24'-9"	20'-8"	13'-1"	12'-0"
8'	23'-2"	19'-5"	12'-3"	11'-2"
9'	21'-10"	18'-3"	11'-6"	10'-6"
10'	20'-9"	17'-4"	11'-0"	10'-0"



2"x7" SELF MATING BEAM
ALLOY 6063-T6
A = 1.782in³
WT = 2.14#/L.F.
I = 17.13in⁴
Sx = 4.69in³

SPACING AND SPAN TABLES

SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	49'-4"	41'-4"	26'-2"	23'-10"
4'	42'-9"	35'-8"	22'-8"	20'-8"
5'	38'-3"	32'-0"	20'-3"	18'-5"
6'	35'-0"	29'-2"	18'-5"	16'-10"
7'	32'-4"	27'-0"	17'-1"	15'-7"
8'	30'-3"	25'-3"	16'-0"	14'-7"
9'	28'-6"	23'-10"	15'-0"	13'-9"
10'	27'-0"	22'-8"	14'-4"	13'-0"

2"x3" PATIO BEAM

2"x4" SELF MATING BEAM

2"x6" SELF MATING BEAM

2"x7" SELF MATING BEAM

DATE	BY	DESCRIPTION

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS

DRAWN	COMPTON
CHECKED	NASH
SCALE	N.T.S.
DATE	SEPTEMBER 1987
JOB NO.	87-031


For Seal
9/18/87

SHEET	1
OF	FIVE SHEETS




SLAB ON GRADE

ALUMINUM SCREEN ROOMS, GLASS ROOMS, PATIO COVERS AND CARPORTS




CONTINUOUS WALL FOOTING

FOR ALUMINUM ENCLOSURES WITH SOLID ALUMINUM ROOFS





RAISED SLAB

WITH 8\"/>




PIER TYPE FOOTING



CARPORT
(ATTACHED)

BEAM SIZE AND SHAPE	MAXIMUM CLEAR BEAM SPANS CONT. EDGE BEAM FOR ROOF SPANS BELOW					TYPICAL POST SIZE & NO. OF BASE ANCHORS
	10'	12'	14'	15'	16'	
2\"/>	4'-10"	4'-0"	4'-0"	3'-11"	3'-10"	2\"/>
2\"/>	5'-0"	5'-0"	5'-0"	5'-0"	5'-0"	1\"/>
1\"/>	5'-0"	5'-0"	4'-8"	4'-8"	4'-8"	2\"/>
2\"/>	10'-0"	8'-1"	8'-0"	8'-0"	8'-0"	2\"/>
2\"/>	12'-0"	11'-0"	10'-11"	10'-8"	10'-8"	2\"/>
2\"/>	12'-0"	12'-1"	11'-3"	10'-3"	10'-0"	2\"/>
2\"/>	10'-0"	10'-0"	10'-0"	10'-0"	10'-0"	2\"/>
2\"/>	12'-0"	10'-0"	10'-0"	10'-0"	10'-0"	2\"/>
2\"/>	17'-0"	16'-0"	14'-10"	14'-4"	14'-0"	2\"/>
2\"/>	16'-0"	14'-0"	13'-0"	12'-0"	11'-0"	2\"/>
2\"/>	20'-0"	18'-1"	16'-10"	15'-3"	15'-0"	2\"/>



EDGE BEAM & POST SPAN TABLE C-1
(ATTACHED ROOFS ONLY)



SPAN TABLE - FOR SUPER GUTTER AS EDGE BEAM

GUTTER/EDGE BEAM SPAN B	VARIOUS SPANS OF PAN ROOF A				
	8'	10'	12'	14'	16'
	13'-9"	12'-4"	11'-3"	10'-5"	9'-9"

SUPER GUTTER AS EDGE BEAM
SPAN TABLE C-2



CARPORT
(FREE STANDING)

DATE	BY	DESCRIPTION

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS


DRAWN	COMPTON
CHECKED	NASH
SCALE	HT.S.
DATE	SEPTEMBER 1987
JOB NO.	87-031

SEAL
9/25/87



SHEET
2
OF FIVE SHEETS



NOTE: ANGLES MAY HAVE 1 LEG INSIDE POST



NOTE: ANGLES MAY HAVE 1 LEG INSIDE POST




SCREEN ROOM
(UNDER WOOD ROOF)


SCREEN ROOM
(UNDER WOOD ROOF)

POOL ENCLOSURE
(TYPICAL)


POOL ENCLOSURE
(CONNECTION TYPICALS)



POOL ENCLOSURE
(CONNECTION TYPICALS)



POOL ENCLOSURE
(POST TO BEAM TYPICALS)



POOL ENCLOSURE
(POST TO BEAM TYPICALS)


BEAM SIZE	MAXIMUM CLEAR SPAN FOR SCREENED ROOF BEAMS @ VARIOUS SPACING							
	4'-0" O-C	6'-0" O-C	8'-0" O-C	10'-0" O-C	12'-0" O-C	14'-0" O-C	16'-0" O-C	18'-0" O-C
2"x4" S.M. BEAM S ₁ - 1.35	21'-8"	19'-4"	18'-8"	17'-8"	17'-0"	16'-4"	15'-10"	15'-3"
2"x4" S.M. BEAM W/ INSERT S ₂ - 1.70	25'-5"	22'-9"	21'-9"	20'-9"	20'-0"	19'-3"	18'-8"	18'-0"
2"x6" S.M. BEAM S ₁ - 3.00	32'-9"	29'-4"	28'-0"	26'-9"	25'-9"	24'-9"	24'-0"	23'-2"
2"x7" S.M. BEAM S ₁ - 4.00	42'-9"	38'-3"	36'-7"	35'-0"	33'-8"	32'-4"	31'-4"	30'-3"
2"x7" S.M. BEAM W/ INSERT S ₂ - 4.30	48'-2"	44'-0"	42'-0"	40'-2"	38'-8"	37'-2"	36'-0"	34'-9"
3"x7" I BEAM W/ SNAP S ₁ - 3.00	25'-10"	25'-0"	24'-3"	23'-7"	23'-0"	22'-5"	21'-11"	21'-5"
3"x7" I BEAM W/ SNAP S ₂ - 3.10	34'-10"	31'-1"	29'-10"	28'-6"	27'-5"	26'-4"	25'-5"	24'-8"
4"x8" I BEAM W/ SNAP S ₁ - 4.00	42'-10"	38'-4"	36'-8"	35'-0"	33'-9"	32'-5"	31'-5"	30'-4"

NOTE: THIS TABLE IS BASED ON:
 WINDLOAD OF 120 MPH LIVELOAD = 7 LBS/SQ. FT. SCREEN MESH: 18x14

SCREEN ROOF BEAM - SPAN TABLE S-1

DATE	BY	DESCRIPTION



TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS

DRAWN	COMPTON
CHECKED	NASH
SCALE	NT.S.
DATE	SEPTEMBER 1987
JOB NO.	87-031


SEAL OF FIVE SHEETS
SHEET 3



2"x6" S.M.B. ALLOY 6063-T6	2"x7" S.M.B. ALLOY 6063-T6
A = 1.20in ² WT = 1.44#/L.F. I = 3.946in ⁴ Sx = 1.973in ³	A = 1.39in ² WT = 1.67#/L.F. I = 8.45in ⁴ Sx = 2.82in ³



2"x6" S.M.B. ALLOY 6063-T6	2"x7" S.M.B. ALLOY 6063-T6
A = 1.20in ² WT = 1.44#/L.F. I = 3.946in ⁴ Sx = 1.973in ³	A = 1.78in ² WT = 2.14#/L.F. I = 17.13in ⁴ Sx = 4.89in ³



SPAN TABLE - FOR COMBINATION - SUPER GUTTER + 2"x6" S.M.B.

VARIOUS SPANS OF ROOF PANS "A"	VARIOUS SPANS OF SCREEN ROOFS "B"												
	18'	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'	42'
4'-0"	26'-6"	24'-6"	22'-6"	20'-6"	18'-6"	17'-0"	15'-6"	14'-0"	12'-6"	11'-0"	9'-6"	8'-0"	6'-0"
6'-0"	18'-0"	17'-0"	16'-0"	15'-0"	14'-0"	13'-0"	12'-0"	11'-0"	10'-0"	9'-0"	8'-0"	7'-0"	6'-0"
8'-0"	17'-0"	16'-0"	15'-0"	14'-0"	13'-0"	12'-0"	11'-0"	10'-0"	9'-0"	8'-0"	7'-0"	6'-0"	5'-0"
10'-0"	15'-0"	14'-0"	13'-0"	12'-0"	11'-0"	10'-0"	9'-0"	8'-0"	7'-0"	6'-0"	5'-0"	4'-0"	3'-0"
12'-0"	14'-0"	13'-0"	12'-0"	11'-0"	10'-0"	9'-0"	8'-0"	7'-0"	6'-0"	5'-0"	4'-0"	3'-0"	2'-0"
14'-0"	13'-0"	12'-0"	11'-0"	10'-0"	9'-0"	8'-0"	7'-0"	6'-0"	5'-0"	4'-0"	3'-0"	2'-0"	1'-0"

SPAN TABLE - FOR COMBINATION - SUPER GUTTER + 2"x7" S.M.B.







VARIOUS SPANS OF ROOF PANS "A"	VARIOUS SPANS OF SCREEN ROOFS "B"												
	18'	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'	42'
4'-0"	21'-0"	23'-0"	25'-0"	27'-0"	29'-0"	31'-0"	33'-0"	35'-0"	37'-0"	39'-0"	41'-0"	43'-0"	45'-0"
6'-0"	20'-0"	21'-0"	22'-0"	23'-0"	24'-0"	25'-0"	26'-0"	27'-0"	28'-0"	29'-0"	30'-0"	31'-0"	32'-0"
8'-0"	19'-0"	20'-0"	21'-0"	22'-0"	23'-0"	24'-0"	25'-0"	26'-0"	27'-0"	28'-0"	29'-0"	30'-0"	31'-0"
10'-0"	18'-0"	19'-0"	20'-0"	21'-0"	22'-0"	23'-0"	24'-0"	25'-0"	26'-0"	27'-0"	28'-0"	29'-0"	30'-0"
12'-0"	17'-0"	18'-0"	19'-0"	20'-0"	21'-0"	22'-0"	23'-0"	24'-0"	25'-0"	26'-0"	27'-0"	28'-0"	29'-0"
14'-0"	16'-0"	17'-0"	18'-0"	19'-0"	20'-0"	21'-0"	22'-0"	23'-0"	24'-0"	25'-0"	26'-0"	27'-0"	28'-0"

SUPER GUTTER - FASCIA ATTACHMENT
(*CANTED* FASCIA TYPICAL)

SUPER GUTTER - FASCIA ATTACHMENT
(*PLUMB* FASCIA TYPICAL)

CARRIER BEAM - SPAN TABLE S-2
(SUPER GUTTER & 2"x6" S.M.B.)

CARRIER BEAM - SPAN TABLE S-3
(SUPER GUTTER & 2"x7" S.M.B.)



SPACING AND SPAN TABLES

SPACING	SCREEN ROOF 7# PER S.F.	SCREEN WALL 10# PER S.F.	SOLID WALL 25# PER S.F.	SOLID ROOF 30# PER S.F.
3'	56'-9"	47'-6"	30'-0"	27'-5"
4'	49'-2"	41'-2"	26'-0"	23'-9"
5'	44'-0"	36'-10"	24'-3"	21'-3"
6'	40'-2"	33'-5"	21'-3"	19'-4"
7'	37'-2"	31'-1"	19'-8"	17'-11"
8'	34'-9"	29'-0"	18'-5"	16'-0"
9'	32'-9"	27'-5"	17'-4"	15'-10"
10'	31'-0"	26'-0"	16'-5"	15'-0"

MASONRY - CONCRETE FASTENERS

GLASS ROOMS
(SANDWICH SYSTEM)


GLASS ROOM "HAT"
(REINFORCEMENT OF .040 POST)

2"x7" S.M.B. WITH INSERT

DATE	BY	DESCRIPTION

REVISIONS

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS


DRAWN	COMPTON		
CHECKED	NASH		
SCALE	N.T.S.		
DATE	SEPTEMBER 1987		
JOB NO.	87-031		

SEAL OF


SHEET
4
OF FIVE SHEETS




ATTACHED A-FRAME COMBINATION PATIO-CABANA OR CARPORT




TYPICAL UTILITY ROOM




TYPICAL UTILITY ROOM



RIDGE BEAM




RIDGE BEAM



SCREEN ROOM
(WITH ALUMINUM ROOF)

DATE	BY	DESCRIPTION

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA



ALUMINUM CONSTRUCTION
DETAILS

DRAWN	COMPTON
CHECKED	NASH
SCALE	NT.S.
DATE	SEPTEMBER 1987
JOB NO.	87-031

John Nash
9/23/87

SEAL

SHEET
5
OF FIVE SHEETS