24 Palm Road

2470 DOCK REPAIR

reimit No.	
APPLICATION FOR A PERMIT TO BUILD ENCLOSURE, GARACH OB ANY OTHER STR	UCTURE NOT A HOUSE OR A COMM
This application must be accompani	ed by three (3) sets of complete plans, the
Owner WAYNE KREMSER	resent Address 131 S. RIVER RD.
Phone 287-1596	
ContractorNONE	Address
Phone	
Whore lines !	License number
Electrical contractor NONE	License number
Plumbing contractor NONE	
Describe the structure, or addition this permit is sought: REPA	n_or alteration to an existing structure, for which IRS TO EXISTING STRUCTURE DOCK
State the street address at which	the proposed structure will be built:
Subdivision	Lot number
Contract price \$ /000 00	Lot numberBlock number Cost of permit \$
·	Plans approved as marked
understand that approval of these recommendation of Sewall's Point Ordinances a understand that I am responsible for orderly fashion, policing the area such debris being gathered in one a sary, removing same from the area as	is good for 12 months from the date of its issue and add in accordance with the approved plan. I further plans in no way relieves me of complying with the and the South Florida Building Code. Moreover, I for maintaining the construction site in a neat and for trash, scrap building materials and other debris, area and at least once a week, or oftener when necestand from the Town of Sewall's Point. Failure to competer or Town Commissioner "red-tare" the construction
• .	Contractor Daym Land
I understand that this structuand that it must comply with all cofinal approval by a Building Inspec	are must be in accordance with the approved plans
	Owner Nonnut
	TOWN RECORD
Date submitted	Approved:
Approved:	Building Inspector Date
Commissioner	Date Final Approval given:
Certificate of Occupancy issued (if	applicable)Date
	,
SP1282 :	Permit No.

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

4256 DEMOLITION

TOWN OF SEWALL'S POINT						
Date $\frac{9/3/97}{}$	BUILDING PERMIT NO. 4256					
Building to be erected for WAYNE KREMSER						
Applied for by WATNE KREMSEN / THOS B.						
Subdivision Parm Row Lot Block	Radon Fee					
Address 24 PALM ROAD	Impact Fee					
Type of structure COTTAGE & GARAGE	A/C Fee					
DEMOLITION	Electrical Fee					
Parcel Control Number:	Plumbing Fee					
	Roofing Fee					
Amount Paid 50 Check # 3/867 Cash	Other Fees ()					
Total Construction Cost \$	TOTAL Fees50					
Signed Wayar Signed _	Jan.					
Applicant	Town Building Inspector					

MASTER PERMIT NO._____

ug≈29-97 03:25P				P.O.	1	
ACORD CERTI	FICATE OF LIAE	THIS CER	NSURA!	NC FCSR LH DATE (MM/DD/ THOMA-1 09/01/ ED AS A MATTER OF INFORMATION		
tlantic Pacific Insurs 1382 Prosperity Farms, alm Beach Gardens FL 3	#123	HOLDER.	CONFERS NO R THIS CERTIFICAT E COVERAGE AF	IGHTS UPON THE CERTIFICATE IE DOES NOT AMEND, EXTEND OR FORDED BY THE POLICIES BELOW.		
regory J. Behl	,7110	COMPANY	COMPANIES	AFFORDING COVERAGE		
ne No. 800-538-0487 Fex.	No. 561-626-3153	COMPANY	USF & G Insurance			
Thomas B. Cushing Thomas B. Cushing	Demolition	COMPANY	Pinnacle As	ssurance Corp.		
Benton Industries, 8210 8th Rd. North West Palm Beach FL		C COMPANY	· 			
VERAGES						
CERTIFICATE MAY BE ISSUED OR MAY PE	OF INSUMANCE LISTED BELOW HAVE BEEN ISSU IUIREMENT, TERM OR CONDITION OF ANY CON' RTAIN. THE INSURANCE AFFORDED BY THE PO POLICIES. LIMITS SHOWN MAY HAVE BEEN REC	TRACT OR OTHER DO LICIES DESCRIBED H	CUMENT WITH RESPE	CT TO MAILS I TIME		
TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS		
X COMMERCIAL GENERAL LIABILITY CLAIMS MADE X OCCUR	1CP30029196000	01/17/97	01/17/98	GENERAL AGGREGATE \$1,000,00 PRODUCTS - COMP/OP AGG \$1,000,00 PERSONAL & ADV INJURY \$1,000,00	00	
OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE \$ 1,000,00 FIRE DAMAGE (Any one fire) \$ 50,000 MED EXP (Any one person) \$ 5,000	00	
AUTOMOBILE LIABILITY X ANY AUTO ALL OWNED AUTOS	1CP30029196000	01/17/97	01/17/98	COMBINED SINGLE LIMIT : \$ 300,000		
SCHEDULED AUTOS				BODILY INJURY (Per person) \$		
NON-OWNED AUTOS				BODILY INJURY (Per eccident)		
	1			PROPERTY DAMAGE \$		
GARAGE LIABILITY ANY AUTO				AUTO ONLY - EA ACCIDENT 3 OTHER THAN AUTO ONLY		
	! !	:	ĺ	EACH ACCIDENT \$		
EXCESS LIABILITY			i	AGGREGATE \$ EACH OCCURRENCE \$		
OTHER THAN UMBRELLA FORM			! !	AGGREGATE \$		
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				X WC STATU- OTH-		
THE PROPRIETORY PARTNERS/EXECUTIVE	407-2890-01	01/01/97	01/01/98	EL EACH ACCIDENT \$ 100,000 EL DISEASE - POLICY LIMIT \$ 500,000		
OFFICERS ARE. EXCL. OTHER	i			EL DISEASE - EA EMPLOYEE \$ 100,000		
!	1	; !	 			
CRIPTION OF OPERATIONS/LOCATIONS/VEI	HICLES/SPECIAL ITEMS		<u> </u>			
DAYS NOTICE OF CANCE	LLATION GIVEN FOR WORKE	RS COMPENS	ATION			
TIFICATE HOLDER		CANCELLATI	ON			
	SEWALLS			RIBED POLICIES BE CANCELLED BEFORE THE SUING COMPANY WILL ENDEAVOR TO MAIL		
TOWN OF SEWALLS	POINT	10 DAYS	WRITTEN NOTICE TO	THE CERTIFICATE HOLDER NAMED TO THE LEFT, E SHALL IMPOSE NO OBLIGATION OR LIABILITY		
1 SO. SEWALLS PO SEWALLS POINT FL	INT RD	OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.				
DRD 25-8 (1/95)		Gregory J	A Reput A	© ACORD CORPORATION 1	988	

SP01624 MARTIN COUNTY CONTRACTORS CERTIFICATE OF COMPETENCY 3341 EXPIRES SEPTEMBER 30, 19 PAUL 6 CUSHING RD NO **す** 4 4 CUSHING, THOMAS B 8210 BĮH WPB 2

MARTIN COUNTY

ORIGINAL

1996 COUNTY OCCUPATIONAL LICENSE 1997

Larry C. O'Steen, Tax Collector, P.O. Box 9013, Stuart, FL 34995 (561) 288-5604

LOCATION:

821Ø 8TH

<u>ขึ้นที่</u> LIC. FEE s 0.00 0.00 COL FEE \$ 25.00 TOTAL

THOMAS B CUSHI 8210 8TH RD N WEST PALM BEAC

IS HEREBY LICENSED TO ENGAGE IN THE BUSINESS, PROFESSION OR OCCUPATION DEMOLITION CONTRACTOR

AT: ABOVE ADDRESS FOR THE PERIOD BEGINNING ON THE

4 DAY OF OCTOBER 00/00/0000

THOMAS B. CUSHING DEMOLITION

SEPTEMBER 2,1997

TO: THE TOWN OF SEWALLS POINT 1 SO. SEWALLS POINT ROAD SEWALLS POINT, FL. 34996

I PAUL S.CUSHING QUALIFIER FOR THOMAS B.CUSHING DEMOLITION GIVE PERMISSION FOR KIMBERLY C.LUMSDEN TO ACT AS AGENT FOR CUSHING DEMOLITION AND SIGN FOR ANY APPLICATIONS AND PERMITS FOR DEMOLITION AS REQUIRED BY THE TOWN OF SEWALLS POINT.

SINCERELY,

PAUL S.CUSHING QUALIFIER

KIMBERLY C.LUMSDEN AGENT

Kimberly C. Lumsden

"OFFICIAL SEAL" John Cole My Commission Expires 8/22/98 Commission #CC 402247

"OFFICIAL SEAL" John Cole My Commission Expires 8/22/98 Commission #CC 402247



PEST MANAGEMENT INC. 2541 S.E. Clayton Street P.O. Box 1906 STUART, FLORIDA 34995-1906 FAX 287-7083

MARTIN COUNTY 287-7411

JUPITER 746-5344

ST. LUCIE COUNTY 461-7111

Township of Sewalls Point S Sewalls Point Rd. Stuart, FL 34996

January 16, 1998

Re: 9 S River Rd Sewalls Point

To Whom It May Concern:

Upon inspection of the above mentioned residence I found no evidence of a rat infestation.

Kathleen Frangipane

TRAVIS PEST MANAGEMENT, INC.

cc:file

11266 Remodel

Town	of Sewall's Point
	PERMIT APPLICATION Permit Number: 1266
OWNER/LESSEE NAME: Joe and Joan Mantil	Phone (Day) (Fax)
Job Site Address: 32 Rio Vista Drive	City: Stuart State: fl Zin:
Legal Description Lot 84 and N1/2 Lot 85 Rio Vist Sd	Parcel Control Number: 12-38-41-002-000-00840-1
	Address:
City: State: Zip:	
*SCOPE OF WORK (PLEASE BE SPECIFIC): TE	eplace awning roof w new deck, windows, Garage Door repl
WILL OWNER BE THE CONTRACTOR? (If yes, Owner Builder questionnaire must accompany application) YES NO NO	COST AND VALUES: (Required on ALL permit applications) Estimated Value of Improvements: \$ 135000 (Notice of Commencement required when over \$2500 prior to first inspection, \$7,500 on HVAC change out)
Has a Zoning Variance ever been granted on this property?	Is subject property located in flood hazard area? VE10AE9AE8X_
YES (YEAR) NO 🗸	FOR ADDITIONS, REMODELS AND RE-ROOF APPLICATIONS ONLY: Estimated Fair Market Value prior to improvement: \$
(Must include a copy of all variance approvals with application)	(Fair Market Value of the Primary Structure only, Minus the land value)
A	PRIVATE APPRAISALS MUST BE SUBMITTED WITH PERMIT APPLICATION 7722991337
Construction Company: Bayview Construction Services IIc	Phone: 7722839300 Fax: 7722881337
	6 SE Railway aveCity: stuart State: flzip: 34997
State License Number: CGC 1520874 OR: Municipi	ality: License Number:
LOCAL CONTACT: Ken Ringe Kringe Dayvier	WONSTRUCTION - CO. 7722602380
DESIGN PROFESSIONAL: Kelly and Kelly + Mason@	License Number:License Number:License Number:
	State: FI Zip: 34994 Phone Number: 2833492
AREAS SQUARE FOOTAGE: Living: Garage:	Covered Patios/ Porches: Enclosed Storage:
Carport:Total under RoofElevate * Enclosed non-habitable areas below the Base Flood Elevate	ted Deck:Enclosed area below BFE*: 0
	ding Code (Structural, Mechanical, Plumbing, Existing, Gas): 2010 rida Accessibility Code: 2010, Florida Fire Prevention Code: 2010
WARNINGS TO OWNERS AND CONTRAC	TORS:
1. YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT	MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR
	OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A
2. IT IS YOUR RESPONSIBILITY TO DETERMINE IF YOUR PROPE	ERTY IS ENCUMBERED BY ANY DEED RESTRICTIONS. SOME RESTRICTIONS
	C RECORDS OF MARTIN COUNTY OR THE TOWN OF SEWALL'S POINT. THERE INMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE
AGENCIES, OR FEDERAL AGENCIES.	MMENIAL ENTITLE COOK AC TRAIEN MAINGEMENT MOTIOCIC, CIAIL
 BUILDING PERMITS FOR SINGLE FAMILY RESIDENCES AND S A PERIOD OF 24 MONTHS. RENEWAL FEES WILL BE ASSESSED. 	SUBSTANTIAL IMPROVEMENTS TO SINGLE FAMILY RESIDENCES ARE VALID FOR AFTER 24 MONTHS PER TOWN ORDINANCE 50-95.
4. THIS PERMIT WILL BECOME NULL AND VOID IF THE WORK A	AUTHORIZED BY THIS PERMIT IS NOT COMMENCED WITHIN 180 DAYS, OR IF
WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 D BE ASSESSED ON ANY PERMIT THAT BECOMES NULL AND VOID	DAYS AT ANY TIME AFTER THE WORK IS COMMENCED. ADDITIONAL FEES WILL D. REF. FBC 2007 SECT. 105.4.1, 105.4.1.15.
	EQUIRED ON ALL BUILDING PERMITS******
AT INAL INCI LOTION IO ILL	EQUIRED ON ALL BUILDING FERMING
	RMIT TO DO THE WORK AS SPECIFICALLY INDICATED ABOVE. I CERTIFY R TO THE ISSUANCE OF A PERMIT AND THAT THE INFORMATION I HAVE
FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT T	TO THE BEST OF MY KNOWLEDGE. I AGREE TO COMPLY WITH ALL
APPLICABLE CODES, LAWS, AND ORDINANCES OF THE TOW	IN OF SEWALL'S POINT DURING THE BUILDING PROCESS.
OWNER /AGENT/LESSEE - NOTARIZED SIGNATURE:	CONTRACTOR/LICENSEE/NOTARIZED SIGNATURE:
X	x OKMQe MIII
State of Florida, County of:	State of Florida, County of:
On This theday of,20	On This the 2 9 day of 4 20 15
bywho is personally	by Kenneth Kme— who is personally
known to me or produced	known to me or produced the state of the sta
As identification.	As identification. Notary Public State of Florida Dorothy Krombs
Notary Public	My Confirmation 6742 (Confirmation of the Confirmation of the Conf
My Commission Expires:	-
SINGLE FAMILY PERMIT APPLICATIONS MUST BE ISSUED APPLICATIONS WILL BE CONSIDERED ABANDONED AFTE	WITHIN 30 DAYS OF APPROVAL NOTIFICATION (FBC 105.3.4) ALL OTHER ER 180 DAYS (FBC 105.3.2) - PLEASE PICK UP YOUR PERMIT PROMPTLY!





Standard Form of Agreement Between Owner and Contractor where the basis of payment is the Cost of the Work plus a fee without a Guaranteed Maximum Price

AGREEMENT made as of the 20 day of April in the year 2015 (In words, indicate day, month and year.)

BETWEEN the Owner:

(Name, legal status, address and other information)

Jose and Juanita < Mantil 32 Rio Vista Drive Stuart, FL 34996 772-220-2158

and the Contractor:

(Name, legal status, address and other information)

Bayview Construction Services, LLC 4826 SE Railway Avenue Stuart, FL 34997 772-283-9300 772-288-1337 Fax

for the following Project: (Name, location and detailed description)

Porch Addition

The Architect: (Name, legal status, address and other information)

Kelly and Kelly Architects 119 SW 6th Street Stuart, FL 34994 772-283-3492

The Owner and Contractor agree as follows.

ADDITIONS AND DELETIONS:

The author of this document has added information needed for its completion. The author may also have revised the text of the original AIA standard form. An Additions and Deletions Report that notes added information as well as revisions to the standard form text is available from the author and should be reviewed. A vertical line in the left margin of this document indicates where the author has added necessary information and where the author has added to or deleted from the original AIA text.

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

This document is not intended for use in competitive bidding.

AIA Document A201™–2007, General Conditions of the Contract for Construction, is adopted in this document by reference. Do not use with other general conditions unless this document is modified. This Agreement entered into as of the day and year first written above.

OWNER

Grandie Jan Martil

Jose and Juanita < Mantil

(Printed name and title)

(Table deleted)(Paragraphs deleted)(Paragraphs deleted)

CONTRACTOR

Kenneth R. Ringe, Managing Member

4826 SE Railway Avenue

Stuart, FL 34997

(Printed name, title and address)

LICENSE NO.: CGC 1520874



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT

One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-220-4765 5 pages total

VERIFICATION OF CONTRACTOR

BUILDING PERMIT NUMBER: 11266
***IF NOT PERFORMED IN CONJUNCTION WITH A MAIN BUILDING PERMIT NUMBER, THEN THE VERIFICATION OF PARCEL CONTROL NUMBER BELOW MUST BE COMPLETED.
OWNERS NAME: Jose and Joan Mantil
CONSTRUCTION ADDRESS: 32 Rio Vista Dr.
PERMIT TYPE: RESIDENTIAL COMMERCIAL
ELECTRIC PLUMBING HVAC IRRIGATION FUEL GAS
TYPE OF SERVICE: NEW SERVICE EXISTING SERVICE OTHER
SCOPE OF WORK: Flood Light, Insta Hot, Recept.
VALUE OF CONSTRUCTION 8 4,000.00
LOW VOLTAGE
TYPE OF EQUIPMENT: SECURITY VACUUM SOUND SYSTEM LANDSCAPE OTHER
SCOPE OF WORK: VALUE
IN CONSIDERATION TO THE GRANTING OF THE ABOVE REQUESTED PERMIT, I DO HEREBY AGREE THAT I WILL, IN ALL RESPECTS, PERFORM THE WORK IN ACCORDANCE WITH THE APPROVED PLANS AND ALL APPLICABLE CODES.
460 NW Concourse Place Ste 11, Pt St Lucie, Fl 34986
SIGNATURE OF CICENSED CONTRACTOR ADDRESS OF CONTRACTOR David A Righ
COMPANY OR QUALIFIER'S NAME: David A. Birth TELEPHONE NO: 772-340-0111 FAX NO: 723-0400 7/13.340-0560
MUNICIPALITY OR STATE OF FLORIDA CONTRACTOR'S LICENSE NUMBER: EC13001924 ** WORK CAN NOT BEGIN UNTIL THIS VERIFICATION IS COMPLETED AND SUBMITTED TO THE BUILDING DEPARTMENT. A
PENALTY FEE WILL BE ASSESSED IF WORK IS STARTED PRIOR TO OBTAINING THIS PERMIT.
VERIFICATION OF PARCEL CONTROL NUMBER
OWNER'S FULL NAME AS STATED ON DEED:
PARCEL CONTROL#:
SUBDIVISION:BLK:PHASE:
SITE ADDRESS:
SEND OR FAX TO: TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
Page 1 ———————————————————————————————————

TO	WN OF SEWALL'S	POINT	
Buil	Iding Department - Inspec	ction Log / /	
Buil Date of Inspection ☑ Mon □	☐ Tue ☐ Wed ☐ Thur	□ Fri 6/22/15	Page / of /

PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
B15-000078	Hadid			
	78 N Sewall'S Pt Rd	Alc Final	JASS	CLOSE
	Aircon			INSPECTOR &
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
10694	Westcott			* E.MAIL
	63N River Rd	Meter Final	VAS8	FPL
with the Wales	San George Costruction			INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
BN-000054	Steck	i		
	32 Fieldway Drive	Roof Final	VASS	CLOSE
	Marzo Roofing			INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
BIS-000060	Batson	Pool Piping +	_	
	3 Palmetto Drive	Light Niche	PASS	
	A+G Concrete Pods			INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
11266	Mantil	FOOTENS	GASS	
	32 Rio Vista Drive	Foundation		
	Bayview Construction			INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
11037	WESTCOTT	EQUIPOTENTIAL	PASS	
	53 N. RIVER RD	BOND		_
	N&G Ovors			INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR

Building Department – Inspection Log

Date of Inspection □ Mon ☑ Tue □ Wed □ Thur □ Fri 7/2//5 Page // of ↓

PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
B15-0000	the Tandy	Window/		
	10 Oak Hill Way	000-1	FAIL	NOT READY
	National Shotler + Aluminum	1 1		/
PERMIT #		INSEPECTION TYPE	RESULTS	INSPECTOR COMMENTS
Tree	Finegold	Tree		
	21 Palmetto Dr	Removal	Or	
	, , , , , , , , , , , , , , , , , , , ,	Permit		INSPECTOR A
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
11266	Mantil	Tie-Beam		
	32 Rio Vista Dr	+ Footings	(HASS	
	Bayview Construction	0		INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
1315-000076	Stejskal	Fence		
	1085 Sewalls Pt Rd	Final	SAS8	crost
	A Great Fence			INSPECTOR P
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS-	COMMENTS
				INSPECTOR

Building Department – Inspection Log

Date of Inspection ☐ Mon ☐ Tue ☐ Wed ☐ Thur ☐ Fri 1/21 15

Page ___ of ___

BIS-00004 Testebo 104 N Sewalls It Rd AKC Final CANCEL Sharkly Air PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS 11260 Mantil Roof Bayriew Construction SMEATHING PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS COMMENTS	PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS 11260 Mantil Roof 32 Rio Vista Dr AHTTE DASS BOYICH Construction SMEATH/NG PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR	B15-0000	4 Testebo			
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS 1260		104 N Sewalls Pt Rd	AC Final	CANCEL	-
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS 11260		Sharkly Air			INISPECTOR
BOY VIEW CONSTRUCTION SMEATHING PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSPECTOR	PERMIT #			RESULTS	
Bay view Construction SMEMTHING PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSEPECTOR INSEPECTOR INSEPECTOR INSEPECTOR INSEPECTOR	11266	Mantil	Roof		
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS INSPECTOR COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS INSPECTOR COMMENTS INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSPECTOR		32 Rio Vista Dr	Mitre	JASS	
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR INSPECTOR INSPECTOR COMMENTS INSPECTOR INSEPECTION TYPE RESULTS INSPECTOR INSPECTOR		Bayview Construction	SHEATHING		INSPECTOR
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR	PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR					
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR					
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR INSPECTOR					
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR INSPECTOR	PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR					
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR					
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS INSPECTOR					
INSPECTOR					INSPECTOR
	PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
					INSPECTOR
	PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	
INSPECTOR					A SHARE THE RESIDENCE OF THE PARTY OF THE PA
PERMIT # OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS	PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
INSPECTOR					INSPECTOR

Page / of

Building Department - Inspection Log
Date of Inspection □ Mon □ Tue ☑ Wed □ Thur □ Fri 8/12/15

PERMIT # | OWNER/ADDRESSS/CONTRACTOR INSEPECTION TYPE RESULTS COMMENTS Whalen Rough Framing 11191 9 Knowles Rd Rough Electric The 2 Group INSPECTOR OWNER/ADDRESSS/CONTRACTOR PERMIT # INSEPECTION TYPE RESULTS COMMENTS Pomales B15-000 133 A/C Final 31 Fieldway Drive CLARE AM ATTIC Local Guy A/C INSPECTOR 4 AIC PERMIT # OWNER/ADDRESSS/CONTRACTOR COMMENTS **INSEPECTION TYPE** RESULTS Truitt Equipotential B15-0000 39 S River Rol Bond APEX PAVERS INSPECTOR Q PERMIT # | OWNER/ADDRESSS/CONTRACTOR **INSEPECTION TYPE RESULTS** COMMENTS Mantil 11266 Roof Requested 32 Rio Vista Drive Tre down & R. ELECT. Bayview Construction DECK FRAMING INSPECTOR OWNER/ADDRESSS/CONTRACTOR PERMIT# INSEPECTION TYPE COMMENTS RESULTS Dressler B15-000 110 12 Island Rd Fence Final CLOTE Prince Development Group INSPECTOR^C PERMIT # OWNER/ADDRESSS/CONTRACTOR **INSEPECTION TYPE** COMMENTS RESULTS Milici REAR BORCH 11185 14 E High Pt Rd Pool Deck IRE-POUR Scott Holmes Bldrs INSPECTOR OWNER/ADDRESSS/CONTRACTOR PERMIT# **INSEPECTION TYPE RESULTS** COMMENTS INSPECTOR

Building Department – Inspection Log

Date of Inspection

Mon

Tue

Wed

Thur

Fri

7/23/5 Page

of

2

PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
B15-0000	4 .			
	104 N Scwall's Pt Ro	Alc Final		Pass
	Sharkey Air			INSPECTOR
PERMIT #		INSEPECTION TYPE	RESULTS	COMMENTS
B15-00005	8			
	5 Island Rd	AlcFinal		Pass
	Sharkey Air			INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
B15-60007	· ·			
	Tovail Run Ln	Alc Final		Pass
	Sharkey Air			INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
11198	Kennedy			Peschedul
	655 River Rd	AlcFinal		CCC//CCCC
	Sharkey Air			INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
B15-0005	Amaro			
	8 Castle Hill Way	A/C Final		Pass
	Premier Plumbing+Av			INSPECTOR
PERMIT #	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
615-600033	Amaro	window/		
	& Castle Hill Way	Door		Leschedule
	Watermark Energy Solution			INSPECTOR
PERMIT#	OWNER/ADDRESSS/CONTRACTOR	INSEPECTION TYPE	RESULTS	COMMENTS
11266	Mantil	Dry-in		
	32 Rio Vista Dr	Insulation		Pass
	Celentano Dev	potmetal		INSPECTOR



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-2204765

REVISIONS – CORRECTIONS REQUEST FORM MUST BE SUBMITTED FOR ALL CORRECTIONS AND REVISIONS

DATE: 6-15-15 PERMIT NUMBER: 11266
JOBADDRESS: 32 Rio Vista Drive
PLEASE CHECK ONE OF THE FOLLOWING:
CONDITION OF INSPECTION APPROVAL (Needed for an inspection)
CONDITION OF PERMIT APPROVAL: (Corrections/Permit not issued, in review process)
REVISIONS (Changes to an issued permit)
****ALL PLAN REVISIONS MUST BE HIGHLIGHTED OR CLOUDED ON DRAWING****
ALL REVISED PAGES ARE REQUIRED TO BE INSERTED IN FIELD PERMIT SET
DESCRIPTION OF REVISION(S): Footing w/ Conduit sleeve
DOES REVISION(S) CHANGE THE VALUE OF CONSTRUCTION? YES NO VALUE \$ ***INCREASED CONSTRUCTION VALUE WILL INCREASE PERMIT FEES AND MUST BE PAID AT TIME OF APPROVAL*** CONTACT NAME: SIGNATURE: SIGNATURE: PHONE NUMBER: 772
FOR OFFICE USE ONLY:
Reviewed by:
Additional conditioned spacesq. ft. @ \$per sq. ftx 2% =
Additional non-conditioned spacesq. ft. @ \$ per sq. ft x 2% =
Other declared value increase (must be based on value not cost) x 2% =
Other additional fees:Pages @ \$50.00/Page
Radon FeeProfessional Regulation FeeRoad impact assessment
TOTAL ADDITIONAL BUILDING PERMIT FEE \$
Applicant notified by:



50.05 S.W. 611 STREET, STANTS FL. (577) 383-3462 VECTS KETTA S S KETTA





36" × 36" × 14" D POST FTG. W/#5 REBARS @ 8" O/C LOWER LAYER #5 REBARS @ 8" O/C UPPER LAYER SIMPSON CB66 COLUMN BASE ONE 2" CONDUIT 4 TWO 1" CONDUITS 0 0 0 0 0 0 0 0 36" SQUARE 102

36=

,98

TOWN OF SEWALL'S POINT **BUILDING DEPARTMENT** FILE COPY

FOOTING W/ CONDUIT SI



One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-220-4765

BUILDING PERMIT RECEIPT

PERMIT NUMBER:	112	266						
ADDRESS:	32 Rio Vista	Drive					_	
DATE ISSUED:	5/8/2015	SCOPE OF	WORK:	Remodel				
					<u> </u>	<u></u>		
SINGLE FAMILY OR	ADDITION /	REMODEL		Declared Va	alue	\$	\$	135,000.00
Plan Submittal Fee (\$3	50.00 SFR, R	Remodel >\$2	00K)			\$		
Plan Submittal Fee (17				provement		\$		
Plan Submittal Fee (10						\$	\$	175.00
Total square feet air-co				per sq. ft.	s.f.		\$	-
Total square feet non-c		<u> </u>		el: per sq. ft. per sq. ft.	s.f.		\$ \$	-
Total Construction Val	ue:					\$	\$	135,000.00
Building fee: (2% of co				per insp.	# insp	- \$	\$ \$	2,700.00
Dept. of Comm. Affair	s Fee: (1.5%	of permit fee	e - \$2.00 n	nin)		\$	\$	40.50
DBPR Licensing Fee:						\$	\$	40.50
Technology Fee: (0.04							\$	54.00
Road impact assessmen		onstruction	value - \$20) min.)			\$	540.00
Martin County Impact	Fee:	···········				\$		<u> </u>
TOTAL BUILDING	PERMIT FE	CE:				\$	 s 	3,550.00

BAYVIEW CONSTRUCTION SERVICES, LLC 4826 SE RAILWAY AVENUE STUART, FL 34997 HARBOR COMMUNITY BANK FORT PIERCE, FL 34947-4563

E ESMIT Destruct

63-677-670

TOWN OF SEWALL'S POINT

5/8/15

3556^{, 00}

3486

-three thousand fre youlu

flt coloc

. AMOUN

TO THE ORDER OF

TOWN OF SEWALL'S POINT



HORIZED SIGNATURE



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT

One S. Sewall's Point Road Sewall's Point, Florida 34996 (772) 287-2455 FAX (772) 220-4765



PRODITCT APPROVAL CHECKLIST

Permit Type:	Residential	Permit Number	Date: 27 October 2014
Owner's Name:	Joseph & Joan Mantil	Job Site Location:	32 Rio Vista Drive
Design Professional Name A/E:	ıme A/E:	Gary R. Kelly - Kelly & Kelly Architects	

Rule 9 B-72 requires the following information as promulgated by the Florida Building Commission. In the event that information required for product approval has been incorporated in to the plans, specifications, or general notes, simply indicate page number on the affidavit.

Product	Model Number	Manufacturer	Evaluation Agency	Expiration Date
Windows	N/A		8	
Exit Doors	N/A			
Garage Doors	Series 170/180, 18' Wide Steel Sectional Garage Door	Overhead Door Corporation	Miami-Dade Co. (BCCO) Product Control Division – No. 11-0211.04	Jun 30, 2016
Off Ridge Vents/ Ridge Vents	N/A			
Soffit	N/A			
Skylights	N/A			
Shutters	N/A			(#).
Roofing Materials	N/A			
Panel Walls	N/A			
Structural Components and Cladding	N/A			
New/Alternative Materials	N/A			

Architects and Engineers product approval system, this affidavit certifies that I have performed the building envelope evaluation as required In accordance with the Florida by the Florida Building Code.

8341

FL Certification/Registration Number

& Seal

Architect/Engineer Signature



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-2204765

REVISIONS – CORRECTIONS REQUEST FORM MUST BE SUBMITTED FOR ALL CORRECTIONS AND REVISIONS

DATE: 6-9-/5 PERMIT NUMBER: 287-2455 1260
JOB ADDRESS: 32 Rio Vista Drive
PLEASE CHECK ONE OF THE FOLLOWING:
CONDITION OF INSPECTION APPROVAL (Needed for an inspection)
CONDITION OF PERMIT APPROVAL: (Corrections/Permit not issued, in review process)
REVISIONS (Changes to an issued permit)
****ALL PLAN REVISIONS MUST BE HIGHLIGHTED OR CLOUDED ON DRAWING****
ALL REVISED PAGES ARE REQUIRED TO BE INSERTED IN FIELD PERMIT SET
DESCRIPTION OF REVISION(S): Adding Windows to Permit
DOES REVISION(S) CHANGE THE VALUE OF CONSTRUCTION? YES NO VALUE S 8,000 NO
CONTACT NAME: Bayview Construction SIGNATURE: White My PHONE NUMBER: 772 288 9300 FAX NUMBER: 772 288 9300
PHONE NUMBER: 772 283 9300 FAX NUMBER: 72:188 · 1337
FOR OFFICE USE ONLY:
Reviewed by:
The state of the s
Additional conditioned spacesq. ft. @ \$ per sq. ftx 2% =
Additional non-conditioned spacesq. ft. @ \$ per sq. ft x 2% =
Other declared value increase (must be based on value not cost) $\frac{800}{200}$ x 2% = $\frac{360}{200}$
Other additional fees: Revision review fee: Pages @ \$50.00/Page 50 00
Road impact assessment 72.00 Professional Regulation Fee 10.80 Road impact assessment 72.00
TOTAL ADDITIONAL BUILDING PERMIT FEES 500.00
Applicant notified by:



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-2204765

WINDOW/DOOR REPLACEMENT CHECKLIST AND SCHEDULE 2010 FLORIDA BUILDING CODE

A document review will be performed on the following items prior to the submittal of a permit application. Failure to submit these items will result in the application package returned to the applicant until the deficient documents are included. This review sheet must accompany the application submittal.

rieuse make sure you nave ALL requirea copies before submitting permit	appucation
1 Copy Completed Permit Application	
2 Copies Window/Door Schedule	
2 Copies Manufacturer's Florida Product Approval and Specifications	
2 Copies Floor Plan Sketch – Show location & ID number of each window Must match window/door schedule.	/door.
PLEASE NOTE: WINDOWS AND DOOR REPLACEMENT MUST COMP	TV WITH

ALL NEW WINDOWS AND/OR DOORS WITH GLAZING MUST HAVE IMPACT PROTECTION (SHUTTERS OR IMPACT GLASS). IF SHUTTERS ARE USED, A SEPARATE SHUTTER PERMIT MUST BE ISSUED PRIOR TO FINAL INSPECTION OF THE WINDOW/DOOR REPLACEMENT PERMIT.

2010 FBC - EXISTING BUILDING 604.1

PARTIAL WINDOW OR GLAZED DOOR REPLACEMENT THAT REPRESENTS LESS THAN 25% OF THE TOTAL GLAZED AREA OVER A 12 MONTH PERIOD IS EXEMPT FROM IMPACT PROTECTION REQUIREMENTS.



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-220-4765

VERIFICATION OF CONTRACTOR

BUILDING PERMIT NUMBER:	
***IF NOT PERFORMED IN CONJUNCTION WITH A MAIN BUILDING PERMIT NUMBER, THEN THE VERIFICATION OF PARCEL CONTROL NUMBER BELOW MUST BE COMPLETED.	
OWNERS NAME: SOSE Marti	
CONSTRUCTION ADDRESS: 32 Rio Vista Dr.	
PERMIT TYPE: RESIDENTIAL COMMERCIAL	
ELECTRIC PLUMBING HVAC IRRIGATION FUEL GAS TYPE OF SERVICE: NEW SERVICE EXISTING SERVICE OTHER	
SCOPE OF WORK:	
VALUE OF CONSTRUCTION \$	
LOW VOLTAGE	
TYPE OF EQUIPMENT: SECURITY VACUUM SOUND SYSTEM LANDSCAPE OTHER	
SCOPE OF WORK:VALUE	
IN CONSIDERATION TO THE GRANTING OF THE ABOVE REQUESTED PERMIT, I DO HEREBY AGREE THAT I WILL, IN ALL RESPECTS, PERFORM THE WORK IN ACCORDANCE WITH THE APPROVED PLANS AND ALL APPLICABLE CODES.	
SIGNATURE OF LICENSED CONTRACTOR 126 Center Street Supiter, FL 334 ADDRESS OF CONTRACTOR	15°8
COMPANY OR QUALIFIER'S NAME: Custom Door Shoo	
TELEPHONE NO: 561-741-0603 FAX NO: 561-741-0605	
MUNICIPALITY OR STATE OF FLORIDA CONTRACTOR'S LICENSE NUMBER: U2\305	
** WORK CAN NOT BEGIN UNTIL THIS VERIFICATION IS COMPLETED AND SUBMITTED TO THE BUILDING DEPARTMENT. A PENALTY FEE WILL BE ASSESSED IF WORK IS STARTED PRIOR TO OBTAINING THIS PERMIT.	
VERIFICATION OF PARCEL CONTROL NUMBER	
OWNER'S FULL NAME AS STATED ON DEED:	
PARCEL CONTROL #:	
SUBDIVISION:LOT:BLK:PHASE:	
SITE ADDRESS:	
SEND OR FAX TO: TOWN OF SEWALL'S POINT BUILDING DEPARTMENT	
Page 1	

8/11 **± 1/**1



ANNE M. GANNON CONSTITUTIONAL TAX COLLECTOR Serving Paim Beach County

Serving you.

P.O. Box 3353, West Palm Beach, FL 33402-3353 www.pbctax.com Tel; (561) 355-2264 **LOCATED AT**

126 CENTER ST #B-9 JUPITER, FL 33458

			<u></u>		
TYPE OF BUSINESS	OWNER	CERTIFICATION #	RECEIPT #/DATE PAID	AMT PAID	
1114 AL BASINESS	OTHER CO.		<u> </u>		
23-0101 WINDOW & DOOR CONTRACTOR	BALE CHARLES A	U21008	1 114.731624 - 09/10/14	\$27.50	B40115779 (
WATER MILES AND GOOD GOLD IN THE STATE OF TH	W-01 011 11 12 1 1				

This document is valid only when receipted by the Tax Collector's Office.

STATE OF FLORIDA
PALM BEACH COUNTY

2014/2015 LOCAL BUSINESS TAX RECEIPT


LBTR Number: 200914250 EXPIRES: SEPTEMBER 30, 2015

This receipt grants the privilege of engaging in or managing any business profession or occupation within its jurisdiction and MUST be conspicuously displayed at the place of business and in such a manner as to be open to the view of the public.

B3 - 522

CUSTOM DOOR SHOP BALE ASSOCIATES INC 126 CENTER ST STE B9 JUPITER, FL 33458-4363 06-05-15;15:05 ;From: 00-05-15;14:34 ;From: To:17722881337 ; To:CDS Deiray ;5617410605

1/ 1



om:	To:17722881337 ;	# 10/_11
CEKTIFICATE	OF LIABILITY INSURANCE	6/5/2015

6/5	/201	5

٦.٦	U	EΚ	111	ICAIL OF LIA	/RIL	IIY IN	SURAN	CE		6/5/	2015
TI	HIS CERTIFICATE IS ISSUED AS A MAT	TER (OF IN	FORMATION ONLY AND CO	NFERS	NO RIGHTS	UPON THE C	ERTIF	CATE HOLDER.	THIS	
	ERTIFICATE DOES NOT AFFIRMATIVELY										ĺ
	elow. This certificate of Insura Epresentative or Producer, and 1				INTRAC	T BETWEEN	THE ISSUING	S INSU	REK(S), AUTHO	KIZED	}
_	PORTANT: If the certificate holder is an				must t	e endorsed.	If SUBROGAT	ION IS	WAIVED, subjec	t to	
	e terms and conditions of the policy, certs			may require an endorseme	nL A si	atement on th	is certificate d	loes no	t confer rights to	the	
	ertificate holder in lieu of such <u>endorso</u> me DUCER	m(s)	•		CONTA	CT Mho - 3	Scienzo				
	CIENZO INSURANCE AGENC	¥.	INC		PHONE	con (772	286-39	97	∴	(772)	286-3998
	205 SW Sunset Trail				ENAL	cheri(scienzo	ins	urance.co		
P	alm City, FL 34990-334	2					uren(a) Affordi				HAICE
					INSURE	RA: Allic	ed Insu	anc	e		42587
INŞU	2422 110004111122				INSURE						
	DBA CUSTOM DOOR :		P		INSURE				<u> </u>		<u> </u>
	Jupiter, FL 3345				INSURE						
	(561) 741-0603	•			INSURE						
	verages cer			NUMBER:					ION NUMBER		
TI	IS IS TO CERTIFY THAT THE POLICIES	OF IN	ISUR	ANCE LISTED BELOW HAVE	BEEN	ISSUED TO TO	THE INSURED	NAME	ABOVE FOR T	HE POLIC	Y PERIOD CH THIS
INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.											
		ABBL	SUSR		ENKED	POUCY EXE (MANDOMYYY)	POCICY EXP.	Γ	11	IMITS	
LTR	TYPE OF INSURANCE 36 COMMERCIAL GENERAL LIABILITY	INED	WVD_	POLICY NUMBER		(NINVIDIDIYYYY)	(MRAZQUAYYY)	EACH	OCCURRENCE	*********	,000,000
	CLAIMS-MADE X OCCUR				ļ			PREMI	SES (Es occurrence		100,000
				ACPGLP03016576	966 I	03/29/2015			KP (Any one person)	\$	5,000
A				WCherro2016214	305		03/29/2016	PERSO	NAL & ADV INJURY		,000,000
	GENL AGGREGATE LIMIT APPLIES PER:								AL AGGREGATE		,000,000
	X POLICY PRO-							PRODU	ICTS - COMP/OP A	3G 5 Z	,000,000
	AUTOMOBILE LIABILITY		_					COMBI	NED SINGLE LIMIT	5	
	ANYAUTO							_	INJURY (Per perso	n) \$	
	ALL OWNED SCHEDULED AUTOS		,						/ INJURY (Per accid	ent) \$	
	HIRED AUTOS NON-OWNED							PROPE (Per so	RTY DAMAGE (dent)	5	
			_					····		- 5	
	UMBRELLA LIAB OCCUR EXCESS LIAB CLAIMS, MADE							AGGRE	OCCURRENCE	<u> </u>	
-	DED RETENTIONS							AGGRE	ishie	5	
_	WORKERS COMPENSATION) Pt	ATUTE ER	4	
	AND EMPLOYERS' LIABILITY ANY PROPRIETORPARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?	H/A						E.L. EA	CH ACCIDENT	- \$	
	(Mandatory In 1841)						ĺ	_	sease · ea emplo		
	If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DIS	SEASE - POLICY LI	AIT S	
]							
DESC	PRIPTION OF OPERATIONS / LOCATIONS / VEHIC	LES (ACOR	D 101, Additional Remarks Schedu	le, méy b	s stached if more	space is require	d)			
											1
7											
CEF	RTIFICATE HOLDER				CANC	ELLATION					
<u></u>					èua		THE ADOVE !	ACCA BI	BED POLICIES I	RE CANCE	IIED REFORE
	Town of Sewall's				THE	EXPIRATION	DATE THE	EREOF,	NOTICE WIL	L BE D	ELIVERED IN
	1 South Sewall's Sewall's Point,				ACC	ORDANCE WI	TH THE POLIC	Y PRO	VISIONS.		
	PRASTI'S POINT,	24	-7	<i>y y</i> y	AUTHO	RIZED REPRES	ENTATIVE /-	_	 		
				'		111		ه رنو	محتبر معالي		
	1					ه مر	مرمد کرده م	عديس	1080		
_									MOTAGOGE	A II -1 - 1 - 1 -	

ONE SOUTH SEWALLS ROAD SEWALLS POINT, FL 34996 7722872455

ORDER: 11266 Bayview Construction

17 Jul-2015 2:09:09P

1 Revision

\$500.00

Total \$500.00

CREDIT CARD SALE VISA 1442 \$500.00

17-Jul-2015 2:10:35P

\$500.00 | Method: SWIPED VISA XXXXXXXXXXXX1442

Ref #: 519800000044 | Auth #: 076599

MID: 240201872886 SIGNATURE VERIFIED

Order AKZWHDQX5CTXJ



D150CB2CGK7BC

JAMES W. CAMPO, CFP Mayor

PAUL LUGER Vice Mayor

VINCENT N. BARILE Commissioner

FRANK FENDER Commissioner

DAN MORRIS
Commissioner

TOWN OF SEWALL'S POINT



PAMELA MAC'KIE WALKER Town Manager

LAKISHA Q. BURCH, CMC Town Clerk

> TINA CIECHANOWSKI Chief of Police

JOHN ADAMS
Building & Facilities Director

February 2, 2017

NOTICE OF EXPIRED PERMIT

This correspondence is intended as a follow-up to a building permit and specific improvements associated with 32 Rio Vista Drive, more specifically permit #11266 issued on May 8, 2015 for Remodel.

Town records indicate that at least 180 days have passed without a successful recorded inspection. Your permit is now expired without benefit of a required final inspection.

Town of Sewall's Point Code of Ordinances section 50-94 states: (1) Failure to obtain an approved inspection within 180 days of the previous approved inspection shall constitute suspension or abandonment. (2) If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and the work required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

In order to avoid further administrative action please arrange to schedule a final inspection of this permit by the Town of Sewall's Point Building Department no later than ten days from date of this letter. Your permit will need to be renewed and is subject to any applicable renewal or inspection fees.

Failure to renew your permit and receive a final inspection will result in your permit becoming null and void, and the Town will report this to the property owner and the appropriate agencies as required. This will also constitute justification for denying any future permits requested by you, or your company.

Please contact me with any questions.

With Best Regards,

all.

John R. Adams, C.B.O.

Building Official



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT

One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-220-4765

BUILDING PERMIT CARD

THIS CARD MUST BE POSTED IN A CONSPICUOUS PLACE IN PLAIN VIEW FROM THE STREET PRIOR TO BEGINNING ANY WORK

A FINAL INSPECTION IS REQUIRED FOR ALL PERMITS

PERMIT NUMBER:	11	266	DATE ISSUED:	May 8, 2015	
SCOPE OF WORK:	Remodel		-		
CONTRACTOR:	Bayview Co	nstructio	n Services	***	
PARCEL CONTROL N	UMBER:	12-38-4	41-002-000-00840-1	SUBDIVISION:	RioVista S/D Lot 84 N1/2 Lot 85
CONSTRUCTION ADD	RESS:	32 Rio	Vista Drive	•	
OWNER NAME:	Mantil				
QUALIFIER:	Kenneth Ri	nge	CONTACT PHO	NE NUMBER:	772-283-9300

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A CERTIFIED COPY OF THE RECORDED NOTICE OF COMMENCEMENT MUST BE SUBMITTED TO THE BUILDING DEPARTMENT PRIOR TO THE FIRST REQUESTED INSPECTION.

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN PUBLIC RECORDS OF THIS COUNTY, AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

24 HOUR NOTICE REQUIRED FOR INSPECTIONS - <u>ALL CONSTRUCTION DOCUMENTS MUST BE AVAILABLE ON SITE</u>
CALL 287-2455 - 8:00AM TO 4:00PM INSPECTIONS: 9:00AM TO 3:00PM - MONDAY THROUGH FRIDAY

INSPECTIONS UNDERGROUND GAS UNDERGROUND PLUMBING UNDERGROUND MECHANICAL **UNDERGROUND ELECTRICAL** STEM-WALL FOOTING **FOOTING TIE BEAM/COLUMNS** SLAB **ROOF SHEATHING** WALL SHEATHING INSULATION TIE DOWN /TRUSS ENG WINDOW/DOOR BUCKS **ROOF DRY-IN/METAL ROOF TILE IN-PROGRESS** PLUMBING ROUGH-IN **ELECTRICAL ROUGH-IN MECHANICAL ROUGH-IN GAS ROUGH-IN METER FINAL** FRAMING FINAL PLUMBING FINAL ELECTRICAL FINAL MECHANICAL **FINAL GAS FINAL ROOF BUILDING FINAL**

ALL RE-INSPECTION FEES AND ADDITIONAL INSPECTION REQUESTS WILL BE CHARGED TO THE PERMIT HOLDER. THE CONTRACTOR OR OWNER /BUILDER MUST SCHEDULE A FINAL INSPECTION. FAILURE TO RECEIVE A SUCCESSFUL FINAL INSPECTION WILL RESULT IN PERMIT RENEWAL FEES, FINES, AND OR DENIAL OF FUTURE BUILDING PERMITS TO THE CONTRACTOR OR OWNER /BUILDER.



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT

One S. Sewall's Point Road Sewall's Point, Florida 34996 Tel 772-287-2455 Fax 772-220-4765

BUILDING PERMIT RECEIPT

PERMIT NUMBER:		266						
ADDRESS:	32 Rio Vista	Drive						
DATE ISSUED:	5/8/2015	SCOPE OF	WORK:	Remodel				
			_			· <u></u>		
SINGLE FAMILY OR	ADDITION /	REMODEL	1	Declared Va	alue	\$	\$	135,000.00
SHOULT AMEL OR	71DDTT1O1()	KEMTOBEE		1Beciared vi	ii uc	Ψ	Ψ	155,000.00
Plan Submittal Fee (\$3	50.00 SFR, R	temodel >\$2	00K)			\$		
Plan Submittal Fee (17				provement		\$		
Plan Submittal Fee (10	0.00 Remode	l <\$100k)		· -		\$	\$	175.00
Total square feet air-co	nditioned spa	a (a)		per sq. ft.	s.f.		\$	-
Total square feet non-c	onditioned sp	ace, or inter	ior remode	el:				
•		(a)		per sq. ft.	s.f.	77.77	\$	-
Total square feet remo	del with new	trusses:	<u>@</u>	per sq. ft.	s.f.		\$	-
Total Construction Val	ue:					\$	\$	135,000.00
Building fee: (2% of co	onstruction va	lue SFR or >	>\$200K)			\$	\$	2,700.00
Total number of inspec	tions (Value	< \$200K)	\$ 150.00	per insp.	# insp	·	\$	**
Dept. of Comm. Affair				in)		\$	\$	40.50
DBPR Licensing Fee:						\$	\$	40.50
Technology Fee: (0.04)							\$	54.00
Road impact assessmen		onstruction v	<u>value - \$20</u>	min.)			\$	540.00
Martin County Impact	Fee:					\$		
TOTAL BUILDING	PERMIT FE	Æ:				\$	\$	3,550.00
ACCESSORY PERMI	Γ		Declared	Value:		\$: -	1.
Total number of inspec	ctions:		\$ 150.00	per insp.	# insp		\$	-
Dept. of Comm. Affair	rs Fee: (1.5%	of permit fee	e - \$2.00 m	nin)		\$		n/a
DBPR Licensing Fee:						\$		n/a
Technology Fee (0.04%								n/a
Road impact assessme	nt: (0.4% of c	onstruction	value - \$20) min.)				n/a
TOTAL ACCESSOR	Y PERMIT	FEE:					\$	_

TOWN OF SEWALL'S POINT BUILDING DEPARTMENT FILE COPY

WINDOW/DOOR SCHEDULE

Ð	APPOX OPENING	DESIGNATION	* TYPE		ACT		
NO	SIZE (WXH)		TIPE	IMPACT GLASS	SHUTTER		REMARKS
	37" X 63"	25	SH		X		EXAMPLE
1	49.75 -69.87		FIX	X		D	DIDS RM
	68.875 < 70.75	2-	CAS	*		Rec	Across from Dings
3	70 ×56.6	3	CAS FIX CAS	×		Bed acros	ss dining - CAS/FIX/ZAS
4	33.25×45.75	4	SH	×		iaur	MY 12M
5	45.5×68.87	5	CAS/CAS	×		Family T	2M'- Double Casemore
6	455 468-87	6	CASICAS	X	310	"	//
7	71×3475	7	CASICAS	×	3,111	Pec RM	- Double casemont
8	67 ×56.875	8	CAS FIX/CAS			Stair wa	Y - CASIFIX CAS
9	139.4×70.5	Q.	54/54/54	*	1000		3ed-3H/5H/SH
_10	91 x 56	10	SH/SH/SHSH	K		15	11-54/54/54
11	45.5 × 33	11	CASICAS	X		Closet-	
12	66.75×56.75	12	CASIFIXICAS	×		office	-CAS/FIX/CAS
	66.87.56.88	13	CASFIXICAS	X			CASI FIXICAS
	66,99x5698	14	CASIFIXICAS	X			m-CASIFIXICAS
15	" "	15	· //	X		14	7
16	72×79.75	16	FD	×		Bedroo	m-French DOOR
17						355.0	112 101 1001
18							
19		****			3,000		
20	""				An entition of the second		
21							
22							
23							
24	Colone						AMERICAN AND AND AND AND AND AND AND AND AND A
25				WEATH I			
26	7	***					***
27							
28							mm. + 1111.116
29							
30							

TOTAL GLAZED OPENING AREA FOR STRUCTRE: 442 S.F.

*PERCENTAGE OF NEW GLAZED AREA: 72 %
(TOTAL INSTALLED GLAZED AREA DIVIDED BY TOTAL GLAZED OPENINGS FOR STRUCTURE)

NOTE: The replacement of more than 25% of the aggregate area of exterior glazing (windows & doors) in one & two family dwellings within a 12 month period will require impact protection on all proposed glazed opening replacement (approved shutters or impact resistant glazing) as per 2004 FBC/ EXISTING BUILDING 507.3.

* TYPE WINDOWS

SH – SINGLE HUNG DH – DOUBLE HUNG AWN - AWNING CAS - CASEMENT SL - SLIDING FIX - FIXED

FO-French Door

L. Roberto Lomas P.E.

233 W. Main St. Danville, VA 24541 434-688-0609

Engineering Evaluation Report

Report No.: 512297B

Manufacturer:

rllomas@lrlomaspe.com

WinDoor Inc

7500 Amsterdam Drive Orlando, FL 32832

Product Line: Series 9050 Terrace Out Swing Double Door.

Compliance:

The above mentioned product has been evaluated for compliance with the requirements of the Florida Department of Business and Professional Regulation for Statewide Acceptance per Rule 61G20-3.005 method 1(d). The product listed herein complies with requirements of the Florida Building Code.

Supporting Technical Documentation:

Approval document: drawing number 08-01632 Revision B, titled Series 9050 Terrace Out Swing Double Door, prepared, signed and sealed by Luis Roberto Lomas P.E.

Test report No.: NCTL 210-3781-2 signed and sealed by Robert H Zeiders P.E.

National Certified Testing Laboratories, Orlando, FL.

TAS 201-94 Large Missile Impact Test, Level D, Wind Zone 4

TAS 202 -94 Uniform Static Air Pressure:

±70.0psf design pressure

water penetration, 15.0psf, with standard sill; 4.5psf with ADA Sill

TAS 203-94 Cyclic Pressure loading ±90.0psf design pressure

Test report No.: NCTL 210-3781-2A signed and sealed by Gerard J. Ferrara, P.E.

National Certified Testing Laboratories, Orlando, FL

AAMA/WDMA/CSA 101/I.S.2/A440-08

Design pressure: ±70

Water penetration resistance: 15.0psf

ASTM E1886-05 and ASTM E1996-06

ASTM E1886/ E1996 Large Missile Impact Test, Level D, Wind Zone 4 ASTM E1886/ E1996 Cyclic Load Test: ±90.0psf design pressure

Test report No.: NCTL 210-3781-2B signed and sealed by Gerard J. Ferrara, P.E.

National Certified Testing Laboratories, Orlando, FL

AAMAWDMA/CSA 101/I.S.2/A440-08

Design pressure: ±70

Water penetration resistance: 4.5psf

ASTM E1886-05 and ASTM E1996-06

ASTM E1886/ E1996 Large Missile Impact Test, Level D, Wind Zone 4

ASTM E1886/ E1996 Cyclic Load Test: ±90.0psf design pressure

5. I-Strut Testing

Test report ETC-07-1043-19094.0, signed and sealed by Joseph Labora Doldan P.E.

ETC Laboratories, Rochester, NY, ASTM D 638-03

Tensile strength of unexposed samples

10,390psi

Tensile strength of 4500 hour Xenon Arc exposed samples 11,004psi

Test report ETC-08-1043-20974.0 signed and sealed by Joseph Labora Doldan P.E.

ETC Laboratories, Rochester, NY, ASTM D 1929-96 Self ignition 740oF

Test report ATI 61261.01-106-18 signed and sealed by Joseph Reed P.E.

Architectural Testing Inc. York, PA


ASTM D635-03 Rate of burning classification: CC1 (23.9mm/min, .94in/min)

ASTM D2843-99 Smoke density rating:

2.1

6. Anchor calculations, report number 512297-1, prepared, signed and sealed by Luis Roberto Lomas P.E.

7. Comparative analysis, report number 512297-2, prepared, signed and sealed by Luis Roberto Lomas P.E.



Luis R. Lomas, P.E. FL No.: 62514 04/03/2014

Engineering Evaluation Report

233 W. Main St.
Danville, VA 24541
434-688-0609
rllomas@lrlomaspe.com

Report No.: 512297B

Limitations and Conditions of use:


Maximum design pressure: Refer to approval document.

Maximum unit size: 76" x 120"

- Units must be glazed per ASTM E 1300-04, see installation instructions for glass options.
- This product is rated to be used in the HVHZ.
- This product is impact resistant and does not require impact protection in wind borne debris regions.
- Frame material to be Aluminum 6063-T6

Installation: Units must be installed in accordance with approval document, 08-01632 Revision B.

Certification of Independence: Please note that I don't have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Also, I don't have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).



Luis R. Lomas, P.E. FL No.: 62514 04/03/2014



Structural Performance Certification Authorization Report

Doc No:	FRM B1-02				
Rev No:	6	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number: 1

167 - 798.0

Issue Date:

2/11/2013

Revision Date:

2/11/2013

Expiration Date:

12/19/2016

Company Code:

167

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review of the product qualification documents for the product named below. This report is only valid when signed by an officer of KCI, and indicates the product as manufactured by the company named below has been tested and meets the requirements of the referenced standard and is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:		Product Information:
WinDoor, Inc		Model: 9060 TB Al Imp EL/Flange Casement Comb Ass'y XX
7500 Amsterdam Drive		Operator Type: C
Orlando FL 32832		Config: Snub, GS-7/16" or 5/16" HS Lami Mono or IG
		Max Width: 74
		Max Height: 72

Referenced Standard:	Product Rating:
PA/TAS 201/202/203	Large Missile, DP +/-90, 74x72

Qualifying Test Information:					
Test Report No:	NCTL-210-3832-3A				
Test Report Expiration:	12/19/2016				

Authorized Signature:

St 2 21

Digitally signed by Steven M. Urich DN: cn=Steven M. Urich, o=Keystone Certifications, Inc., ou, email=surich@keystonecerts.com,

c=US

Date: 2013.02.13 08:56:32 -05'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5 Etters, Pennsylvania 17319 Phone: 717-932-8500

BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT (BNC) BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.mlamidade.goy/bullding

NOTICE OF ACCEPTANCE (NOA)

E.I. DuPont De Nemours & Co., Inc. DuPont P&IP Chestnut Run Plaza, 712/161, P.O. Box 80712 Wilmington, DE 19880

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County BNC - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BNC reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: DuPont SentryGlas® Interlayer

APPROVAL DOCUMENT: Drawing No. 10-0413.04, titled "DuPont SentryGlas® Interlayer", sheet 1 of 1, dated 04/13/11, prepared by E.I. DuPont De Nemours & Co., Inc., signed and sealed by Allan A. Kozich, P.E., bearing the Miami-Dade County Product Control renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None.

LABELING: Laminated lites under this Product Approval shall be permanently marked in a corner of the glass with: "MDCA - SentryGlas®", standing for "Miami-Dade County Approved — SentryGlas®", and the laminator's identification mark. These marks shall be applied by the individual laminator producing the finished laminated glass product containing the SentryGlas® interlayer.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 10-0413.04 and consists of this page, evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by Carlos M. Utrera, P.E.

MIAMI-DADE COUNTY
APPROVED

Hura 108/16/11

NOA No: 11-0624.02 Expiration Date: January 14, 2017 Approval Date: August 25, 2011

Page 1

NOTICE OF ACCEPTANCE: EVIDENCE PAGE

A. DRAWING

1. Drawing No. 10-0413.04, titled "DuPont SentryGlas® Interlayer", sheet 1 of 1, dated 04/13/11, prepared by E.I. DuPont De Nemours & Co., Inc., signed and sealed by Allan A. Kozich, P.E.

B. TEST REPORTS

	Laboratory Report	<u>Test</u>	Date	<u>Signature</u>
1.	96177.02-106-18	ASTM D 635	02/22/10	Joseph A. Reed, P.E.
2.	96177.02-106-18	ASTM D1929	02/22/10	Joseph A. Reed, P.E.
3.	96177.02-106-18	ASTM D2843	02/22/10	Joseph A. Reed, P.E.
	"Submitted under NOA	<i>4 10-0413.04</i> "		-
1.	3136116SAT-001	ASTM D 635	10/25/07	Chris Bowness, P.E.
2.	3111755SAT-002	ASTM D1929	01/02/07	Chris Bowness, P.E.
3.	3111755SAT-001	ASTM E 84	12/19/06	Chris Bowness, P.E.
4.	PR106246	ASTM G 26	06/26/07	Duc T. Nguyen, P.E.
5.	PRI06246	ASTM D 790	06/26/07	Duc T. Nguyen, P.E.
	"Submitted under NOA	<i>4 07-1116.04</i> "		

· C. CALCULATIONS

1. None

D. MATERIAL CERTIFICATIONS

1. None.

E. QUALITY ASSURANCE

1. Miami-Dade Building and Neighborhood Compliance Department (BNC)


F. STATEMENTS

- 1. Statement letter of code conformance to 2007 FBC and no financial interest issued by Allan A. Kozich & Associates, dated 08/09/11, signed and sealed by Allan A. Kozich, P.E.
- 2. Laboratory 2007 F.B.C compliance letter issued by Architectural Testing, Inc., dated 02/22/10, signed and sealed by Joseph A. Reed, P.E. "Submitted under NOA # 10-0413.04"
- 3. Approved listing of SentryGlas® Plus laminators dated November 30, 2005, signed by Jeffrey D. Granato. "Submitted under NOA # 06-1205.10"

Carlos M. Utrera, P.E. Product Control Examiner NOA No 11-0624.02

Expiration Date: January 14, 2017 Approval Date: August 25, 2011

DUPONT SENTRYGLAS® INTERLAYER



PRODUCT DESCRIPTION

MANUFACTURED BY: E.I. DUPONT DE NEMOURS & CO., INC. DESCRIPTION: A PLASTIC INTERLAYER MATERIAL WHICH IS FACTORY LAMINATED TO A MINIMUM OF TWO PIECES OF GLASS.

A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS: (MINIMUM THICKNESS INDICATED. MULTIPLE PLIES OF INTERLAYER TO BE USED AS NECESSARY).

A B C <u>SECTION</u>

Α	_	1/8" (3.0 mm) Annealed Glass	٦
В	-	0.030" (0.76 mm) DuPont SentryGlas® Interlayer	٦
С	_	1/8" (3.0 mm) Annealed Glass	٦

MATERIAL CHARACTERISTICS SentryGlas® Interlayer

Designation	Test	Proper	Properties			
Flame Spread Index	ASTM E84	35				
Smoke Developed Index	ASTM E84	250	•			
Flash Ignition Temperature [1]	ASTM D1929	788 F	•			
Flash Ignition Temperature [2]	752 F					
Self Ignition Temperature [1]	ASTM D1929	806 F				
Self Ignition Temperature [2]	ASTM D1929	770 F				
Average Extent of Burning [1] ASTM D635 0 cm/min.; Class		lass C1				
Average Extent of Burning [2]	ASTM D635	0 cm/min.; Cl	0 cm/min.; Class CC1			
Average Modulus of Rupture ASTM D790		Weather	ing*			
*WEATHERING PER S	*WEATHERING PER SECTION 2612.2 OF					
THE FLORIDA BU	5,415 psi	5,366 psi				

NOTES:

- [1] 30 mil (0.76mm) thickness DuPont SentryGlas® Interlayer Sample
- [2] 180 mil (3.3mm) thickness DuPont SentryGlas® Interlayer Sample
- [3] DuPont SentryGlas® Interlayer by itself Does Not Comply With the Florida Building Code

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR A PRODUCT APPROVAL TO THIS OFFICE AND SHALL SUBMIT REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BUILDING CODE.

endocut Renewed necomplying with the Plotton Building Code Acceptance No. 11-0624, 02. Expiration Pite 01114-12017

11 1 2 9 20tt

DuPont SentryGlas® Interlayer

E.i. duPont de Nemours & Co., Inc. DuPont P&IP - GLS Chestnut Run Plaza Bldg 712/161

P. O. Box 80712

Wilmington DE 19880-0712 Phone: 302-999-2125

Dwg. 10-0413.04 rev 1. Sheet 1of 1

Drawing Date: 04/13/11 Allan A. Kozich, PE Registration # 16864

C.D. No. 1765

233 W. Main St

Danville, VA 24541 434-688-0609

rllomas@lrlomaspe.com

Engineering Evaluation Report

Report No.: 512975

Manufacturer:

WinDoor, Inc.

7500 Amsterdam Dr. Orlando, FL 32832

Product Line: Series 9063 Aluminum Fixed Window LMI

Compliance:

The above mentioned product has been evaluated for compliance with the requirements of the Florida Department of Community Affairs for Statewide Acceptance per Rule 6G21-3.005 method 1(d). The product listed herein complies with requirements of the Florida Building Code.

Supporting Technical Documentation:

- 1. Approval document: drawing number 08-02253, titled Series 9063 Aluminum Fixed Window LMI, prepared, signed and sealed by Luis Roberto Lomas P.E.
- Test report No.: NCTL 210-3881-01 signed and sealed by Gerard J. Ferrara, P.E.

National Certified Testing Laboratories, York, PA

TAS 201-94 Large Missile Impact Test, Level D, Wind Zone 4

TAS 202 -94 Uniform Static Air Pressure, ±90.0psf design pressure, 20.25psf water penetration (Single Unit)

±150 Opsf design pressure (Twin Unit)

TAS 203-94 Cyclic Pressure loading ±135.0psf design pressure (Single Unit),

±150 Opsf design pressure (Twin Unit)

Report No.: NCTL 210-3881-1A signed and sealed by Gerard J. Ferrara, P.E.

National Certified Testing Laboratories, York, PA

AAMA/WDMA/CSA 101/I.S.2/A440-05

Design pressure: ±90.0psf (Single Unit), ±150.0psf (Twin Unit)

Water penetration resistance 20.25psf ASTM E1886-05 and ASTM E1996-05

ASTM E1886/ E1996 Large Missile Impact, Level D, Wind Zone 4

ASTM E1886/ E1996 Cyclic Load Test, ±135.0psf design pressure (Single Unit)

±150.0psf design pressure (Twin Unit)

4. Anchor calculations, report number 512975-1, prepared, signed and sealed by Luis Roberto Lomas P.E.

Limitations and Conditions of use:

Maximum design pressure: Refer to installation instructions.

Maximum unit size: 60" x 120" (Single Unit)

108"x60" (Twin Unit)

- Units must be glazed per ASTM E 1300-04, see installation instructions for glass options.
- This product is rated to be used in the HVHZ.
- This product is impact resistant and does not require impact protection in wind borne debris regions.
- Frame material to be extruded aluminum 6063-T6.

Units must be installed in accordance with approval document, 08-02253. Installation:

Certification of Independence: Please note that I don't have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Also, I don't have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).

> Luis R. Lomas, P.E. FL No.: 62514 12/23/2013

1 of 1

233 W. Main St.

Danville, VA 24541 434-688-0609 rllomas@lrlomaspe.com

Engineering Evaluation Report

Report No.: 512829

Manufacturer:

WinDoor, Inc.

7500 Amsterdam drive Orlando, FL 32832

Product Line:

Series 4000 Aluminum Single Hung Window PVB Equal Leg and Flange - Large and Small Missile

Impact

The above mentioned product has been evaluated for compliance with the requirements of the Florida Department of Community Affairs for Statewide Acceptance per Rule 9N-3.005 method 1(d). The product listed herein complies with requirements of the Florida Building Code.

Supporting Technical Documentation:

Approval document: drawing number 08-02115, titled Series 4000 Aluminum Single Hung Window PVB Equal Leg and Flange - Large and Small Missile Impact, prepared signed and sealed by Luis Roberto Lomas P.E.

2. Report No.: NCTL 210-3744-7 signed and sealed by Gerard J. Ferrera, P.E.

National Certified Testing Laboratories Orlando, FL.

TAS 201-94 Large Missile Impact Test, Level D, Wind Zone 4

TAS 202 -94 Uniform Static Air Pressure,

Unit 53"x96" ±90.0psf design pressure, 16.5psf water penetration

Unit 107"x76" ±85 Opsf design pressure, 16.5psf water penetration

TAS 203-94 Cyclic Pressure loading, ±90.0psf design pressure

- 3. Anchor calculations, report number 512829-1, prepared, signed and sealed by Luis Roberto Lomas P.E.
- 4. Comparative analysis, report number 512829-2, prepared, signed and sealed by Luis Roberto Lomas P.E.

Limitations and Conditions of use:


Maximum design pressure: Maximum unit size:

Refer to installation instructions Refer to installation instructions

- Units must be glazed per ASTM E 1300-04. Refer to installation instruction for details.
- This product is rated to be used in the HVHZ.
- This product is impact resistant and does not require impact protection in wind borne debris regions.
- Frame material to be aluminum.

Installation: Units must be installed in accordance with approval document, 08-02115.

Certification of Independence: Please note that I don't have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Also, I don't have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).





BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT (BNC) **BOARD AND CODE ADMINISTRATION DIVISION**

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/building

NOTICE OF ACCEPTANCE (NOA)

E.I. DuPont De Nemours & Co., Inc. DuPont P&IP Chestnut Run Plaza, 712/161, P.O. Box 80712 Wilmington, DE 19880

Scope: This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County BNC -Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BNC reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: DuPont Butacite® PVB Interlayer

APPROVAL DOCUMENT: Drawing No. 10-0922.09, titled "DuPont Butacite® PVB Interlayer", Sheet 1 and 2 of 2, dated 03/25/11, prepared by E. I. DuPont De Nemours & Co., Inc, signed and sealed by Allan A. Kozich, P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: None

LABELING: Laminated lites under this Product Approval shall be permanently marked in a corner of the glass with: "MDCA-Butacite® PVB", standing for "Miami-Dade County Approved - Butacite® PVB", and the laminator's identification mark. These marks shall be applied by the individual laminator producing the finished laminated glass product containing the Butacite® PVB interlayer.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA renews and revises NOA # 10-0922.09 and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by Carlos M. Utrera, P.E.

MIAMIDADE COUNTY

08/31/11

NOA No. 11-0624.01 Expiration Date: December 11, 2016 Approval Date: September 08, 2011

Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. 10-0922.09, titled "DuPont Butacite® PVB Interlayer", Sheet 1 and 2 of 2, dated 03/25/11, prepared by E. I. DuPont De Nemours & Co., Inc, signed and sealed by Allan A. Kozich, P.E.

B. TESTS

	Test report	<u>Standard</u>	<u>Date</u>	<u>Signature</u>
1.	A2280.01-10-18	ASTM D1929-96	03/29/11	Joseph A. Reed, P.E.
2.	A2280.01-10-18	ASTM D 635-03	03/29/11	Joseph A. Reed, P.E.
3.	A2280.01-10-18	ASTM D 2843-99	03/29/11	Joseph A. Reed, P.E.
4.	A2280.01-10-18	ASTM G 155-04	03/29/11	Joseph A. Reed, P.E.
5.	A2280.01-10-18	ASTM G 158-02	03/29/11	Joseph A. Reed, P.E.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. Miami-Dade Building and Neighborhood Compliance Department (BNC)

E. MATERIAL CERTIFICATIONS

1. None.

F. STATEMENTS

1. Statement letter of code conformance to 2007 FBC and no financial interest issued by Allan A. Kozich & Associates, dated 08/09/11, signed and sealed by Allan A. Kozich, P.E.

Carlos M. Utrera, P.E. Product Control Examiner NOA No. 11-0624.01

Expiration Date: December 11, 2016 Approval Date: September 08, 2011

DUPONT BUTACITE® PVB INTERLAYER



SECTION

PRODUCT DESCRIPTION

MANUFACTURED BY: E.I. DUPONT DE NEMOURS & CO., INC. A PLASTIC INTERLAYER MATERIAL FOR LAMINATION WITH GLASS ON BOTH SIDES. A TYPICAL GLAZING IS MADE OF THE FOLLOWING COMPONENTS:

Α	_	1/8" (3.0 mm) Annealed Glass
В	-	0.090" (0.76 mm) DuPont Butacite® PVB Interlayer
С	_	1/8" (3.0 mm) Annealed Glass

MATERIAL CHARACTERISTICS Butacite® PVB Interlayer (Clear)

Designation	Test	Properties		
		Butacite® PVB Interlayer (Clear		
Self Ignition Temperature	ASTM D1929	788 °F (420 °C)		
Flash Ignition Temperature	ASTM D1929	788 °F (420 °C)		
Avg Smoke Density Rating	ASTM D2843	7.2		
Burning Rate	ASTM D635	0 mm/min.		
Xenon Weathering (4500 hrs)	ASTM C158-02 Method A	* Weathering Flexural Strer (ASTM C158-02 Method		
		Before	After	
		2940 psi	3189 psi	

^{*}WEATHERING PER SECTION 2605.2 OF THE FLORIDA BUILDING CODE

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR A PRODUCT APPROVAL TO THIS OFFICE AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BUILDING CODE.

PRODUCT REVISED
se complying with the Floride
Building Code
Acceptance No. 11-0624.01
Expiration Pate 12-11-2016
By Alarm Wade Product Control

JUN 22 2011

DuPont Butacite® PVB Interlayer

E.I. duPont de Nemours & Co., Inc. DuPont P&IP - GLS

Chestnut Run Plaza Bldg 712/161

P. O. Box 80712

₩imington DE 19880-0712

Phone: 302-999-2125

Dwg. # 10-0922.09 rev 1 Sheet 1of 2

Drawing Date: 03/25/11 Allan A. Kozich, PE Registration # 16864

C.M. No. 1765

DUPONT BUTACITE® PVB INTERLAYER

Material Characteristics Butacite® PVB Interlayer (Colors)

Designation	Test	Properties
		1
Self Ignition Temperature [1]	ASTM D1929	788 °F (420 °C)
Self Ignition Temperature [2]	ASTM D1929	788 °F (420 °C)
Self Ignition Temperature [3]	ASTM D1929	788 °F (420 °C)
Self Ignition Temperature [4]	ASTM D1929	788 °F (420 °C)
Self Ignition Temperature [5]	ASTM D1929	788 °F (420 °C)
Flash Ignition Temperature [1]	ASTM D1929	788 °F (420 °C)
Flash Ignition Temperature [2]	ASTM D1929	770 °F (410 °C)
Flash Ignition Temperature [3]	ASTM D1929	770 °F (410 °C)
Flash Ignition Temperature [4]	ASTM D1929	788 °F (420 °C)
Flash Ignition Temperature [5]	ASTM D1929	788 °F (420 °C)
Avg Smoke Density Rating [1]	ASTM D2843	7.2
Avg Smoke Density Rating [2]	ASTM D2843	9.1
Avg Smoke Density Rating [3]	ASTM D2843	10.2
Avg Smoke Density Rating [4]	ASTM D2843	10.1
Avg Smoke Density Rating [5]	ASTM D2843	8.1
Burning Rate [1]	ASTM D635	0 mm/min.
Burning Rate [2]	ASTM D635	0 mm/min.
Burning Rate [3]	ASTM D635	0 mm/min.
Burning Rate [4]	ASTM D635	0 mm/min.
Burning Rate [5]	ASTM D635	0 mm/min.

- [1] Clear Butacite® PVB Interlayer
- [2] Charcoal Grey Butacite® PVB Interlayer
- [3] Blue-Green Butacite® PVB Interlayer
- [4] Azure Blue Butacite® PVB Interlayer
- [5] Solar Bronze Butacite® PVB Interlayer

THIS IS A COMPONENT APPROVAL AND DOES NOT INCLUDE AN EVALUATION OF STRUCTURAL PERFORMANCE OF THIS COMPONENT. SYSTEMS INCORPORATING THIS COMPONENT SHALL APPLY FOR A PRODUCT APPROVAL TO THIS OFFICE AND SHALL SUBMIT TEST REPORTS AND OTHER REQUIRED DOCUMENTS SHOWING THAT THE SYSTEM USING THIS COMPONENT WILL RESIST THE LOADS ACCORDING TO CHAPTER 16 OF THE FLORIDA BUILDING CODE.

PRODUCT REVISED as complying with the Florida Building Code
Acceptance No [1-0624.0] Expiration Date 12/11/2016
By

JUN 2 2 2011

<u>DuPont Butacite® PVB Interlayer</u> E.I. duPont de Nemours & Co., Inc. DuPont P&IP - GLS

Chestnut Run Plaza Bldg 712/161

P. O. Box 80712

Wilmington DE 19880-0712

Phone: 302-999-2125

Dwg. # 10-0922.09 rev 1 Sheet 2of 2

Drawing Date: 03/25/11 Allan A. Kozich, PE Registration # 16864

C.A. NO 1765

233 W. Main St

Danville, VA 24541 434-688-0609

rllomas@lrlomaspe.com

Engineering Evaluation Report

Report No.: 512595A

Manufacturer:

WinDoor Inc.

7500 Amsterdam Drive Orlando, FL 38232

Product Line: 9060 Casement Single Window - Large Missile Impact Non-HVHZ

Compliance:

The above mentioned product has been evaluated for compliance with the requirements of the Florida Department of Community Affairs for Statewide Acceptance per Rule 61G20-3.005 method 1(d). The product listed herein complies with requirements of the Florida Building Code.

Supporting Technical Documentation:

- 1. Approval document: drawing number 08-01903 Revision B, prepared, signed and sealed by Luis Roberto Lomas
- 2. Report No.: NCTL 210-3832-2 signed and sealed by Robert H Zeiders P.E.

National Certified Testing Laboratories, York, PA

AAMA/WDMA/CSA 101/I.S.2/A440-08

Design pressure: ±90.0psf (with PVB Interlayer)

+100.0/-140.0psf (with SGP Interlayer)

Water penetration resistance 20.0psf

ASTM E1886-02/04/05 and ASTM E1996-04/06/09

ASTM E1886/ E1996 Large Missile Impact, Level D, Wind Zone 4

ASTM E1886/ E1996 Cyclic Load Test, ±90.0psf design pressure (with PVB Interlayer)

+120.0/-150.0psf (with SGP Interlayer)

I-Strut Testing:

Test report ETC-07-1043-19094.0, signed and sealed by Joseph Labora Doldan P.E.

ETC Laboratories, Rochester, NY, ASTM D 638-03

Tensile strength of unexposed samples 10.390psi

Tensile strength of 4500 hour Xenon Arc exposed samples 11,004psi

Test report ETC-08-1043-20974.0 signed and sealed by Joseph Labora Doldan P.E. ETC Laboratories, Rochester, NY, ASTM D 1929-96 Self ignition 740°F

Test report ATI 61261.01-106-18 signed and sealed by Joseph Reed P.E.

Architectural Testing Inc. York, PA

ASTM D635-03 Rate of burning classification: CC1 (23.9mm/min, .94in/min)

ASTM D2843-99 Smoke density rating:

4. Anchor calculations, report number 512595-1, prepared, signed and sealed by Luis Roberto Lomas P.E.

Limitations and Conditions of use:


Maximum design pressure: Refer to installation instructions.

Maximum unit size: 37" x 84"

- Units must be glazed per ASTM E 1300-04, see installation instructions for glass options.
- This product is not rated to be used in the HVHZ.
- This product is impact resistant and does not require impact protection in wind borne debris regions.
- Frame material to be Aluminum 6063-T6.

Installation: Units must be installed in accordance with approval document, 08-01903 Revision B.

Certification of Independence: Please note that I don't have nor will acquire a financial interest in any company manufacturing or distributing the product(s) for which this report is being issued. Also, I don't have nor will acquire a financial interest in any other entity involved in the approval process of the listed product(s).



Luis R. Lomas, P.E. FL No.: 62514 02/24/2014

1 of 1



Structural Performance Certification Authorization Report

Doc I	No:	FRM B1-02				
Revi	No: 6	j f	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number:

167 - 797.0

Issue Date:

2/11/2013

Revision Date:

2/11/2013

Expiration Date:

11/19/2016

Company Code

467

Company Code: 167

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review of the product qualification documents for the product named below. This report is only valid when signed by an officer of KCI, and indicates the product as manufactured by the company named below has been tested and meets the requirements of the referenced standard and is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:		Product Information:	
WinDoor, Inc		Model: 9060 TB Aluminum Impact EL/Flange Casement	
7500 Amsterdam Drive		Operator Type: C	
Orlando FL 32832		Config: Snub, GS-7/16" or 5/16" HS Lami Mono or IG	
		Max Width: 37	
		Max Height: 84	

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class CW-PG100 940x2134 (37x84)-Type C Neg DP=140

Qualifying Test Information:		
Test Report No:	NCTL-210-3832-2	
Test Report Expiration:	11/19/2016	

Authorized Signature:

St 2 21

Digitally signed by Steven M. Urich DN: cn=Steven M. Urich, o=Keystone Certifications, Inc., ou, email=surich@keystonecerts.com, c=US

r=02

Date: 2013.02.13 08:49:02 -05'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5 Etters, Pennsylvania 17319 Phone: 717-932-8500



Impact Performance Certification Authorization Report

Doc No:		FRA	1B1-	43	
Rev No:	3	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number: 167 - 527

Issue Date: 2/11/2013
Revision Date: 2/11/2013
Expiration Date: 11/19/2016

Company Code: 167

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review of the product qualification documents for the product named below. This report is only valid when signed by an officer of KCI, and indicates the product as manufactured by the company named below has been tested and meets the requirements of the referenced standard and is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:		Product Information:
WinDoor, Inc 7500 Amsterdam Drive		Model: 9060 TB Aluminum Impact EL/Flange Casement Operator Type: C
Orlando FL 32832		Config: Snub, GS-7/16" or 5/16" HS Lami Mono or IG Max Width: 37 Max Height: 84 Corresponding Structural CARs: 167-797.0

Referenced Standard:	Product Rating:
ASTM E1886-02/04/05/E1996-02/04/06/09	Missile Level D, Wind Zone 4, DP +100/-140, 37x84

Qualifying Test Information:		
Test Report No:	NCTL-210-3832-2	
Test Report Expiration:	11/19/2016	

Authorized Signature:

It 2 21

Digitally signed by Steven M. Urich DN: cn=Steven M. Urich, o=Keystone Certifications, Inc., ou, email=surich@keystonecerts.com, c=US

Date: 2013.02.13 08:48:42 -05'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5 Etters, Pennsylvania 17319 Phone: 717-932-8500



Structural Performance Certification Authorization Report

Doc No:		FRN	1 B1-	02	
Rev No:	6	Page:	1	Of:	1

Required By:

PRO B1-03

CAR & Product ID Number:

167 - 796.0

Issue Date:

2/11/2013

Revision Date:

2/11/2013

Expiration Date:

2/11/2013

11/19/2016

Company Code:

167

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review of the product qualification documents for the product named below. This report is only valid when signed by an officer of KCI, and indicates the product as manufactured by the company named below has been tested and meets the requirements of the referenced standard and is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com.

Licensee Information:		Product Information:	
WinDoor, Inc		Model: 9060 TB Aluminum Impact EL/Flange Casement	
7500 Amsterdam Drive		Operator Type: C	
Orlando FL 32832		Config: Snub, GS-7/16" or 5/16" HS Lami Mono or IG	
		Max Width: 37	
		Max Height: 84	

Referenced Standard:	Product Rating:
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class CW-PG90 940x2134 (37x84)-Type C

Qualifying Test Information:		
Test Report No:	NCTL-210-3832-2	
Test Report Expiration:	11/19/2016	

Authorized Signature:

It 2 21

Digitally signed by Steven M. Urich DN: cn=Steven M. Urich, o=Keystone Certifications, Inc., ou, email=surich@keystonecerts.com,

c=US

Date: 2013.02.13 08:45:47 -05'00'

Keystone Certifications, Inc.

564 Old York Road, Suite 5 Etters, Pennsylvania 17319 Phone: 717-932-8500

3694 DEMO

	DATE /1/29/94
TAX FOLIO NO.	- / /.
APPLICATION FOR A PLRYLT TO BUILD A DOCK, FENCLOSURE, CARAGE OR ANY OTHER STRUCTURE NOT	A HOUSE OR A COMMERCIAL BUILDING
This application must be accompanied by three including a plot plan showing set-backs, plur and at least two (2) elevations, as applicable	le.
Owner WAYNE KREMSER	Present address 131 SOUTH RIVER RD
Phone 287-1596	
Contractor Cobra	Address Davie, Fla.
Phone	
Where licensed	License number
	License number
	License number
	ation to an existing structure, for which this
DEMOLISH E	XISTING RESIDENCE
State the street address at which the propos	ed structure will be built: demolished:
24 Palm Roa	1
Subdivision Palm Row	Lot NumberBlock Number
Contract price \$ 10,000.00	Cost of permit \$ 100,
Plans approved as submitted	Plans approved as marked
approval of these plans in no way relieves in Ordinances and the South Florida Building Cofor maintaining the construction site in a retrash, scrap building materials and other deat least once a week, or oftener when necess Town of Sewall's Point Failure to comply missioner "Danie Tagging" to construction promissioner "Danie Tagging" to construction promissioner with all code requirements of the by a Building Inspector will be given.	accordance with the approved plans and that it me Town of Sewall's Point before final approval Owner Janm N RECORD
Date submitted	Approved: Molding Inspector Date Final approval given: 11/29/44
Approved: Commissioner Date	Date
CERTIFICATE OF OCCUPANCY issued (if applica	ble)
	PERMIT NO.
SP1282 3/94	



To: Town of Sewall's Point

This is to certify that there are no liens against the property as described on the attached.

Joan M. Kremser, Owner

I hereby certify that on this day, before me, appeared the above named individual.

Verna M. Murphy

VERNA M. MURPHY
MY COMMISSION # CC 248654
EXPIRES: December 28, 1996
Bonded Thru Notary Public Underwriters

644718

This Indenture Made the A. D. 1987 10-TH day of February FIRST NATIONAL BANK OF MARYLAND, Trustee Under a Deed of Trust dated Dec 21,1956 said Trust being known as the E. C. Wareheim Foundation hereinafter called the grantor, to

WAYNE R. KREMSER and JOAN M. KREMSER, his wife

whose postoffice address is San Sebastian #8, San Juan, Puerto Rico 00901

hereinaster called the grantee:

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

That the grantor, for and in consideration of the sum of \$ 10.00and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, and transfers unto the grantee, all that certain land situate in Martin County. Florida. viz:

Beginning on the St. Lucie River at the North line of Lot 1, Commissioners Subdivision of the Hanson Grant, according to the plat thereof recorded in Plat Book 1, Page 11, Dade (now Martin) County, Florida public records; thence run Northeasterly along the North line of Lot 1, 620.75 feet to the Northwest corner of Lot 8-A, revised and amended Plat of Palm Row as recorded in Plat Book 4, Page 68, Martin County, Florida public records; thence Southerly at right angles along the Westerly line of Lots 8A and 9A of revised and amended plat of Palm Row, 330.5 feet to the Southerly line of the North 100 ft. of Lot 2 of that unrecorded subdivision of Lot 1 of the Commissioners Subdivision of the Hanson Grant; thence Southwesterly along the Southerly line of the North 100 ft. of said Lot 2, 429.46 feet to the St Lucie River; thence Northerly along the St. Lucie River to the Point of Beginning.

Also being described as the Westerly "not included" tract of said revised and amended Plat of Palm Row.

It being the intent of the Grantor to convey all property that it acquired from the Estate of E. C. Wareheim located on Sewall's Point, Martin County, Florida notwithstanding the fact that earlier conveyances show the width of the property at 331 ft.; whereas the revised and amended plat of Palm Row shows the width at 330.5 ft.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise apperlaining.

To Have and to Hold. the same in fee simple forever.

In Wilness Whereof, the said grantor has hereunto set its hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

FIRST NATIONAL BANK OF MARYLAND

ジンアン・スプ・ to Vice President

STATE OF MARYLAND COUNTY OF BALTIMORE

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgments, personally appeared as Vice Provident, FIRST NATIONAL BANK OF MARYLAND William A. Bower

to me known to be the person described in and who executed the foregoing instrument and acknowledged he executed the same. before me that

WITNESS my hand and official seal in the County and State last aforesaid this

15771

day of

February

(NOTARY SEAL)

My commission expires

TO R 710 PAGE

This Instrument prepared by

Address JOHN E. PREWITT Afformey Af Law P. O. Drawer 86