

1 Pineapple Lane

2463

SFR

APPLICATION FOR PERMIT TO BUILD A HOUSE OR COMMERCIAL BUILDING

PERMIT NUMBER _____ DATE OF APPLICATION _____

To obtain a permit the following are required:

1. Florida certification of builder and sub-contractors.
2. Certification of insurance from contractor or owner/builder re: liability and workers' compensation.
3. Two sets of building plans which must include: a) 1/4" scale building drawings, b) plot plan, c) foundation plan, d) floor plans, e) wall and roof cross-sections, e) plumbing, electrical and air conditioning layouts, f) at least two elevations showing the height of building from finished floor.
4. Recorded warranty deed to the property.
5. Septic tank permit and one set of plans with Martin County Health Department seal.
6. Energy code calculations.
7. Tree removal permit (for trees other than nuisance trees)
8. Certification of elevation from licensed surveyor and determination of flood zone.
9. Amount of fill anticipated - rough sketch showing location of fill
10. Manufacturer's schedule of windows.

Owner Kirk H. Henderson Current Address 342 N.E. FLORESTA DR. PORT ST. LUCIE, FLA. 34903
 Telephone 407-878-6025

General Contractor ~~FOUNDATION GEN. CONTRACTOR~~ Address ~~RD. BOX 1276~~
 Telephone 407-878-8697 PORT ST. LUCIE, FLA. 34985-9998

Where Licensed _____ License Number _____
 Plumbing Contractor _____ License Number _____
 Electrical Contractor _____ License Number _____
 Roofing Contractor _____ License Number _____
 A/C Contractor ADVANTAGE A/C & HEATING, INC. License Number #CA0039664

Describe the building or alterations _____
 Name the street on which the building, its front building line and its front yard will be #16 SOUTH SIDE OF PINNACLE LANE SEWALL'S POINT
 Subdivision _____ Lot # 6 Block _____

Building area (inside walls) 2626 Garage, porch, carport area 800
 Contract price (excluding carpet, land, appliances, landscaping) \$ 150,000.00
 Cost of permit ~~1536~~ 1536 as approved as submitted _____ as marked _____


In addition, the following are required by owner and contractor:
 1. Building area inside walls must be a minimum of 1,500 square feet. 200
 2. Building permit fees are \$5. per \$1,000. of the cost of the building, plus \$10. each for plumbing, electric, a.c. and roof. For example a \$100,000. building x \$5. = \$500. plus \$40. (a.c., pl., el., roof) = \$540. cost of permit + \$365. impact fee = \$905. total. 365
 3. If no contract is submitted as proof as cost, the permit will be based on \$60. per square foot (inside walls) and \$25. per square foot (other areas). 34
 4. The Town has adopted the South Florida Building Code
 5. Building permits are issued for one year.
 6. Construction must be started within 180 days of permit will be subject to revocation and forfeiture if not started.
 7. ALL changes in plans must be approved by the Building Department.
 8. Work hours are 8:AM to 5:PM Monday through Friday, NO SUNDAY WORK
 9. Portable toilets must be on all construction sites.
 10. Inspections are made Monday through Friday, 8 AM to Noon, 1:PM to 4:PM. 24 hour notice is required prior to all inspections.
 11. String lines along property lines to facilitate set back inspections.
 12. Before a certificate of occupancy is issued, the following are required:

- a. An owner's affidavit of building cost (form available) any discrepancy between the original fee and final fee (based on affidavit) will be adjusted.
- b. Approval of septic tank installation by Martin Co. Health Dept.
- c. Rough grading and clean up of grounds.
- d. Affidavit from licensed surveyor showing slab elevation (if in "A" zone).
- e. Certification by a qualified engineer or architect of the structural adequacy of the building.

13. THIS SUMMARY IS NOT A SUBSTITUTE FOR TOWN ORDINANCES. APPROVAL OF THE BUILDING PLANS IN NO WAY RELIEVES THE OWNER OR CONTRACTOR FROM COMPLIANCE WITH TOWN ORDINANCES.

14. In addition to the requirements of this permit there may be additional restrictions applicable to this property that may be found in the public records of this county.

Contractor's Signature [Signature] Owner's Signature [Signature]
 Approval by Building Inspector [Signature] Date 12/21/88
 Approval by Building Commissioner [Signature] Date 12/21/88
 Certificate of Occupancy issued [Signature] Date 6/26/89



2413

34 Roden

179,000

937

200

365

34

1,536

LAW OFFICES
FRY & OLENICK, P.A.
SUITE 120
900 EAST OCEAN BOULEVARD
STUART, FLORIDA 34994

STEPHEN FRY
MICHAEL H. OLENICK
WILLIAM L. ROBY

TELEPHONE
(407) 286-1600
FAX NO.
(407) 286-9185

December 6, 1988


Dale Brown, Building Inspector
Town of Sewall's Point
15 Sewall's Point Road
Sewall's Point, FL 34957

Dear ^{Dale} Mr. Brown:

On November 30, 1988, Lot 6 of Pineapple Lane, according to the plat recorded at Plat Book 11, Page 62, was conveyed from M & C Development, Inc. to Kirk H. Henderson and Cidy Marie Henderson, husband and wife. The original Warranty Deed is in the process of being recorded in the public records of Martin County.

If I can be of any further assistance, please do not hesitate to contact me.

Sincerely,


Michael H. Olenick

MHO:sl



STATE OF FLORIDA
DEPARTMENT OF HEALTH AND REHABILITATIVE SERVICES

#20

STUBOUT ELEVATION AND EXCAVATION CERTIFICATION

APPLICANT: Kirk H. Henderson SEPTIC TANK PERMIT NO. HA88-735
LEGAL DESCRIPTION: LOT 6 Pineapple Lane

The items which are checked off below must be certified by a surveyor or engineer and returned to the Martin County Health Unit prior to the first plumbing inspection by the Building Department.

- 1. Building Permit Number: 2463 (Certification not required for this item).
- 2. I certify that the elevation of the top of the lowest plumbing stubout is _____ inches above benchmark elevation as indicated on septic tank permit.
- 3. I certify that the top of the lowest building plumbing stubout is _____ inches above crown of road elevation shown on septic tank permit.
- 4. I certify that all severe limited soil has been removed from an area of _____ feet by _____ feet to a minimum depth of six(6) feet below top of required stubout elevation. Submit plot plan to scale of excavated area.

Date Observed: _____

5. I certify that the top of the drainfield pipe elevation is _____.

- NOTE:
- a. Severe limited soil includes but is not limited to hardpan, clay, silt, marl or muck.
 - b. Drainfield must be centered in the excavated area. Drainfield will not be approved if severe limited soils are not removed.

CERTIFIED BY: _____

As applicant or applicant's representative, I understand the above requirements.

Date: _____ Job Number: _____



Kirk H. Henderson
(Signature)

FOR MARTIN COUNTY PUBLIC HEALTH UNIT USE ONLY

Martin County Health Unit Approval Signature (Date)

MARTIN COUNTY PUBLIC HEALTH UNIT
ENVIRONMENTAL HEALTH
612 SOUTH DIXIE HIGHWAY • STUART, FLORIDA 34994 Revised 12-7-88
Bob Martinez, Governor • Gregory L. Coler, Secretary

DRAINFIELD MOUND REQUIREMENTS




MMC 4/85

WELL REQUIREMENTS

NOTE:

ALL WELLS MUST BE GROUTED AT LEAST 2" AROUND WELL CASING TO A DEPTH OF 3'. WELL CASING MUST EXTEND 6" ABOVE FINISHED GRADE AS SHOWN BELOW. NOTE LOCATION OF CHECK VALVE.

NOTE: THESE REQUIREMENTS MUST BE MET PRIOR TO FINAL APPROVAL.



SITE EVALUATION


APPLICANT:

Kirk H. Henderson

LEGAL DESCRIPTION:

LOT 6 Pineapple Lane

SOIL PROFILE



Present Water Depth Below Natural Grade 2.0'

Wet Season Range Per Soil Survey 36"

Estimated Wet Season Water Depth Below Natural Grade 1.0'

Indicator Vegetation Present Slash pine, sabal palm

Is Benchmark Located on Plot Plan and Present on Site? CR yes; No X

Approximate Amount of Fill on Neighboring Lots 0-1' (only one neighbor - old home)

Other Findings: * 4'-4.5' of house pad in place.

EVALUATION BY: Mike Landis

* Proposed septic area and w.s. water make slope to easement a tight squeeze. DATE: 12/19/88

* Note: ~~one~~ On west side of lot - ~~line's~~ start - transition zone.



APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM

PERMIT NUMBER 4088-735 HOME PHONE 878-6025
 NAME OF APPLICANT KIRK H. HENDERSON WORK PHONE _____
 MAILING ADDRESS OF APPLICANT 342 NE FLORESTA DR.
P.S.L. FLA. ZIP CODE 34983
 LOT 6 BLOCK _____ SUBDIVISION PINEAPPLE LANE
 IF NOT SUBDIVIDED, ATTACH A COMPLETE LEGAL DESCRIPTION
 PLAT BOOK 11 PAGE 62 DATE SUBDIVIDED 4-88
 RESIDENTIAL: NUMBER DWELLING UNITS 1 NUMBER BEDROOMS 3
 LOT SIZE 18,000+ FT² HEATED OR COOLED AREA OF HOME 2607 FT²
 COMMERCIAL: TYPE OF BUSINESS PROPOSED N/A
 BUILDING SIZE N/A FT²

-----AFFIDAVIT-----

I HAVE REVIEWED THIS PERMIT AND I CERTIFY THAT ALL WORK WILL BE PERFORMED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THIS PERMIT AND ANY APPLICABLE STATE OR COUNTY REGULATIONS.

SIGNATURE OF PROPERTY OWNER OR OWNER'S LEGALLY AUTHORIZED REPRESENTATIVE

-----INSTALLATION SPECIFICATIONS-----

SEPTIC TANK CAPACITY 1050 GALLONS
 DRAINFIELD SIZE 500 SQUARE FEET MUST BE 9'W X 56'L
 DRAINFIELD ROCK MUST BE 22 FEET FROM FRONT OR REAR PROPERTY LINES
 AND 19 FEET FROM SIDE PROPERTY LINES. EXCAVATION CAN NOT EXTEND MORE THAN FIVE FEET FROM APPROVED INSTALLATION AREA.

TOP OF BUILDING STUB OUT IS REQUIRED TO BE A MINIMUM ELAVATION OF 36" ABOVE CR RD (EL 3.96 NGVD)

TOP OF SEPTIC TANK IS REQUIRED TO BE A MINIMUM ELEVATION OF 40" ABOVE CR RD (EL 3.96 NGVD)

ISSUED BY: [Signature] DATE 12-20-88
MARTIN COUNTY PUBLIC HEALTH UNIT

PLEASE NOTE:

- (1) IF BUILDING CONSTRUCTION DOES NOT START WITHIN ONE YEAR FROM DATE OF ISSUANCE, THIS PERMIT EXPIRES. IF BUILDING CONSTRUCTION STARTS WITHIN 1 YEAR FROM DATE OF ISSUANCE, THE DATE OF EXPIRATION WILL BE EXTENDED AN ADDITIONAL 90 DAYS.
- (2) APPLICANT IS RESPONSIBLE FOR REPLACING EXCAVATED SOILS WITH A GOOD GRADE OF SAND.
- (3) NA REINSPECTION FEE IF WELL NOT INSTALLED AT TIME OF ONSITE SEWAGE DISPOSAL SYSTEM INSPECTION.
- (4) INSPECTION RESULTS WILL BE POSTED ON BUILDING PERMIT OR ON ELECTRICAL BOX.
- (5) IF BUILDING STUBOUT IS PLACED MORE THAN 20 FEET FROM SEPTIC TANK OR DRAINFIELD, A HIGHER STUBOUT ELEVATION THAN SHOWN ABOVE WILL BE REQUIRED.
- (6) IF FILL IS REQUIRED, CONTACT MARTIN COUNTY BUILDING DIVISION.
- (7) IF ANY INFORMATION ON THIS PERMIT CHANGES, AN UPDATED APPLICATION IS REQUIRED.
- (8) IF WELL OR MOUND DRAINFIELD IS PROPOSED, SEE ATTACHED SKETCH OF ADDITIONAL SPECIAL REQUIREMENTS.

-----FINAL INSPECTION-----

CONSTRUCTION APPROVED BY: _____ DATE _____
MARTIN COUNTY PUBLIC HEALTH UNIT

AN APPROVED SYSTEM DOES NOT GUARANTEE PERFORMANCE



APPLICANT KIRK HENDERSON
LEGAL DESCRIPTION LOT 6, PINEAPPLE LANE

-----SITE INFORMATION-----

1. IS THERE A SEPTIC SYSTEM OR OTHER INTERFERENCE WITHIN 75 FEET OF THE PROPOSED PRIVATE WELL? No
2. IS THERE A POTABLE PRIVATE WELL WITHIN 75 FEET OF THE PROPOSED AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
3. IS THERE AN IRRIGATION WELL WITHIN 50 FEET OF THE AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
4. IS THERE A PUBLIC WELL THAT SERVES LESS THAN 25 PEOPLE OR LESS THAN 15 HOMES WITHIN 100 FEET OF THE PROPOSED SEPTIC SYSTEM? No
5. IS THERE A PUBLIC WELL WHICH SERVES MORE THAN 25 PEOPLE OR MORE THAN 15 HOMES WITHIN 200 FEET OF THE PROPOSED SEPTIC SYSTEM? No
6. IS THERE A GRAVITY SEWER LINE OR LIFT STATION WITHIN 100 FEET OF THE PROPOSED LOT? No
7. IS THERE A LAKE, STREAM, WETLAND, OR SURFACE WATER WITHIN 75 FEET OF THE PROPOSED AVAILABLE AREA FOR THE PROPOSED SEPTIC SYSTEM? No
8. IS THERE A PROPOSED OR EXISTING PUBLIC DRINKING WATER LINE WITHIN 10 FEET OF THE PROPOSED SEPTIC SYSTEM? No
9. IS THERE A STORM WATER RETENTION AREA OR DRAINAGE EASEMENT WITHIN 15 FEET OF THE PROPOSED SEPTIC SYSTEM? No
10. IS THE SEPTIC SYSTEM IN AN AREA PROPOSED FOR PAVING OR VEHICULAR TRAFFIC? No
11. ARE ALL PRIVATE WELLS, SEPTIC SYSTEMS AND SURFACE WATER ON ADJACENT OR CONTIGUOUS LAND WITHIN 75 FEET OF THE APPLICANT'S LOT, IF PRESENT, SHOWN ON PLOT PLAN? Yes
12. ARE ALL PUBLIC WELLS WITHIN 200 FEET OF THE APPLICANT'S LOT, IF PRESENT, SHOWN ON PLOT PLAN? Yes
13. DOES THE PLOT PLAN INCLUDE A PLAT OF THE LOT OR TOTAL SITE OWNERSHIP DRAWN TO SCALE, BOUNDARIES WITH DIMENSIONS, LOCATIONS OF BUILDING OR RESIDENCES, SWIMMING POOLS, RECORDED EASEMENTS, THE PROPOSED SEPTIC SYSTEM, ANY PROPOSED OR EXISTING WELLS, PUBLIC WATER LINES, PAVED AREAS OR DRIVEWAYS, AND SURFACE WATERS SUCH AS LAKES, PONDS, STREAMS, CANALS, OR WETLANDS? Yes
14. THERE IS 11400+ SQUARE FEET OF AVAILABLE LAND TO INSTALL THE SEPTIC SYSTEM. THIS AREA EXCLUDES INTERFERENCES. SHADE THIS AVAILABLE AREA ON PLOT PLAN.

-----ELEVATIONS-----

1. CROWN OF ROAD ELEVATION 3.96 NGVD SHOW LOCATION ON PLOT PLAN. IF ROAD IS NOT PAVED, BENCHMARK ELEVATION NGVD SHOW LOCATION ON PLOT PLAN.
2. NATURAL GRADE ELEVATION IN AREA OF PROPOSED SEPTIC SYSTEM 3.80 NGVD SHOW LOCATION ON PLOT PLAN.
2. IS BUILDING LOCATED IN FLOOD HAZARD AREA "A" OR "V" AS IDENTIFIED ON FEMA MAPS? V-13 IF YES, WHAT IS THE MINIMUM REQUIRED FLOOD HAZARD FLOOR ELEVATION OF BUILDING? 10 NGVD.


NOTE: MUST BE CERTIFIED BY A FLORIDA REGISTERED SURVEYOR OF ENGINEER.

CERTIFIED BY: [Signature]
FL. PROFESSIONAL NO. 1272
DATE: 12-13-88 JOB NO.

DATA SHEET

Location: LOT 60
Pineapple Lane

Applicant: Kirk Henderson
County: Martin




CITY WATER AVAILABLE

LOT 7 VACANT

VACANT

Certified By: W.R. Wells
 Florida Professional No.: 1272
 Date: 12-13-88
 Field Book: 24C Page: 79
 Work Order No.: 1436
 Sheet 3 of 3

Scale 1" = 30'



364



MARTIN COUNTY,
FLORIDA

ASSESSMENT MAP

SCALE 1" = 1320'

GRAPHIC SCALE

HUTCHINSON ISLAND
SEWALLS POINT
SECTION 37-38
TOWNSHIP 41-42
RANGE 41-42
PAGE 1

H

THIS PERMIT MUST BE DISPLAYED IN FRONT OF JOB

DO NOT REMOVE UNTIL JOB IS COMPLETED

OWNER Kirk Henderson

CONTRACTOR Same

LOT 2 BLOCK _____ SUB PineApple

NO. 1 Pineapple Lane

NO. 2463 DATE ISSUED 12/28/88

Call 287-2455 From 8:00 A.M. - 12:00 Noon and 1:00 P.M. - 4:00 P.M. For Inspections of Items 1 thru 13.

TOWN OF SEWALL'S POINT BUILDING PERMIT

- REQUESTS FOR INSPECTIONS REQUIRE AT LEAST 24 HOURS NOTICE.
- ALL WORK MUST BE IN COMPLIANCE WITH THE TOWN OF SEWALL'S POINT ORDINANCES, THE SOUTH FLORIDA BUILDING CODE, THE STATE OF FLORIDA ENERGY EFFICIENCY BUILDING CODE AND ELEVATIONS BASED ON THE LATEST FLOOD INSURANCE RATE MAP.
- PORTABLE TOILET FACILITIES MUST BE ON JOB SITE BEFORE INITIAL INSPECTION.
- WORKING HOURS ARE FROM 8:00 TO 5:00 P.M. MONDAY THRU SATURDAY.

TO CONSTRUCT New House

REMARKS:

REQUIRED INSPECTIONS	INSPECTOR'S FINDING	INSPECTOR'S SIGNATURE
1. LOT STAKES/SET BACKS		
2. TERMITE PROTECTION		
3. FOOTING - SLAB	<u>1/12/89</u>	
4. ROUGH PLUMBING	<u>1/11/89</u>	
5. ROUGH ELECTRIC	<u>4/9/89</u>	
6. LINTEL		
7. ROOF	<u>3/9/89</u>	
8. FRAMING	<u>4/9/89</u>	
9. INSULATION	<u>4/14/89</u>	
10. A/C DUCTS	<u>4/10/89</u>	
11. FINAL ELECTRIC		
12. FINAL PLUMBING		
13. FINAL CONSTRUCTION		



Ardaman & Associates, Inc.

P.O. BOX 8687
Port St. Lucie, Florida 34985
(305) 337-1200



FIELD DENSITY TEST REPORT

PROJECT: Henderson Residence
Lot 6 Pineapple Lane

FILE NO.: 88-5639

REPORTED TO: Kurt Henderson

REPORT NO.: 1

PAGE NO.: 1 OF 1

DATE: December 23, 1988

TEST NO.	LOCATION	TEST DATE	MDR NO.	DRY DENSITY (PCF)	MOISTURE (%)	DEPTH/ELEVATION	PERCENT COMPACTION
1	Center of Building Pad	12-22-88	1	114.1	10.4	0 to -1	98.0
2	Center of Building Pad	12-22-88	1	112.4	10.3	-1 to -2	96.6
3	Middle of E. Wall - Near Wall	12-22-88	1	113.9	10.2	0 to -1	97.9
4	Middle of W. Wall - Near Wall	12-22-88	1	114.5	10.5	0 to -1	98.4

FIELD TEST: ASTM D2937 D2922 D2167 D1556

MINIMUM COMPACTION REQUIRED: 95 PERCENT

LABORATORY MOISTURE - DENSITY RELATIONSHIPS

MDR NO.	TEST METHOD	MAXIMUM DENSITY @ OPTIMUM MOISTURE
1	ASTM-D1557	116.4 PCF @ 12.4 %

- MSL = MEAN SEA LEVEL
- LR = LIMESTONE BASE
- SG = STABILIZED SUBGRADE
- FFG = FINISH FLOOR GRADE
- BOF = BOTTOM OF FOUNDATION
- FS = FLOOR SLAB SUBGRADE
- GR = GRADE
- NG = NATURAL GROUND
- PR = PENETROMETER READING
- PD = PROBE DEPTH

By *Robert M. [Signature]*

AS A MUTUAL PROTECTION TO CLIENTS, THE PUBLIC AND OURSELVES, ALL REPORTS ARE SUBMITTED AS THE CONFIDENTIAL PROPERTY OF CLIENTS AND AUTHORIZATION OR PUBLICATION OF STATEMENTS, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR WRITTEN APPROVAL



Ardaman & Associates, Inc.


P.O. BOX 8687
Port St. Lucie, Florida 34985
(305) 337-1200



MOISTURE - DENSITY RELATIONSHIP

PROJECT: Henderson Residence
Lot 6 PineApple Lane
REPORTED TO: Kurt Henderson

FILE NO.: 88-5639 Report # 1
DATE: December 23, 1988



FORM 407 (Rev. 4/86)

By: *[Signature]*

AS A MUTUAL PROTECTION TO CLIENTS, THE PUBLIC AND OURSELVES, ALL REPORTS ARE SUBMITTED AS THE CONFIDENTIAL PROPERTY OF CLIENTS AND AUTHORIZATION FOR PUBLICATION OF STATEMENTS, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS RESERVED PENDING OUR WRITTEN APPROVAL

Customer

2463

PAGE 1 OF 2

WORK ORDER

JOB NAME

JOB # 2191

KIRK HENDERSON

PITCH	$\frac{6}{12}$	HEEL	4
O.H. CUT	SO PL	SALES MAN	B. M

SPECIAL NOTES: 6" TO 10" O.H
55# ARE PLUMB CUT

DATE
12-2-88
REV

LOT _____ BLK _____

#	QTY	SPAN	DESCRIPTION	FRONT, LEFT END			REAR, RIGHT END		
				O.H.	MISC.	CANT.	O.H.	MISC.	CANT.
11	1	15'-8"	BHG-3 (Drop 3 1/2")	24"			24"		
12	5	15'-8"	TRS	-			24"		
13	1	15'-8"	MH-10	-			24"		
13	1	15'-8"	MH-12 <small>MH-10 w/PB</small>	-			24"		
13	1	15'-8"	MH-14 <small>MH-10 w/PB</small>	-			24"		
14	6	15'-8"	MONO VLT (TC BRG)	-			24"		
15	10	18'-0"	MONO VLT (TC BRG)	-			24"		
16	5	6'-4"	MT	24"		24"	-		
17	8	14'-8"	MT (TC BRG)	24"		24"	-		
18	1	32'-4"	HG-7	-	STUB 6'-4"		-	STUB 1'-0"	
19	1	32'-4"	H-9	-	STUB 6'-4"		-	STUB 1'-0"	
19	1	32'-4"	H-11 <small>H-9 w/PB</small>	-	STUB 6'-4"		-	STUB 1'-0"	
20	1	32'-4"	H-13	-	STUB 6'-4"		-	STUB 3'-4"	
20	1	32'-4"	H-15 <small>H-13 w/PB</small>	-	STUB 6'-4"		-	STUB 3'-4"	
21	2	32'-4"	TRS	-	STUB 6'-4"		-	STUB 3'-4"	
5	1	32'-4"	DGE (Drop 3 1/2")	-	STUB 6'-4"		-	STUB 3'-4"	
22	1	23'-0"	BHG-4'-6" SB (Drop 3 1/2")	24"			24"		
22	1	23'-0"	BHG-4'-6" SB (✓)	24"			-		
23	4	23'-0"	TRS	24"			24"		
23	4	23'-0"	TRS	24"			-		

WORK ORDER

JOB #

JOB NAME

KIRK HENDERSON

PITCH	$\frac{6}{12}$	HEEL	4"
O.H. CUT	$\frac{SQ}{PL}$	SALES MAN	$\frac{B}{M}$

SPECIAL NOTES:	6" TO 10" O.H 55 # ARE PLUMB CUT	DATE	12-2-88
		REV	

LOT	BLK

#	QTY	SPAN	DESCRIPTION	FRONT, LEFT END			REAR, RIGHT END		
				O.H.	MISC.	CANT.	O.H.	MISC.	CANT.
24	1	21'-0"	MHVLT 15'-0" SB (TC BRG)	24"			—		
24	1	21'-0"	MHVLT 17'-0" SB ^{4/8B} (TC BRG)	24"			—		
24	1	21'-0"	MHVLT 19'-0" SB ^{4/8B} (TC BRG)	24"			—		
25	$\frac{8}{5}$	21'-0"	MVLT (TC BRG)	$\frac{24}{24}$			$\frac{0}{6}$		
5	1	20'-8"	MDGE (Drop 3 1/2')	24"			10"		
26	6	5'-8"	MT	24"			5"		
5	1	5'-8"	MDGE (Drop 3 1/2')	24"			6"		
5	1	17'-8"	MDGE (✓)	10"			24"		
27	1	12'-4"	LVL 16" DP	—			—		
2	1		MV 2-6						

Don Williams and Associates, Inc.

— LAND SURVEYORS —

1115 EAST OCEAN BLVD. • STUART, FLORIDA 34996

PHONE 283-2977

January 12th, 1989

Town of Sewall's Point
Building Inspector
15 Sewall's Point Road
Stuart, Florida, 34996

RE: BUILDING PERMIT #2463

Dear Sir or Madam:

I hereby certify that the top of the formboards for
finish floor for residence located at Lot 6 - PINEAPPLE
LANE SUBDIVISION, Martin County, Florida is 9.08 feet
N.G.V.D. The lowest elevation for garage is 7.90 feet
N.G.V.D.

Very truly yours,



W.L. Williams
R.L.S. Florida Registration #1272

WLW/jjs

9/23/92

APPLICATION FOR PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

3263

This application must be accompanied by three (3) sets of complete plans, to scale, including a plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner: Clark + Lois Newell Present Address 1 Pineapple Lane

Phone 220-4937

Contractor HORIZON Builders Address 2100 SW Conant Ave

Phone PORT ST LUCIE

Where licensed License number SP00342

Electrical contractor License number

Plumbing contractor License number

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: Screen Existing pool


1 Pineapple Lane State the street address at which the proposed structure will be built:

Subdivision Pineapple Lot number 6 Block number

Contract price \$ 3700.00 Cost of permit \$

Plans approved as submitted Plans approved as marked [checkmark]

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in the area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.



Contractor William F. [Signature]

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner Clark D. Newell

TOWN RECORD

Date submitted 9/23/92 Approved: Dale Brown 10/11/92 Building Inspector Date

Approved: [Signature] 10/11/92 Commissioner Date Final Approval given: Date



Certificate of Occupancy issued (if applicable) Date

SP1282


Permit No.

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Ordinances, the South Florida Building Code and the State of Florida Energy Efficiency Building Code.



TYPICAL PLAN VIEW




GUTTER SECTION




GUTTER ATTACHMENT DETAILS




GUTTER ATTACHMENT DETAILS




TYPICAL BASE PLATE AND POST CONNECTION DETAILS



TYPICAL SCREEN ENCLOSURE




ROOF PURLIN CONNECTION



BEAM SECTIONS

POST SIZE	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)
2x2	1.10	1.10	1.10	1.10	1.10	1.10	1.10
2x4	2.20	2.20	2.20	2.20	2.20	2.20	2.20
2x6	3.30	3.30	3.30	3.30	3.30	3.30	3.30
2x8	4.40	4.40	4.40	4.40	4.40	4.40	4.40
2x10	5.50	5.50	5.50	5.50	5.50	5.50	5.50
2x12	6.60	6.60	6.60	6.60	6.60	6.60	6.60

I-BEAM SECTIONS



SECTION PROPERTIES

POST NO.	POST SIZE	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)	POST WEIGHT (lb/ft)
603	2x2	1.10	1.10	1.10	1.10	1.10	1.10
804	2x4	2.20	2.20	2.20	2.20	2.20	2.20
904	2x6	3.30	3.30	3.30	3.30	3.30	3.30
1004	2x8	4.40	4.40	4.40	4.40	4.40	4.40

SPECIFICATIONS

1. SHEET METAL SCREWS (SMS) QUANTITY PLATED OR STAINLESS
 2. BOLTS: ALUM ALLOY 1024 T-6
 3. CHANNEL OR GALVANIZED STEEL
 4. ALUM BEAMS
 5. ALUM ALLOY 6063 T6
 6. POSTS, PURLINS CHANNELS AND SPLINES
 7. ALUM ALLOY 6063 T6
- NOTE: ALL ENTRENCHMENTS MUST ACCURATELY SHOW FLAT OR ROUND SPLINE INSTALLED TO HIDE SCREEN INTO DETENTION OF SPLINE GROOVE

TABLE 1 - POST LENGTHS AND SPACING IN SCREENED WALLS

NORMAL WALL HEIGHT	POST SIZES AND SPACING BY SCREENED WALL HEIGHT							
	2x2	2x4	2x6	2x8	2x10	2x12	2x14	2x16
7'-0"	4'-3"	4'-10"	5'-3"	6'-3"	6'-11"	7'-8"	-	-
8'-0"	3'-3"	3'-8"	4'-0"	4'-9"	5'-4"	6'-0"	6'-2"	-
9'-0"	-	-	-	3'-9"	4'-2"	5'-0"	5'-10"	6'-2"
10'-0"	-	-	-	-	-	4'-2"	5'-0"	5'-10"
11'-0"	-	-	-	-	-	-	4'-2"	5'-0"
12'-0"	-	-	-	-	-	-	-	4'-2"

TABLE 2 - SPAN TABLE FOR SCREEN ROOF BEAMS

BEAM SIZE	MAXIMUM CLEAR SPANS FOR SCREENED ROOF BEAMS AT VARIOUS BEAM SPACINGS							
	4'-0" OC	5'-0" OC	6'-0" OC	8'-0" OC	10'-0" OC	12'-0" OC	14'-0" OC	16'-0" OC
2x2	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x4	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x6	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x8	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x10	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x12	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x14	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0
2x16	29.9	20.4	19.5	18.7	17.0	15.3	14.7	13.0

ALL SPANS BASED UPON BEAMS BEING LATERALLY SUPPORTED TO L.S. / I. S. 145

FOR GENERAL NOTES SEE SHEET 1 OF 2

Michael Miller
9-22-88

MASTER PLANS - ALUMINUM SCREEN ENCLOSURES
170 MPH WIND REGION

PLAN SECTION AND DETAIL VIEWS AND TECHNICAL DATA

SHEET NO. 1 OF 1

HORIZON BUILDERS & MILL WAGEL

SCALE: 1/2" = 1'-0"

DATE: 11/11/05

2/19/08 REVISED SECT. PROPERTIES

4/1/07 GENERAL REVISION:

619 BAKER RD SQUARVILLE, FL 32151

DATE: 11/11/05

DR: JRM

BY: CR

DATE: 11/11/05

1 OF 1

5669

REROOF

TOWN OF SEWALL'S POINT

Date 1/28/02 BUILDING PERMIT NO. 5669
 Building to be erected for ROLF DRUCKER Type of Permit RE-NOV
 Applied for by STUART ROOFING (Contractor) Building Fee _____
 Subdivision _____ Lot 6 Block _____ Radon Fee _____
 Address 1 PINEAPPLE LN. Impact Fee _____
 Type of structure SFR. A/C Fee _____
 Electrical Fee _____
 Plumbing Fee _____
 Parcel Control Number: _____ Roofing Fee 120⁰⁰
1238410030000006030000
 Amount Paid 120⁰⁰ Check # _____ Cash _____ Other Fees (_____) _____
 Total Construction Cost \$ 16,152 TOTAL Fees _____

Signed [Signature] Applicant Signed [Signature] Town Building Inspector
 OFFICIAL

PERMIT

- | | | |
|---|--|--|
| <input type="checkbox"/> BUILDING | <input type="checkbox"/> ELECTRICAL | <input type="checkbox"/> MECHANICAL |
| <input type="checkbox"/> PLUMBING | <input checked="" type="checkbox"/> ROOFING | <input type="checkbox"/> POOL/SPA/DECK |
| <input type="checkbox"/> DOCK/BOAT LIFT | <input type="checkbox"/> DEMOLITION | <input type="checkbox"/> FENCE |
| <input type="checkbox"/> SCREEN ENCLOSURE | <input type="checkbox"/> TEMPORARY STRUCTURE | <input type="checkbox"/> GAS |
| <input type="checkbox"/> FILL | <input type="checkbox"/> HURRICANE SHUTTERS | <input type="checkbox"/> RENOVATION |
| <input type="checkbox"/> TREE REMOVAL | <input type="checkbox"/> STEMWALL | <input type="checkbox"/> ADDITION |

INSPECTIONS

UNDERGROUND PLUMBING _____	UNDERGROUND GAS _____
UNDERGROUND MECHANICAL _____	UNDERGROUND ELECTRICAL _____
STEMWALL FOOTING _____	FOOTING _____
SLAB _____	TIE BEAM/COLUMNS _____
ROOF SHEATHING _____	WALL SHEATHING _____
TRUSS ENG/WINDOW/DOOR BUCKS _____	LATH _____
ROOF TIN TAG/METAL _____	ROOF-IN-PROGRESS _____
PLUMBING ROUGH-IN _____	ELECTRICAL ROUGH-IN _____
MECHANICAL ROUGH-IN _____	GAS ROUGH-IN _____
FRAMING _____	EARLY POWER RELEASE _____
FINAL PLUMBING _____	FINAL ELECTRICAL _____
FINAL MECHANICAL _____	FINAL GAS _____
FINAL ROOF _____	BUILDING FINAL <u>3/13/02</u>

PERMIT

- | | | |
|--|---|---|
| <input type="checkbox"/> BUILDING
<input type="checkbox"/> PLUMBING
<input type="checkbox"/> DOCK/BOAT LIFT
<input type="checkbox"/> SCREEN ENCLOSURE
<input type="checkbox"/> FILL
<input type="checkbox"/> TREE REMOVAL | <input type="checkbox"/> ELECTRICAL
<input checked="" type="checkbox"/> ROOFING
<input type="checkbox"/> DEMOLITION
<input type="checkbox"/> TEMPORARY STRUCTURE
<input type="checkbox"/> HURRICANE SHUTTERS
<input type="checkbox"/> STEMWALL | <input type="checkbox"/> MECHANICAL
<input type="checkbox"/> POOL/SPA/DECK
<input type="checkbox"/> FENCE
<input type="checkbox"/> GAS
<input type="checkbox"/> RENOVATION
<input type="checkbox"/> ADDITION |
|--|---|---|

INSPECTIONS

- | | |
|--|---|
| UNDERGROUND PLUMBING _____
UNDERGROUND MECHANICAL _____
STEMWALL FOOTING _____
SLAB _____
ROOF SHEATHING _____
TRUSS ENG/WINDOW/DOOR BUCKS _____
ROOF TIN TAG/METAL _____
PLUMBING ROUGH-IN _____
MECHANICAL ROUGH-IN _____
FRAMING _____
FINAL PLUMBING _____
FINAL MECHANICAL _____
FINAL ROOF _____ | UNDERGROUND GAS _____
UNDERGROUND ELECTRICAL _____
FOOTING _____
TIE BEAM/COLUMNS _____
WALL SHEATHING _____
LATH _____
ROOF-IN-PROGRESS _____
ELECTRICAL ROUGH-IN _____
GAS ROUGH-IN _____
EARLY POWER RELEASE _____
FINAL ELECTRICAL _____
FINAL GAS _____
BUILDING FINAL _____ |
|--|---|

Town of Sewall's Point

BUILDING PERMIT APPLICATION

Building Permit Number:

Owner or Titleholder Name: ROIP DEVLLEN City: Sewall Pt State: FL Zip: 34996
Legal Description of Property: SUB. PINEAPPLE LN. Lot 6 Parcel Number: 1278410030000006030000
Location of Job Site: 1 PINEAPPLE LANE Type of Work To Be Done: Reroof

CONTRACTOR/Company Name: STUART ROOFING INC Phone Number: 561-682-8854
Street: 140 NE DIVER HWY City: STUART State: FL Zip: 34994
State Registration Number: State Certification Number: CCC-52411 Martin County License Number:

ARCHITECT: Phone Number:
Street: City: State: Zip:

ENGINEER: Phone Number:
Street: City: State: Zip:

AREA SQUARE FOOTAGE - SEWER - ELECTRIC Living: Garage: Covered Patios: ScreenedPorch:
Carport: Total Under Roof 3500 Wood Deck: Accessory Building:
Type Sewage: Septic Tank Permit Number From Health Dept. Well Permit Number:

FLOOD HAZARD INFORMATION Flood Zone: Minimum Base Flood Elevation (BFE): NGVD
Proposed First Floor Habitable Floor Finished Elevation: NGVD (Minimum 1 Foot Above BFE)

COST AND VALUES Estimated Cost of Construction or Improvements: 16,152.00 Estimated Fair Market Value (FMA) Prior
To Improvements: If Improvement, Is Cost Greater Than 50% Of Fair Market Value YES NO

SUBCONTRACTOR INFORMATION

Electrical: State: License Number:
Mechanical: State: License Number:
Plumbing: State: License Number:
Roofing: STUART ROOFING INC State: FL License Number: CCC-52411

I understand that a separate permit from the Town may be required for ELECTRICAL, PLUMBING, SIGNS, WELLS, POOLS, FURNANCE, BOILERS, HEATERS, TANKS, AIR CONDITIONERS, DOCKS, SEA WALLS, ACCESSORY BUILDINGS, SAND OR FILL ADDITION OR REMOVAL, AND TREE REMOVAL AND RELOCATIONS.

CODE EDITIONS IN EFFECT AT TIME OF APPLICATION

Florida Building Code (Structural, Mechanical, Plumbing, Gas) South Florida Building Code (Structural, Mechanical, Plumbing, Gas)
National Electrical Code Florida Energy Code
Florida Accessibility Code

THEREBY CERTIFY THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS AND ORDINANCES DURING THE BUILDING PROCESS.

OWNER OR AGENT SIGNATURE (Required)
State of Florida, County of: MARTIN
This the 28 day of JANUARY 2002
by [Signature] who is personally known to me or produced as identification. [Signature]

Notary Public Lavonne K Gribben
MY COMMISSION # CC710827 EXPIRES May 22, 2002
BONDED THRU TROY FAIR INSURANCE, INC. Seal

CONTRACTOR SIGNATURE (Required)
On State of Florida, County of: MARTIN
This the 28 day of JANUARY 2002
by [Signature] who is personally known to me or produced As identification. [Signature]


Notary Public Lavonne K Gribben
MY COMMISSION # CC710827 EXPIRES May 22, 2002
BONDED THRU TROY FAIR INSURANCE, INC. Seal

STATE OF FLORIDA
MARTIN COUNTY

THIS IS TO CERTIFY THAT THE
FOREGOING 1 PAGES IS A TRUE
AND CORRECT COPY OF THE ORIGINAL

MARSHA EWING, CLERK

BY M. Mache D.C.
DATE 1/28/02



TO BE COMPLETED WHEN CONSTRUCTION VALUE EXCEEDS \$2500.00

PERMIT # _____ TAX FOLIO # 123841 00 3 000 000 603 0000

NOTICE OF COMMENCEMENT

STATE OF FL COUNTY OF MARTIN

THE UNDERSIGNED HEREBY GIVES NOTICE THAT IMPROVEMENT WILL BE MADE TO CERTAIN REAL PROPERTY, AND IN ACCORDANCE WITH CHAPTER 713, FLORIDA STATUTES, THE FOLLOWING INFORMATION IS PROVIDED IN THIS NOTICE OF COMMENCEMENT.

LEGAL DESCRIPTION OF PROPERTY (INCLUDE STREET ADDRESS IF AVAILABLE):

SUBDIVISION PINEAPPLE LAKE lot 6 1-PINEAPPLE LAKE SEWALLS Pt. FL 34986

GENERAL DESCRIPTION OF IMPROVEMENT: _____

OWNER: ROLF DRUCKER

ADDRESS: 1 PINEAPPLE LAKE SEWALLS Pt 34986

PHONE #: 215-3622 FAX #: _____

CONTRACTOR: STANT ROOTING INC

ADDRESS: 140 N.E. Dixie Hwy Stuart FL 34950

PHONE #: _____ FAX #: _____

SURETY COMPANY (IF ANY) _____

ADDRESS: _____

PHONE # _____ FAX #: _____

BOND AMOUNT: _____

LENDER: _____

ADDRESS: _____

PHONE #: _____ FAX #: _____

PERSONS WITHIN THE STATE OF FLORIDA DESIGNATED BY OWNER UPON WHOM NOTICES OR OTHER DOCUMENTS MAY BE SERVED AS PROVIDED BY SECTION 713.13(1)(A)7., FLORIDA STATUTES:

NAME: _____

ADDRESS: _____

PHONE #: _____ FAX #: _____

IN ADDITION TO HIMSELF, OWNER DESIGNATES _____

OF _____ TO RECEIVE A COPY OF THE LIENOR'S NOTICE AS PROVIDED IN SECTION

713.13(1)(B), FLORIDA STATUTES.

PHONE #: _____ FAX #: _____

EXPIRATION DATE OF NOTICE OF COMMENCEMENT: _____

THE EXPIRATION DATE IS ONE (1) YEAR FROM THE DATE OF RECORDING UNLESS A DIFFERENT DATE IS SPECIFIED ABOVE.


Rolf Drucker
SIGNATURE OF OWNER

SWORN TO AND SUBSCRIBED BEFORE ME THIS 9 DAY OF JANUARY

2002 BY Rolf Drucker

OR

Joseph M. Logigno
NOTARY SIGNATURE



PERMIT APPLICATION REQUIRED INFORMATION AND SUBMITTALS FOR RE-ROOFING

IMPORTANT NOTICE: All items listed below must accompany your permit application. No application will be accepted unless all items that are applicable are submitted.

Application form must contain the following information:

1. Property Appraisers Parcel Number or Property Control Number ✓
2. Legal Description of property (Can be found on your deed survey or Tax Bill) ✓
3. Contractors name, address, phone number and license numbers. ✓
4. Name all sub-contractors (properly licensed) ✓
5. Estimated cost of construction. ✓
6. Original signature of owner and notarized ✓
7. Original signature of Contractor and notarized. ✓

Submittals (2 copies)

1. Product approvals from Miami/Dade for the following items: ✓
 - a. Roofing
2. Statement of Fact (owner/builder affidavit) ✓
3. Proof of ownership (deed or tax recpt.) ✓
4. A certified copy of the Notice of Commencement for any work over \$2500.00 ✓
5. Copy of License (either Martin County Certificate of Competency or State Certified or Registered Contractor License)
6. Copy of Workmen's Compensation
7. Copy of Liability Insurance

**ALL INFORMATION AND DOCUMENTS MENTIONED ABOVE
ARE INCLUDED IN THE MY PERMIT APPLICATION PACKAGE**



(SIGNATURE OF APPLICANT)

DATE SUBMITTED: _____

1/28/2002 ✓

AC# 5911790

STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONST INDUSTRY LICENSING BOARD

Handwritten signature

DATE	BATCH NUMBER	LICENSE NBR
07/14/2000	00900148	CC -C024411

The ROOFING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489
Expiration date: AUG 31, 2002 FS.

TURNER, JOHN WESLEY
STUART ROOFING INC
140 NE DIXIE HWY
STUART

FL 34994

JEB BUSH
GOVERNOR

DISPLAY AS REQUIRED BY LAW

CYNTHIA A. HENDERSON
SECRETARY

RECEIVED
APR - 3 2001
BY: *[Signature]*

09/13/2001

PRODUCER

RISK TRANSFER SOLUTIONS, INC.
LANDMARK CENTER ONE
315 EAST ROBINSON STREET, STE. 580
ORLANDO, FL 32801

INSURED SUNSHINE COMPANIES, INC.
5825 US 27 NORTH
SEBRING, FL 33870
PH: 800-477-5606

FILE
dictins.

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER, THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY A
COMPANY B
COMPANY C
COMPANY D

FIRST COMMERCIAL MUTUAL

RECEIVED

SEP 24 2001

BY: *MLC*

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSION AND CONTITION OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
	GENERAL LIABILITY <input type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR <input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT				GENERAL AGGREGATE \$ PRODUCTS-COMP/OP AGG \$ PERSONAL & ADV INJURY \$ EACH OCCURRENCE \$ FIRE DAMAG (Any one fire) \$ MED EXP (Any one person) \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY-EA ACCIDENT \$ OTHER THAN AUTO ONLY: EACH ACCIDENT \$ AGGREGATE \$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				EACH OCCURRENCE \$ AGGREGATE \$
A	WORKER'S COMPENSATION AND EMPLOYER'S LIABILITY THE PROPRIETOR/ PARTNERS/EXECUTIVE OFFICERS ARE: <input checked="" type="checkbox"/> INCL <input type="checkbox"/> EXCL	15227-00	08/00/2001	08/06/2002	<input checked="" type="checkbox"/> WC STATU- TORY LIMITS EL EACH ACCIDENT \$ 500,000 EL DISEASE-POLICY LIMIT \$ 500,000 EL DISEASE-EA EMPLOYEE \$ 500,000
	OTHER LOCATION COVERAGE		08/06/2001	08/06/2002	

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS
ONLY THOSE EMPLOYEES LEASED TO, IN FLORIDA, BUT NOT SUBCONTRACTORS OF:
3435 STUART ROOFING
P.O. BOX 2556, STUART, FL 34995

CERTIFICATE HOLDER


FAX: 561 692-9856

TOWN OF SEWALL'S POINT
BLDG. DEPT.
1 SOUTH SEWALL'S POINT ROAD
SEWALL'S POINT, FL 34996-
ATTN: 561-220-4765

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE
Paul R. Hughes





Permit # 8669 (Pine Apple Hill)
Rolf Davila

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 160J
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Entegra Roof Tile Corporation
1201 N.W. 18 Street
Pompano Beach ,FL 33069

Your application for Notice of Acceptance (NOA) of:

Skandia Roof Tile

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

ACCEPTANCE NO.: 00-1106.03
EXPIRES: 12/07/2005

Raul Rodriguez
Chief Product Control Division

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 12/07/2000

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. SCOPE

This approves roofing system using Entegra "Skandia" Concrete roof tile as manufactured by Entegra Roof Tile Corporation, as described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code, 1994 Edition for Miami-Dade County. For the locations where the pressure requirements, as determined by applicable Building Code, do not exceed the design pressure values obtain by calculations in compliance with RAS 127 using the values listed in section 4 herein. The attachment calculations shall be done as a moment based system. The attachment calculations for a two patty system shall be done as an moment based system.

Category: Roofing
 Sub Category: Flat Profile Tile
 Materials: Concrete

2. PRODUCT DESCRIPTION

<u>Manufactured by Applicant</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
Skandia	l = 16 1/2" w = 13" 1/2" thick	PA 112	Flat profile concrete roof tile for direct deck or battened nail-on.
Trim Pieces	l = varies w = varies	PA 112	Accessory trim, concrete or clay roof pieces for use at hips, rakes, ridges and valley terminations.

2.1 Components or products manufactured by others

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>	<u>Manufacturer</u>
Roof Tile Adhesive ("Polypro® AH160")	N/A	See NOA	Two component polyurethane adhesive designed for adhesive set roof tile applications.	Polyfoam Products, Inc.
Roof Tile Adhesive TileBond	Factory premixed canisters	See NOA	Single component polyurethane foam roof tile adhesive	Flexible Products (with current NOA)
Roof Tile Mortar ("TileTite™")	N/A	PA 123	Prepared mortar mix designed for mortar set roof tile applications.	Bermuda Roof Company, Inc. with current NOA



 Frank Zuloaga, RRC
 Roofing Product Control Examiner

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>	<u>Manufacturer</u>
Roof Tile Mortar ("Quikrete® Roof Tile Mortar #1140")	N/A	PA 123	Prepared mortar mix designed for mortar set roof tile applications.	Quikrete Construction Products with Current NOA
Roof Tile Mortar ("BONSAL® Roof Tile Mortar Mix")	N/A	PA 123	Prepared mortar mix designed for mortar set roof tile applications.	W. R. Bonsal Co. with current NOA
Wood Battens	<u>vertical</u> min. 1" x 4" <u>horizontal</u> min. 1" x 4" for use with vertical battens or min. 1" x 2" for use alone	Wood Preservers Institute LP - 2	Salt pressure treated or decay resistant lumber battens	generic
Tile Nails	min. 10d x 3"	PA 114 Appendix E	Corrosion resistant, smooth, screw or annular ring shank nail	generic
Tile Screws	#8 x 2 1/2" long 0.335" head dia. 0.131" shank dia. 0.175" screw thread diameter	PA 114 Appendix E	Corrosion resistant coated, square drive, galvanized, coarse thread wood screw	generic
Hurricane Clip & Fasteners	<u>Clips</u> min. 1/2" width min. 0.062" thick	PA 114 Appendix E	Corrosion resistant bronze, aluminum, stainless steel, galvanized steel or plastic attachment clips for supplemental tile attachment. Clips are installed with corrosion resistant roofing nails compatible with the clip. A hurricane clip is required on all nail-on eave tiles.	generic

3. LIMITATIONS

3.1 Fire classification is not part of this acceptance


 Frank Zuloaga, RRC
 Roofing Product Control Examiner

APPROVED: December 7, 2000

EXPIRES: December 7, 2005

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

- 3.2 For mortar or adhesive set tile applications, a static field uplift test shall be performed in accordance with RAS 106.
- 3.3 Applicant shall retain the services of a Miami-Dade County Certified Laboratory to perform quarterly test in accordance with PA 112, appendix 'A'. Such testing shall be submitted to the Building Code Compliance Office for review.
- 3.4 Minimum underlayments shall be in compliance with the applicable Roofing Applications Standards listed section 4.1 herein.
- 3.5 30/90 hot mopped underlayment applications may be installed perpendicular to the roof slope unless stated otherwise by the underlayment material manufacturers published literature.
- 3.6 This acceptance is for wood deck applications. Minimum deck requirements shall be in compliance with applicable Building Code.

4. INSTALLATION

4.1.1 "Entegra Roof Tile Corporation Skandia Flat", and its components shall be installed in strict compliance with Roofing Application Standard RAS 118, RAS 119, and RAS 120.

4.2 Data For Attachment Calculations

Table 1: Aerodynamic Multipliers - λ (ft²)

Tile Profile	λ (ft ²)	
	Batten Application	Direct Deck Application
Skandia	0.267	0.289

Table 2: Restoring Moments due to Gravity - M_g (ft-lbf)

Tile Profile	3":12"		4":12"		5":12"		6":12"		Greater than 7":12"	
	Battens	Direct Deck	Battens	Direct Deck	Battens	Direct Deck	Battens	Direct Deck	Battens	Direct Deck
Entegra Skandia	6.85	7.79	6.75	7.67	6.61	7.52	6.44	7.32	6.26	N/A



Frank Zuloaga, RRC
Roofing Product Control Examiner

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

Table 3: Attachment Resistance Expressed as a Moment - M_t (ft-lbf) for Nail-On Systems

Tile Profile	Fastener Type	Direct Deck (min 15/32" plywood)	Direct Deck (min. 19/32" plywood)	Battens
Skandia	2-10d Ring Shank Nails	30.9	38.1	17.2
	1-10d Smooth or Screw Shank Nail	7.3	9.8	4.9
	2-10d Smooth or Screw Shank Nails	14.0	18.8	7.4
	1 #8 Screw	30.8	30.8	18.2
	2 #8 Screw	51.7	51.7	24.4
	1-10d Smooth or Screw Shank Nail (Field Clip)	24.3	24.3	24.2
	1-10d Smooth or Screw Shank Nail (Eave Clip)	19.0	19.0	22.1
	2-10d Smooth or Screw Shank Nails (Field Clip)	35.5	35.5	34.8
	2-10d Smooth or Screw Shank Nails (Eave Clip)	31.9	31.9	32.2
	2-10d Ring Shank Nails ¹	50.3	65.5	48.3

1. Installation with a 4" tile headlap and fasteners are located a min. of 2 1/4" from head of tile.

Table 4: Attachment Resistance Expressed as a Moment M_t (ft-lbf) for Two Patty Adhesive Set Systems


Tile Profile	Tile Application	Minimum Attachment Resistance
Skandia	Adhesive	31.3 ¹

2. See manufactures component approval for installation requirements.
 3. Flexible Products Company TileBond Average weight per patty 13.9 grams.
 Polyfoam Product, Inc. Average weight per patty 8 grams.

Table 4A: Attachment Resistance Expressed as a Moment - M_t (ft-lbf) for Single Patty Adhesive Set Systems

Tile Profile	Tile Application	Minimum Attachment Resistance
Skandia	PolyPro™	118.9 ⁴
Skandia	PolyPro™	40.4 ⁵

4. Large paddy placement of 45 grams of PolyPro™.
 5. Medium paddy placement of 24 grams of PolyPro™.


 Frank Zuloaga, RRC
 Roofing Product Control Examiner

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

Table 4B: Attachment Resistance Expressed as a Moment - M, (ft-lbf) for Mortar Set Systems		
Tile Profile	Tile Application	Minimum Attachment Resistance
See Specific mortar manufacturer's Notice of Acceptance.		

5. LABELING

All tiles shall bear the imprint or identifiable marking of the manufacturer's name or logo, or following statement: "Miami-Dade County Product Control Approved".


6. BUILDING PERMIT REQUIREMENTS

6.1 Application for building permit shall be accompanied by copies of the following:

6.1.1 This Notice of Acceptance.

6.1.2 Any other documents required by the Building Official in order to properly evaluate the installation of this system.

PROFILE DRAWING



SKANDIA FLAT CONCRETE TILE

Frank Zuloaga, RRC
Roofing Product Control Examiner


APPROVED: December 7, 2000

EXPIRES: December 7, 2005

NOTICE OF ACCEPTANCE: STANDARD CONDITIONS

1. Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documents, including test-supporting data, engineering documents, are no older than eight (8) years.
2. Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Miami-Dade County Product Control Approval", or as specifically stated in the specific conditions of this Acceptance.
3. Renewals of Acceptance will not be considered if:
 - a. There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes.
 - b. The product is no longer the same product (identical) as the one originally approved.
 - c. If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product.
 - d. The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
4. Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
5. Any of the following shall also be grounds for removal of this Acceptance:
 - a. Unsatisfactory performance of this product or process.
 - b. Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
6. The Notice of Acceptance number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
7. A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all time. The engineer need not reseal the copies.
8. Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
9. This Notice of Acceptance consists of pages 1 through 7.

END OF THIS ACCEPTANCE


Frank Zuloaga, RRC
Roofing Product Control Examiner



BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT DIVISION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

PRODUCT CONTROL NOTICE OF ACCEPTANCE

Johns Manville Corp.
717 17 Street (P.O. Box 5108)
Denver ,CO 80217

Your application for Notice of Acceptance (NOA) of:
SBS Modified Bitumen Systems Over Wood Decks
under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This NOA shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at any time from a jobsite or manufacturer's plant for quality control testing. If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined by BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Raul Rodriguez
Chief Product Control Division

ACCEPTANCE NO.: 01-0524.13
EXPIRES: 07/19/2006

**THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL
CONDITIONS
BUILDING CODE & PRODUCT REVIEW COMMITTEE**

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Miami-Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.
Director
Miami-Dade County
Building Code Compliance Office

APPROVED: 07/19/2001

FILE COPY
TOWN OF SEWALL'S POINT
THESE PLANS HAVE BEEN
REVIEWED FOR CODE COMPLIANCE
DATE: _____

BUILDING OFFICIAL
Gene Simmons

ROOFING ASSEMBLY APPROVAL


Category: Roofing
Sub-Category: SBS Modified Bitumen
Deck Type: Wood
Maximum Design Pressure -52.5 psf
Fire Classification: See General Limitation #1

Approval Date: July 19, 2001Expiration Date: July 19, 2006

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
DynaBase	54'-10" x 36"; roll weight: 88 lbs.	ASTM D 5147	An SBS modified bitumen coated, fiber glass reinforced base sheet.
DynaWeld Base	39'-3/8" x 32'-10"; roll weight: 90 lbs	ASTM D 5147	An SBS modified bitumen coated, fiberglass reinforced base sheet for heat welded applications.
DynaFlex	3 x 25	ASTM D 5147	A flexible polyester/glass scrim reinforced, granular-surfaced flashing sheet.
DynaGlas	39'-3/8" x 32'-10"; roll weight: 100 lbs.	ASTM D 6163 Type I	An SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaWeld Cap FR	39'-3/8" x 32'-10" roll weight: 110 lbs.	ASTM D 6163 Type I	A fire resistant SBS modified bitumen membrane surfaced with granules for heat weld applications.
DynaGlas 30 FR	39'-3/8" x 32'-10"; roll weight: 90 lbs.	ASTM D 6163 Type I	A fire resistant SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaGlas FR	39'-3/8" x 32'-10"; roll weight: 101 lbs.	ASTM D 6163 Type I	A fire resistant SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaKap	39'-3/8" x 32'-10"; roll weight: 115 lbs.	ASTM D 6162 Type II	A fiberglass/polyester reinforced SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaKap FR	39'-3/8" x 32'-10"; roll weight: 115 lbs.	ASTM D 6162 Type II	A fire resistant, fiberglass/ polyester reinforced SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
<u>DynaLastic 180</u>	39'-3/8" x 32'-10"; roll weight: 101 lbs.	ASTM D 6164 Type I	A polyester reinforced SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaLastic 180 FR	39'-3/8" x 32'-10"; roll weight: 101 lbs.	ASTM D 6164 Type I	A 180 gram polyester mat reinforced, granular-surfaced, modified bitumen cap sheet for use in fire-rated systems.

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
DynaLastic 180S	37" x 36'-9" roll weight: 90 lbs.	ASTM D 6164 Type I	A 180 gram polyester mat reinforced, modified bitumen cap sheet for use in fire-rated systems.
DynaPly	39-3/8" x 32'-10"; roll weight: 90 lbs.	ASTM D 6162 Grade S Type II	A polyester reinforced SBS modified bitumen ply sheet for use in conventional and modified bitumen built-up roof systems.
DynaLastic 250 FR	39-3/8" x 32'-10"; roll weight: 115 lbs.	ASTM D 6164 Type II	A 250 gram polyester mat reinforced, granular-surfaced, modified bitumen cap sheet for use in fire-rated systems.
DynaMax	39-3/8" x 32'-10"; roll weight: 99 lbs.	ASTM D 6162 Type III	A fiberglass/polyester reinforced SBS modified bitumen membrane surfaced with granules for application in hot asphalt or heat weld.
DynaMax FR	39-3/8" x 32'-10"; roll weight: 116 lbs.	ASTM D 6162 Type III	A fire resistant, fiberglass/ polyester reinforced SBS modified bitumen membrane surfaced with granules for application in hot asphalt.
DynaClad	39-3/8" x 33'-6"; roll weight: 101 lbs.	ASTM D 5147	A foil faced, glass reinforced, SBS modified membrane for application in hot asphalt.
Ventsulation Felt	36" x 36'	ASTM D 4897 Type II	Heavy duty fiber glass base sheet impregnated and coated on both sides with asphalt with or without fine mineral stabilizer. Surfaced on the bottom side with coarse mineral granules embedded in asphaltic coating.
GlasBase	36" x 108'; roll weight: 84 lbs.	ASTM D 4601 Type I	Type II asphalt impregnated and coated glass fiber base sheet for use in conventional and modified bitumen built-up roofing.
GlasBase Plus	36" x 108'; roll weight: 84 lbs.	ASTM D 4601	Type II asphalt impregnated and coated glass fiber base sheet for use in conventional and modified bitumen built-up roofing.
GlasPly IV	36" x 200'	ASTM D 2178 Type IV	Type IV asphalt impregnated glass felt for use in conventional and modified bitumen built-up roofing.
GlasPly Premier	36" x 180'	ASTM D 2178 Type VI	Type VI asphalt impregnated glass felt for use in conventional and modified bitumen built-up roofing.
PermaPly No. 28	36" x 108'; roll weight: 72 lbs.	ASTM D 4601 Type II	Type II asphalt impregnated and coated glass fiber base sheet for use in conventional and modified bitumen built-up roofing.
Fesco Board	various	ASTM C 728	Rigid perlite roof insulation board for built-up roofing systems; available flat or tapered.



Frank Zuloaga, RRC
Roofing Product Control Examiner

Membrane Type: SBS
 Deck Type II: Wood Insulated, New Construction
 Deck Description: ¹/₃₂" or greater plywood or wood plank
 System Type A: Anchor sheet mechanically fastened; all layers of insulation fully adhered with approved asphalt.

All General and System Limitations apply.

<u>Insulation Layer</u>	<u>Fastener Type</u>	<u>Fastening Detail No.</u> (See RAS 117)	<u>Fasteners Per Board</u>	<u>Fastener Density</u>
One or more layers of any of the following insulations: Approved Type(s): AC Foam-II, E'NRG'Y-2, MultiMax Minimum: 1.3" x 4' x 4'	N/A	N/A	N/A	N/A
Approved Type(s): Fesco Foam Minimum: 1.5" x 4' x 4'	N/A	N/A	N/A	N/A
Approved Type(s): Fesco Minimum: 3/4" x 2' x 4'	N/A	N/A	N/A	N/A
Approved Type(s): Retro-Fit Minimum: 1/2" x 2' x 4'	N/A	N/A	N/A	N/A


Note: All insulation shall be adhered to the anchor sheet in full mopping of approved hot asphalt within the EVT range and at a rate of 20-40 lbs/100 ft². Please refer to Roofing Application Standard RAS 117 for insulation attachment. Insulation listed as base layer only shall be used only as base layers with a second layer of approved top layer insulation installed as the final membrane substrate. Composite insulation panels may be used as a top layer placed with the polyisocyanurate side facing down.

Anchor Sheet: Two plies of PermaPly No.28, DynaBase, GlasBase, GlasBase Plus, or Ventsulation fastened to the deck as described below:

Fastening: Anchor sheet shall be lapped 4" and fastened with approved roofing nails and tin caps 9" o.c. at the lap and two rows staggered in the center of the sheet 12" o.c..

Base Sheet: (Optional) One ply of PermaPly No. 28, DynaBase, GlasBase or GlasBase Plus adhered to the insulated substrate in a full mopping of approved asphalt applied within the EVT range and at a rate of 20-40 lbs./sq... If base sheet is applied directly to polyisocyanurate insulation, only a spot or strip mopped application as detailed in this approval is approved; see General Limitation #4.

Ply Sheet: (Optional) One or more plies of GlasPly Premier, Glas Ply IV, DynaLastic L80S, or DynaPly adhered to the a base sheet or perlite top layer with approved mopping of asphalt applied within the EVT range and at a rate of 20-40 lbs/sq..


 Frank Zuloaga, RRC
 Roofing Product Control Examiner

Membrane: One ply of DynaKap, DynaKap FR, DynaMax, DynaMax FR, DynaGlas, DynaGlas FR, DynaGlas 30 FR, ~~DynaLastic 180~~, DynaLastic 180 FR, DynaLastic 250FR or DynaPly adhered in a full mopping of approved asphalt applied within the EVT range and at a rate of 20-40 lbs./sq.. (See application instructions for approved method of installation).

Surfacing: (Optional) Install one of the following:

1. 2-3 gallons TopGard B emulsion/sq. or 2 gallons aluminum coating/sq.. Coatings shall be applied according to the manufacturers' recommendations regarding specific application rates and weathering.
2. Flood coat and gravel/slag with an application rate of 60 lbs./sq. & 400 lbs./sq., respectively.

Maximum Design Pressure: -52.5 (See General Limitation #7).



Frank Zuloaga, RRC
Roofing Product Control Examiner

To Genist
561 775 7419



MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING

BUILDING CODE COMPLIANCE OFFICE
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

PRODUCT CONTROL NOTICE OF ACCEPTANCE

G.A.F. Materials Corporation
1361 Alps Road
Wayne NJ 07470

CONTRACTOR LICENSING SECTION
(305) 375-2527 FAX (305) 375-2558

CONTRACTOR ENFORCEMENT SECTION
(305) 375-2966 FAX (305) 375-2908

PRODUCT CONTROL DIVISION
(305) 375-2902 FAX (305) 372-6339

Your application for Product Approval of:

Original Timberline Asphalt Shingles.

under Chapter 8 of the Code of Miami-Dade County governing the use of Alternate Materials and Types of Construction, and completely described herein, has been recommended for acceptance by the Miami-Dade County Building Code Compliance Office (BCCO) under the conditions specified herein.

This approval shall not be valid after the expiration date stated below. BCCO reserves the right to secure this product or material at anytime from a jobsite or manufacturer's plant for quality control testing.

If this product or material fails to perform in the approved manner, BCCO may revoke, modify, or suspend the use of such product or material immediately. BCCO reserves the right to revoke this approval, if it is determined BCCO that this product or material fails to meet the requirements of the South Florida Building Code.

The expense of such testing will be incurred by the manufacturer.

Acceptance No.: 00-0105.02

Expires: 04/22/2003

Raul Rodriguez
Chief Product Control Division

THIS IS THE COVERSHEET, SEE ADDITIONAL PAGES FOR SPECIFIC AND GENERAL CONDITIONS

BUILDING CODE & PRODUCT REVIEW COMMITTEE

This application for Product Approval has been reviewed by the BCCO and approved by the Building Code and Product Review Committee to be used in Dade County, Florida under the conditions set forth above.

Francisco J. Quintana, R.A.

Director
Miami-Dade County
Building Code Compliance Office

Approved: 04/21/2000

G.A.F. MATERIALS CORPORATION

Product Control No.: 00-0105.02

**PRODUCT CONTROL NOTICE OF ACCEPTANCE
ROOFING SYSTEM APPROVAL**

Applicant:
GAF Materials Corp.
1361 Alps Road
Wayne, New Jersey 07470

Product Control No: 00-0105.02Approval Date: April 21, 2000Expiration Date: April 22, 2003**1. SCOPE**

This renews GAF Timberline Asphalt as manufactured by GAF Materials Corp. described in Section 2 of this Notice of Acceptance, designed to comply with the South Florida Building Code, 1994 Edition for Miami-Dade County.

Category: Roofing
Sub Category: Shingles, Dimensional

3. PRODUCT DESCRIPTION

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
GAF Timberline	13 1/2" x 39 1/2"	PA 110	Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile

4. LIMITATIONS

- 4.1 Fire classification is not part of this acceptance, refer to a current Approved Roofing Materials Directory for fire ratings of this product.
- 4.2 Shall not be installed on roof mean heights in excess of 33 ft.

5. INSTALLATION


- 5.1 Shingles shall be installed in compliance with Miami-Dade County Product Control Shingle Installation Procedure No. 115.
- 5.2 Flashings shall be in accordance with Section 9.3 Option "B" (Step-flashings) of Miami-Dade County Product Control Shingle Installation Procedure No. 115
- 5.3 The manufacturer shall provide clearly written application instructions.
- 5.4 Exposure and course layout shall be in compliance with Detail 'A', attached.
- 5.5 Nailing shall be in compliance with Detail 'B', attached.

6. LABELING

- 6.1 Shingles shall be labeled with the Miami-Dade Logo or the wording "Miami-Dade County-Dade Product Control Approved".

7. BUILDING PERMIT REQUIREMENTS


- 7.1 Application for building permit shall be accompanied by copies of the following:
- 7.1.1 This Notice of Acceptance.
- 7.1.2 Any other documents required by the Building Official or the South Florida Building Code (SFBC) in order to properly evaluate the installation of this system.



 Frank Zuloaga, RRC
 Roofing Product Control Examiner

G.A.F. MATERIALS CORPORATION

Product Control No.: 00-0105.02

DETAIL A





Frank Zuloaga, RRC
Roofing Product Control Examiner


G.A.F. MATERIALS CORPORATION

Product Control No.: 00-0105.02

DETAIL B



Front Side



Back Side

Frank Zuloaga, RRC
Roofing Product Control Examiner

G.A.F. MATERIALS CORPORATION

Product Control No.: 00-0105.02

G.A.F. Materials Corp.
1361 Alps Road
Wayne, N.J. 07470


ACCEPTANCE NO: 00-0105.02
APPROVED: April 21, 2000
EXPIRES: April 22, 2003

NOTICE OF ACCEPTANCE STANDARD CONDITIONS

- 1 Renewal of this Acceptance (approval) shall be considered after a renewal application has been filed and the original submitted documentation, including test supporting data, engineering documents, are no older than eight (8) years.
- 2 Any and all approved products shall be permanently labeled with the manufacturer's name, city, state, and the following statement: "Metro-Dade County Product Control Approved", or as specifically stated in the specific conditions of this Acceptance.
- 3 Renewals of Acceptance will not be considered if:
 - a) There has been a change in the South Florida Building Code affecting the evaluation of this product and the product is not in compliance with the code changes;
 - b) The product is no longer the same product (identical) as the one originally approved;
 - c) If the Acceptance holder has not complied with all the requirements of this acceptance, including the correct installation of the product;
 - d) The engineer who originally prepared, signed and sealed the required documentation initially submitted, is no longer practicing the engineering profession.
- 4 Any revision or change in the materials, use, and/or manufacture of the product or process shall automatically be cause for termination of this Acceptance, unless prior written approval has been requested (through the filing of a revision application with appropriate fee) and granted by this office.
- 5 Any of the following shall also be grounds for removal of this Acceptance:
 - a) Unsatisfactory performance of this product or process;
 - b) Misuse of this Acceptance as an endorsement of any product, for sales, advertising or any other purposes.
- 6 The Notice of Acceptance number preceded by the words Metro-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the Notice of Acceptance is displayed, then it shall be done in its entirety.
- 7 A copy of this Acceptance as well as approved drawings and other documents, where it applies, shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at all times. The copies need not be resealed by the engineer.
- 8 Failure to comply with any section of this Acceptance shall be cause for termination and removal of Acceptance.
- 9 This Acceptance contains pages 1 through 5

END OF THIS ACCEPTANCE

Page 5 of 5



Frank Zuloaga, RRC
Roofing Product Control Examiner



TOWN OF SEWALL'S POINT

One South Sewall's Point Road
Sewall's Point, Florida 34996
(561) 287-2455

CORRECTION NOTICE

ADDRESS: 1 Pineapple Ln.

I have this day inspected this structure and these premises and have found the following violations of the City, County, and/or State laws governing same.

Sheathing + T Tag

Gables to be nailed 4" OC
4' back

You are hereby notified that no work shall be concealed upon these premises until the above violations are corrected. When corrections have been made, call for an inspection.

DATE: 2/18/2





[Signature]
INSPECTOR

DO NOT REMOVE THIS TAG

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri February 18, 2008 Page 1 of 1.

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5391	PITTINOS 117 HENRY SEWALL WAY JMC	CO - FINAL		SPOKE W/ HELMUT ABOUT SWAPPING OUT COOR TOE INSPECTOR:
5663	HORUN 11 PEAR WINKLE. DECOR.	SHEATHING. FRAMING.	Passal	 INSPECTOR: 
5680	KENNEDY. 3 S. RIDGEVIEW RD. PACIFIC.	SHEATHING. CALL 263-0116 FOR TIME	Passal	partial INSPECTOR: 
5687	DOUGHER	SHEATHING & FINISH	Passal	9:00
	1 PINEAPPLE. STUART ROOFING	CALL 692-9856 FOR TIME		INSPECTOR: 
5645	12 Copaire	Pool repair new deck	need: Permit Survey	new deck portion INSPECTOR: 
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
				INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
				INSPECTOR:

OTHER: _____

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri ~~February 20~~, 2002; Page 1 of .

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5022	SMITH 133 S. RIVER RD. MACARI	ROOF SHEATHING + TRUSS ENGIN.		INSPECTOR:
5674	MANGAN 16 PELAWINKLE LA QUANTITY	FINAL FENCE	Passed	INSPECTOR:
5655	M'CALLAHAN 3 QUAIL RUN QUANTITY FENCE	FINAL FENCE	Passed	INSPECTOR:
5669	WINTER	SHEATHING	Passed	
6	1 PINEAPPLE LN. STUART. ROOFING.	11:00.		INSPECTOR: <i>h</i>
5567	WEBER 4 MANDALAY BURFORD	LATH. A/C. STL	Passed Failed	INSPECTOR:
5431	HALL 601 S. RIVER RD. WINCHIP	FOOTING.	PASSED	INSPECTOR:
0	85 N Sewalls Pt.		OK - →	Check activity Permit date 10/ INSPECTOR:

OTHER: _____

TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri March 13, 2001; Page 2 of 2.

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5669	DRUCKER	FINAL ROOF	Passed	
(6)	1 PINEAPPLE STUART ROOFING			INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5381	NALPAC BAY PLACE.		Passed	
(1)	HA ROOFMAN.	CALL 719 8737.		INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5713	HOOVER	FTG.	Failed	
(4)	175 S. SEWALLS PT RD O/B			INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5573	FLAUCH	STRAPS.	Passed	→ change word letter
(2)	6 LINDALUCHE HOFFNAGEL	260 9618		INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5636	Francis	Tie Beam	Passed	
(12)	3 S. River Rd. Wilbridge			INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
5585	PERRON 4 PALAMA WAY ORANGEWOOD	POOL FINAL	Passed	INSPECTOR:
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	NOTES/COMMENTS:
				INSPECTOR:

OTHER: _____

10792

REROOF



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-220-4765

BUILDING PERMIT CARD

THIS CARD MUST BE POSTED IN A CONSPICUOUS PLACE IN PLAIN VIEW FROM THE STREET PRIOR TO BEGINNING ANY WORK

A FINAL INSPECTION IS REQUIRED FOR ALL PERMITS

PERMIT NUMBER:	10792	DATE ISSUED:	03/04/2014
SCOPE OF WORK:	REROOF		
CONTRACTOR:	ADVANCED CONCEPTS GROUP, INC		
PARCEL CONTROL NUMBER:	123841000000603	SUBDIVISION	PINEAPPLE LANE
CONSTRUCTION ADDRESS:	1 PINEAPPLE LANE		
OWNER NAME:	ANTHONY LAGANA		
QUALIFIER:	ANTHONY LAGANA	CONTACT PHONE NUMBER:	772 219-1044

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A CERTIFIED COPY OF THE RECORDED NOTICE OF COMMENCEMENT MUST BE SUBMITTED TO THE BUILDING DEPARTMENT PRIOR TO THE FIRST REQUESTED INSPECTION.

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN PUBLIC RECORDS OF THIS COUNTY, AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

**24 HOUR NOTICE REQUIRED FOR INSPECTIONS - ALL CONSTRUCTION DOCUMENTS MUST BE AVAILABLE ON SITE
 CALL 287-2455 - 8:00AM TO 4:00PM INSPECTIONS: 9:00AM TO 3:00PM - MONDAY THROUGH FRIDAY**

INSPECTIONS

UNDERGROUND PLUMBING	_____	UNDERGROUND GAS	_____
UNDERGROUND MECHANICAL	_____	UNDERGROUND ELECTRICAL	_____
STEM-WALL FOOTING	_____	FOOTING	_____
SLAB	_____	TIE BEAM/COLUMNS	_____
ROOF SHEATHING	_____	WALL SHEATHING	_____
TIE DOWN /TRUSS ENG	_____	INSULATION	_____
WINDOW/DOOR BUCKS	_____	LATH	_____
ROOF DRY-IN/METAL	_____	ROOF TILE IN-PROGRESS	_____
PLUMBING ROUGH-IN	_____	ELECTRICAL ROUGH-IN	_____
MECHANICAL ROUGH-IN	_____	GAS ROUGH-IN	_____
FRAMING	_____	METER FINAL	_____
FINAL PLUMBING	_____	FINAL ELECTRICAL	_____
FINAL MECHANICAL	_____	FINAL GAS	_____
FINAL ROOF	_____	BUILDING FINAL	_____

ALL RE-INSPECTION FEES AND ADDITIONAL INSPECTION REQUESTS WILL BE CHARGED TO THE PERMIT HOLDER. THE CONTRACTOR OR OWNER /BUILDER MUST SCHEDULE A FINAL INSPECTION. FAILURE TO RECEIVE A SUCCESSFUL FINAL INSPECTION WILL RESULT IN PERMIT RENEWAL FEES, FINES, AND OR DENIAL OF FUTURE BUILDING PERMITS TO THE CONTRACTOR OR OWNER /BUILDER.



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-220-4765

BUILDING PERMIT RECEIPT

PERMIT NUMBER:	10792
ADDRESS	11 PINEAPPLE LANE
DATE 03/04/2014	SCOPE OF WORK REROOF


SINGLE FAMILY OR ADDITION /REMODEL	Declared Value	\$	
Plan Submittal Fee (\$350.00 SFR, \$175.00 Remodel < \$200K) (No plan submittal fee when value is less than \$100,000)		\$	
Total square feet air-conditioned space: (@ \$121.75 per sq. ft.)		s.f.	
Total square feet non-conditioned space, or interior remodel: (@ \$59.81 per sq. ft.)		s.f.	
Total square feet remodel with new trusses: @ \$90.78 per sq. ft.		\$	
Total Construction Value:		\$	
Building fee: (2% of construction value SFR or >\$200K)		\$	
Building fee: (1% of construction value < \$200K + \$100 per insp.)			
Total number of inspections (Value < \$200K)@\$100ea		\$	
Dept. of Comm. Affairs Fee: (1.5% of permit fee - \$2.00 min		\$	
DBPR Licensing Fee: (1.5% of permit fee - \$2.00 min.)		\$	
Road impact assessment: (.04% of construction value - \$5 min.)			
Martin County Impact Fee:		\$	
TOTAL BUILDING PERMIT FEE:		\$	

ACCESSORY PERMIT	Declared Value:	\$	
Total number of inspections @ \$100.00 each	3		300.00
Dept. of Comm. Affairs Fee: (1.5% of permit fee - \$2.00 min		\$	4.50
DBPR Licensing Fee: (1.5% of permit fee - \$2.00 min.)		\$	4.50
Road impact assessment: (.04% of construction value - \$5 min.)		\$	5.00
TOTAL ACCESSORY PERMIT FEE:		\$	314.00

*Pa 3/4/14
 CK1798*



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765



**REVISIONS – CORRECTIONS REQUEST FORM
 MUST BE SUBMITTED FOR ALL CORRECTIONS AND REVISIONS**

DATE: 6/17/14 PERMIT NUMBER: 10792

JOB ADDRESS: 1 PINEAPPLE LANE

PLEASE CHECK ONE OF THE FOLLOWING:

- CONDITION OF INSPECTION APPROVAL (Needed for an inspection)
- CONDITION OF PERMIT APPROVAL: (Corrections/Permit not issued, in review process)
- REVISIONS (Changes to an issued permit)

****ALL PLAN REVISIONS MUST BE HIGHLIGHTED OR CLOUDED ON DRAWING****

ALL REVISED PAGES ARE REQUIRED TO BE INSERTED IN FIELD PERMIT SET

DESCRIPTION OF REVISION(S): CHANGE OF ROOFING MATERIAL
FROM ARCH SHINGLE TO 5U CRIMP METAL

DOES REVISION(S) CHANGE THE VALUE OF CONSTRUCTION? YES X NO _____ VALUE \$ 900⁰⁰ APPROX
 INCREASED CONSTRUCTION VALUE WILL INCREASE PERMIT FEES AND MUST BE PAID AT TIME OF APPROVAL

CONTACT NAME: TONY LAGANA SIGNATURE: Tony Lagan

PHONE NUMBER: 772-219-1044 FAX NUMBER: _____

FOR OFFICE USE ONLY:

Reviewed by: [Signature] Date: 6-19-14 Approve Deny _____

Additional conditioned space _____ sq. ft. @ \$104.65 per sq. ft. _____ x 2% = _____

Additional non-conditioned space _____ sq. ft. @ \$ 48.90 per sq. ft. _____ x 2% = _____

Other declared value increase (must be based on value not cost) _____ x 2% = _____

Other additional fees: _____ Revision review fee: _____ Pages @ \$25.00/Page _____

Radon Fee _____ Professional Regulation Fee _____ Road impact assessment _____

TOTAL ADDITIONAL BUILDING PERMIT FEE \$ n/c

Applicant notified by: _____ Date: _____

**Town of Sewall's Point
BUILDING PERMIT APPLICATION**

Date: 2/25/14

Permit Number: 10792

OWNER/LESSEE NAME: Anthony R. Lagana Phone (Day) 772-219-1044 (Fax) _____
 Job Site Address: 1 Pineapple Lane City: Stuart State: FL Zip: 34996
 Legal Description Pineapple Lane Lot 6 Parcel Control Number: 12-38-41-003-000-00060-3
 Fee Simple Holder Name: Anthony R. Lagana Address: 19 East High Point Road
 City: Stuart State: FL Zip: 34996 Telephone: 772-219-1044

***SCOPE OF WORK (PLEASE BE SPECIFIC):** REMOVE OLD ROOF - INSTALL NEW SHINGLES

WILL OWNER BE THE CONTRACTOR?
 (If yes, Owner Builder questionnaire must accompany application)
 YES _____ NO X
Has a Zoning Variance ever been granted on this property?
 YES _____ (YEAR) _____ NO X
 (Must include a copy of all variance approvals with application)

COST AND VALUES: (Required on ALL permit applications)
 Estimated Value of Improvements: \$ 9400.00
 (Notice of Commencement required when over \$2500 prior to first inspection, \$7,500 on HVAC change out)
 Is subject property located in flood hazard area? VE10 X AE9 _____ AEB _____ X
FOR ADDITIONS, REMODELS AND RE-ROOF APPLICATIONS ONLY:
 Estimated Fair Market Value prior to improvement: \$ 149,350.00
 (Fair Market Value of the Primary Structure only, Minus the land value)
 PRIVATE APPRAISALS MUST BE SUBMITTED WITH PERMIT APPLICATION

Construction Company: Advanced Concepts Group, Inc. Phone: 772-219-1044 Fax: _____
 Qualifiers name: Anthony R. Lagana Street: 19 East High Pt. Rd City: Stuart State: FL Zip: 34996
 State License Number: CCC057601 OR: Municipality: _____ License Number: _____
LOCAL CONTACT: Tony Lagana Phone Number: 772-219-1044

DESIGN PROFESSIONAL: _____ Fla. License# _____
 Street: _____ City: _____ State: _____ Zip: _____ Phone Number: _____

AREAS SQUARE FOOTAGE: Living: _____ Garage: _____ Covered Patios/ Porches: _____ Enclosed Storage: _____
 Carport: _____ Total under Roof _____ Elevated Deck: _____ Enclosed area below BFE*: _____
 * Enclosed non-habitable areas below the Base Flood Elevation greater than 300 sq. ft. require a Non-Conversion Covenant Agreement.


CODE EDITIONS IN EFFECT THIS APPLICATION: Florida Building Code (Structural, Mechanical, Plumbing, Existing, Gas): 2010
 National Electrical Code: 2008, Florida Energy Code: 2010, Florida Accessibility Code: 2010, Florida Fire Prevention Code: 2010


WARNINGS TO OWNERS AND CONTRACTORS:

1. YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. WHEN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION.
2. IT IS YOUR RESPONSIBILITY TO DETERMINE IF YOUR PROPERTY IS ENCUMBERED BY ANY DEED RESTRICTIONS. SOME RESTRICTIONS APPLICABLE TO THIS PROPERTY MAY BE FOUND IN THE PUBLIC RECORDS OF MARTIN COUNTY OR THE TOWN OF SEWALL'S POINT. THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.
3. BUILDING PERMITS FOR SINGLE FAMILY RESIDENCES AND SUBSTANTIAL IMPROVEMENTS TO SINGLE FAMILY RESIDENCES ARE VALID FOR A PERIOD OF 24 MONTHS. RENEWAL FEES WILL BE ASSESSED AFTER 24 MONTHS PER TOWN ORDINANCE 50-95.
4. THIS PERMIT WILL BECOME NULL AND VOID IF THE WORK AUTHORIZED BY THIS PERMIT IS NOT COMMENCED WITHIN 180 DAYS, OR IF WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER THE WORK IS COMMENCED. ADDITIONAL FEES WILL BE ASSESSED ON ANY PERMIT THAT BECOMES NULL AND VOID. REF. FBC 2007 SECT. 105.4.1, 105.4.1.1 - .6.

******* A FINAL INSPECTION IS REQUIRED ON ALL BUILDING PERMITS *******

AFFIDAVIT: APPLICATION IS HEREBY MADE TO OBTAIN A PERMIT TO DO THE WORK AS SPECIFICALLY INDICATED ABOVE. I CERTIFY THAT NO WORK OR INSTALLATION HAS COMMENCED PRIOR TO THE ISSUANCE OF A PERMIT AND THAT THE INFORMATION I HAVE FURNISHED ON THIS APPLICATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. I AGREE TO COMPLY WITH ALL APPLICABLE CODES, LAWS, AND ORDINANCES OF THE TOWN OF SEWALL'S POINT DURING THE BUILDING PROCESS.

OWNER/AGENT/LESSEE - NOTARIZED SIGNATURE:
Anthony R. Lagana
 State of Florida, County of: MARTIN
 On This the 27th day of FEBRUARY, 2014
 by _____ who is personally
 known to me or produced FLD/L 250-016-44-252-0
 As identification: Christine C. Bergeron
 My Commission Expires: _____


CONTRACTOR/LICENSEE NOTARIZED SIGNATURE:
Anthony R. Lagana
 State of Florida, County of: MARTIN
 On This the 27th day of FEBRUARY, 2014
 by _____ who is personally
 known to me or produced FLD/L 250-016-44-252-0
 As identification: Christine C. Bergeron
 My Commission Expires: _____


SINGLE FAMILY PERMIT APPLICATIONS MUST BE ISSUED WITHIN 30 DAYS OF APPROVAL. NOTIFICATION FEE: \$103.41. ALL OTHER APPLICATIONS WILL BE CONSIDERED ABANDONED AFTER 10 DAYS (FBC 105.3.2) - PLEASE PICK UP YOUR PERMIT PROMPTLY!



Martin County, Florida
Laurel Kelly, C.F.A

Site Provided by...
 governmentmax.com 1.11

Summary



Tabs

Summary

- Print View
- Land
- Improvements
- Assessments & Exemptions
- Sales
- Taxes ➡
- NEW: Navigator
- Parcel Map ➡
- Notice of Prop. Taxes ➡

Parcel ID	Account #	Unit Address	Market Total Value	Websi Updat
12-38-41-003-000-00060-3 27625		1 PINEAPPLE LN, SEWALL'S POINT	\$297,850	2/22/2

Owner Information

Owner(Current)	LAGANA ANTHONY R
Owner/Mail Address	1 PINEAPPLE LN STUART FL 34996
Sale Date	5/15/2008
Document Book/Page	2329 2626
Document No.	2085668
Sale Price	275000

Searches

- Parcel ID
- Owner**
- Address
- Account #
- Use Code
- Legal Description
- Neighborhood
- Sales
- Navigator
- Maps ➡

		Location/Description	
Account #	27625	Map Page No.	SP-05
Tax District	2200	Legal Description	PINEAPF LANE, L' 6
Parcel Address	1 PINEAPPLE LN, SEWALL'S POINT		
Acres	.4210		

Parcel Type

Use Code	0100 Single Family
Neighborhood	120400 Hmwd,Palm Ro,Kngstn,Okwd, Pine

Functions

- Property Search
- Contact Us
- On-Line Help
- County Home
- Site Home
- County Login

Assessment Information

Market Land Value	\$148,500
Market Improvement Value	\$149,350
Market Total Value	\$297,850

[Print](#) [Back to List](#) [First](#) [Previous](#) [Next](#) [Last](#)

Legal Disclaimer / Privacy Statement



STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

LAGANA, ANTHONY R
ADVANCED CONCEPTS GROUP INC
19 EAST HIGH POINT ROAD
STUART FL 34996

Congratulations! With this license you become one of the nearly one million Floridians licensed by the Department of Business and Professional Regulation.

Every day we work to improve the way we do business in order to serve you better. For information about our services, please log onto www.myfloridalicense.com.

Our mission at the Department is: License Efficiently, Regulate Fairly. We constantly strive to serve you better so that you can serve your customers.

License stamp area containing: STATE OF FLORIDA, DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION, AC# 6283333, CCC057601, 08/20/12 128045790, CERTIFIED ROOFING CONTRACTOR, LAGANA, ANTHONY R, ADVANCED CONCEPTS GROUP INC, IS CERTIFIED under the provisions of Ch. 489 FS, Expiration date: AUG 31, 2014 L12082001880

DETACH HERE

THIS DOCUMENT HAS A COLORED BACKGROUND • MICROPRINTING • LINEMARK™ PATENTED PAPER

AC#6283333

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L12082001880

Table with 3 columns: DATE, BATCH NUMBER, LICENSE NBR. Row 1: 08/20/2012, 128045790, CCC057601

The ROOFING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2014

LAGANA, ANTHONY R
ADVANCED CONCEPTS GROUP INC
19 EAST HIGH POINT ROAD
STUART FL 34996

RICK SCOTT
GOVERNOR

KEN LAWSON
SECRETARY

DISPLAY AS REQUIRED BY LAW

CERTIFICATE OF COMPLETION

awarded to

Anthony R. Lagana

License # CBC 048873; CCC 057601; CFC 1426614; HI 5876

For completion of 3 hours of

Wind Mitigation and OIR 1802

This course includes a proctored exam on the materials

Presented by the

BOAF / FHBA

Gary Brevoort

President

Date: *May 13, 2013*

Issuing Authority

BOAF / FHBA

John Farinelli, CBO, MCP, ICCBAP

5/13/13
Date



CERTIFICATE OF LIABILITY INSURANCE

ADVAN-4

OP ID: SH

DATE (MM/DD/YYYY)
02/21/2014

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Post Insurance & Financial, In Katherine E. Post 146 NW Central Park Plaza, 102 Port St. Lucie, FL 34986 Katherine Post	CONTACT NAME: Post Insurance PHONE (A/C, No, Ext): 772-878-8184 FAX (A/C, No): 772-878-8292 E-MAIL ADDRESS: <table style="width:100%; border: none;"> <tr> <td style="text-align: center; border-top: 1px solid black;">INSURER(S) AFFORDING COVERAGE</td> <td style="text-align: center; border-top: 1px solid black;">NAIC #</td> </tr> <tr> <td>INSURER A : Mid-Continent Casualty Co</td> <td></td> </tr> <tr> <td>INSURER B :</td> <td></td> </tr> <tr> <td>INSURER C :</td> <td></td> </tr> <tr> <td>INSURER D :</td> <td></td> </tr> <tr> <td>INSURER E :</td> <td></td> </tr> <tr> <td>INSURER F :</td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE	NAIC #	INSURER A : Mid-Continent Casualty Co		INSURER B :		INSURER C :		INSURER D :		INSURER E :		INSURER F :	
INSURER(S) AFFORDING COVERAGE	NAIC #														
INSURER A : Mid-Continent Casualty Co															
INSURER B :															
INSURER C :															
INSURER D :															
INSURER E :															
INSURER F :															
INSURED Advanced Concepts Group, Inc. 2461 SE Ocean Blvd. Stuart, FL 34996															

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR			04GL000811042	01/15/2014	01/15/2015	EACH OCCURRENCE \$ 500,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ excluded PERSONAL & ADV INJURY \$ 500,000 GENERAL AGGREGATE \$ 1,000,000 PRODUCTS - COMPI/OP AGG \$ 1,000,000 \$
	GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (PER ACCIDENT) \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below		N/A				<input type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER <p style="text-align: center;">TOWNO-7</p> Town of Sewalls Point 1 South Sewalls Point Rd Sewalls Point, FL 34996	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
---	--

Account Detail


Print

Report Date: 2/26/2014

Owner Name: LAGANA, ANTHONY R.
Business Name: ADVANCED CONCEPTS GROUP, INC.
DBA:
Business Address: 19 E HIGH POINT RD
STUART,, FL 34996-7003
Business Phone: (772)219-1044
Owner Phone:
License Number: 2005-513-21
Begin Date: 4/1/2005

History

Account Number: 21.000
Business Name: ADVANCED CONCEPTS GROUP, INC.
Business Address: 19 E HIGH POINT RD
STUART,, FL 34996-7003
Owner Name: LAGANA, ANTHONY R.
Date Stamp: 10/2/2013
Status: A



Force Engineering & Testing Inc.
19530 Ramblewood Drive
Humble, TX 77338

Product Evaluation Report
GULF COAST SUPPLY & MANUFACTURING, LLC.

26 Ga. 5V Crimp Roof Panel over 15/32" Plywood

Florida Product Approval # 11651.12 R1

Florida Building Code 2010
Per Rule 9N-3
Method: 1 -D


Category: Roofing
Subcategory: Metal Roofing
Compliance Method: 9N-3.005(1)(d)
HVHZ

Product Manufacturer:
GULF COAST SUPPLY & MANUFACTURING, LLC.
4020 S.W. 449th Street
Horseshoe Beach, Florida 32648

Engineer Evaluator:
Terrence E. Wolfe, P.E. # 44923
Florida Evaluation ANE ID: 1920

Validator:
Locke Bowden, P.E., FL #49704
9450 Alysbury Place
Montgomery, AL 36117

Contents:
Evaluation Report Pages 1 - 4






Force Engineering & Testing Inc.
 19530 Ramblewood Drive
 Humble, TX 77338


- Compliance Statement:** The product as described in this report has demonstrated compliance with the Florida Building Code 2010, Sections 1504.3.2, 1518.9, 1523.6.5.2.4.
- Product Description:** SV Crimp Roof Panel, 26 Ga. Steel, 24" Coverage, through fastened roof panel over 15/32" Plywood decking. Non-Structural Application.
- Panel Material/Standards:** Material: Minimum 26 Ga. Steel, ASTM A792 or ASTM A653 G90 conforming to Florida Building Code 2010 Section 1507.4.3.
 Paint Coating: Valspar Fluropon Coating (Optional)
 Yield Strength: Min. 50.0 ksi
 Corrosion Resistance: Panel Material shall comply with Florida Building Code 2010, Section 1507.4.3
- Panel Dimension(s):** Thickness: 0.018" min.
 Width: 24" Coverage
 Rib Height: 3/8" major rib
 Panel Rollformer: Rollformer Corp.
- Panel Fastener:** #9-15 x 1-1/2" WoodZac w/ Zac Head with sealing washing through panel rib.
 1/4" minimum penetration through plywood
 Corrosion Resistance: Per Florida Building Code 2010, Section 1506.6, 1507.4.4
- Substrate Description:** Min. 15/32" thick, APA Rated plywood over supports at maximum 24" O.C.
 Design of plywood and plywood supports are outside the scope of this evaluation. Must be designed in accordance w/ Florida Building Code 2010.
- Design Uplift Pressures:**

Table "A"

Maximum Total Uplift Design Pressure:	108.5 psf	156.5 psf
Fastener Pattern:	Panel Rib	Panel Rib
Fastener Spacing:	12" O.C.	6" O.C.


*Design Pressure includes a Safety Factor = 2.0






Force Engineering & Testing Inc.
 19530 Ramblewood Drive
 Humble, TX 77338

- Code Compliance:** The product described herein has demonstrated compliance with The Florida Building Code 2010, Section 1504.3.2, 1518.9, 1523.6.5.2.4.
- Evaluation Report Scope:** The product evaluation is limited to compliance with the structural wind load requirements of the Florida Building Code 2010, as relates to Rule 9N-3.
- Performance Standards:** The product described herein has demonstrated compliance with:
- TAS 125-03
 - UL 580-06 - Test for Uplift Resistance of Roof Assemblies
 - UL 1897-04 - Uplift Test for Roof Covering Systems
 - TAS 100-95 - Test Procedure for Wind and Wind Driven Rain Resistance of Discontinuous Roof Systems
 - TAS 110-00 - Accel. Weathering ASTM G 26 / Salt Spray ASTM B 117
- Reference Data:**
1. TAS 125-03: UL 580-94 / 1897-98 Uplift Test
 Force Engineering & Testing, Inc. (FBC Organization # TST-5328)
 Report No. 117-0065T-07A-C, Dated 01/26/2007
 2. TAS 100-95
 Farabaugh Engineering & Testing, Inc. (FBC Organization # TST-1654)
 Report No. T130-07, Dated 02/28/2007
 Report No. T215-08, Dated 07/08/2008
 3. TAS 110-00: Valspar Fluropon coated metal panel testing
 A) ASTM G 26 by PRI Asphalt Technologies dated 01/19/2004
 B) ASTM B 117 by PRI Asphalt Technologies dated 01/19/2004
 4. Certificate of Independence
 By Terrence E. Wolfe, P.E. (No. 44923) @ Force Engineering & Testing, Inc.
 (FBC Organization # ANE ID: 1920)
- Test Standard Equivalency:**
1. The UL 580-94 test standard is equivalent to the UL 580-06 test standard.
 2. The UL 1897-98 test standard is equivalent to the UL 1897-04 test standard.
- Quality Assurance Entity:** The manufacturer has established compliance of roof panel products in accordance with the Florida Building Code and Rule 9N-3.005 (3) for manufacturing under a quality assurance program audited by an approved quality assurance entity.





Force Engineering & Testing Inc.
19530 Ramblewood Drive
Humble, TX 77338

Minimum Slope Range: 2:12. Minimum Slope shall comply with Florida Building Code 2010, including Section 1515.2 and in accordance with Manufacturers recommendations. For slopes less than 3:12, lap sealant must be used in the panel side laps.


Installation: Install per manufacturer's recommended details and RAS 133.

Underlayment: Per Manufacturer's installation guidelines per Florida Building Code 2010 Section 1518.2, 1518.3, 1518.4.

Fire Barrier: Any approved fire barrier having a current NOA. Refer to a current fire directory listing for fire ratings of this roofing system assembly as well as the location of the fire barrier within the assembly. Fire classification is not part of this acceptance.

Shear Diaphragm: Shear diaphragm values are outside the scope of this report.

Design Procedure: Based on the dimensions of the structure, appropriate wind loads are determined using Chapter 16 of the Florida Building Code 2010 for roof cladding wind loads. These component wind loads for roof cladding are compared to the allowable pressure listed above. The design professional shall select the appropriate erection details to reference in his drawings for proper fastener attachment to his structure and analyze the panel fasteners for pullout and pullover. Support framing must be in compliance with Florida Building Code 2010 Chapter 22 for steel, Chapter 23 for wood and Chapter 16 for structural loading.





DEPARTMENT OF PERMITTING, ENVIRONMENT, AND REGULATORY
AFFAIRS (PERA)
BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786)315-2590 F (786) 31525-99
www.miamidade.gov/pera

Interwrap, Inc.
32923 Mission Way
Mission, BC, Canada V2V-6E4

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County PERA - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. PERA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Titanium-UDL™ 30 / Titanium PSU-30 and Titanium-UDL™ 25 PLUS / Titanium™ PSU-30 Underlayment System

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of pages 1 through 5.

The submitted documentation was reviewed by Jorge L. Acebo.



NOA No.: 11-0815.05
Expiration Date: 01/26/17
Approval Date: 01/26/12
Page 1 of 5

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Underlayment
Material: Polypropylene

TRADE NAMES OF PRODUCTS MANUFACTURED BY APPLICANT

TABLE 1

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Titanium-UDL™ 25 PLUS <i>Manufacturing Location #1& #2</i>	48" x 250' rolls	ASTM D226 Type I & II	Woven synthetic polymer underlayment with one side coated with UV protected and slip resistant polymer stabilized polypropylene on both sides.
Titanium-UDL™ 30 <i>Manufacturing Location #1& #2</i>	48" x 250' rolls	ASTM D226 Type I & II	Woven synthetic polymer underlayment with two sides coated with UV protected and slip resistant polymer stabilized polypropylene on both sides.
Titanium™ PSU-30 <i>Manufacturing Location #3</i>	36" x 72' rolls	TAS 103	Unreinforced polymer modified bitumen material adhered to the underside of a polymer-coated, synthetic woven sheet. The underside is backed with a release film.

MANUFACTURING LOCATIONS:

1. ML1
2. ML3
3. ML4

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>	
Intertek Testing Services	#3031783	TAS 104	02/19/03	
	3119607COQ-003B	ICC-ES AC48	02/20/08	
	3124826-01	ASTM E108	02/19/08	
	3124826MID-007	ASTM E108	02/25/08	
	3118010COQ-003	ASTM D226	02/20/08	
	3130639COQ-002A	ASTM D226	02/20/08	
	3146738COQ-003A	ASTM D226	04/22/08	
	3146738COQ-003B	ASTM D 1876/ TAS 117	03/28/08	
	Trinity ERD	I15010.05.10	ASTM D4798 / D226	05/14/10
		I35520.06.11	TAS 103 / TAS 104	06/15/11
I38010.08.11		ASTM D226	08/11/11	
I35520.08.11		ASTM D2523 / D1781	08/17/11	
I35520.08.11-1		TAS 114	08/12/11	
	I35520.06.11	TAS 103 / TAS 104	06/15/11	



NOA No.: 11-0815.05
 Expiration Date: 01/26/17
 Approval Date: 01/26/12
 Page 2 of 5

APPROVED TITANIUM UNDERLAYMENT SYSTEM ASSEMBLIES:

- Deck Type 1:** Wood
- Deck Description:** 1⁹/₃₂" or greater plywood or wood plank
- System E(1):** Base sheet mechanically fastened to deck, subsequent cap membrane self- adhered.

All General and System Limitations shall apply.

- Base sheet:** One or more plies of Titanium-UDL™ 25 PLUS or Titanium-UDL™ 30 applied with minimum 4" horizontal laps and minimum 6" vertical laps and mechanically fastened as noted below.
Note: Titanium-UDL™ 30 shall be inverted to provide a smooth bonding surface. Primer is not required when Titanium-UDL™ 30 is installed inverted (printed side facing down)
- Fastening:** Miami-Dade approved nails & metal/tin caps spaced 6" o.c. at the 4" horizontal laps and 8" o.c. in a grid pattern having three, equally spaced, staggered rows in the field of the sheet.
- Primer:** Metal/Tin caps shall be primed with ASTM D41 primer
- Ply Sheet:** (Optional) Titanium™ PSU-30, self-adhered with minimum 3" horizontal laps and minimum 6" vertical laps.
- Membrane:** Titanium™ PSU-30, self-adhered, with minimum 3" horizontal laps and minimum 6" vertical laps. Place the first course of Titanium™ PSU-30 parallel to the eave and field, using a heavy pressure roller under safe conditions to further secure the membrane.
- Surfacing:** Approved for asphalt shingle, mechanically fastened roof tile, foam-on roof tile, metal roofing, wood shakes & shingles or slate roof assemblies.
- Note:** For tile roof assemblies, refer to RAS 118, 119 or 120 and the tile manufacturer's NOA. For foam-on tile roof assemblies, approved use with Polyfoam Products PolyPro AH160 and Dow TileBond.



Deck Type 1: Wood
Deck Description: 1⁹/₃₂" or greater plywood or wood plank
System E (2): Base sheet mechanically fastened to deck, subsequent cap membrane self- adhered.

All General and System Limitations shall apply.

Base sheet: One or more plies Titanium-UDL™ 30 applied with minimum 4" horizontal laps and minimum 6" vertical laps and mechanically fastened as noted below.

Fastening: Miami-Dade approved nails & metal/tin caps spaced 6" o.c. at the 4" horizontal laps and 8" o.c. in a grid pattern having three, equally spaced, staggered rows in the field of the sheet.

Primer: Titanium-UDL™ 30 shall be primed on the printed side with ASTM D41 primer prior to placement of cap sheet.

Ply Sheet: (Optional) Titanium™ PSU-30, self-adhered, with minimum 3" horizontal laps and minimum 6" vertical laps.

Membrane: Titanium™ PSU-30, self-adhered, with minimum 3" horizontal laps and minimum 6" vertical laps. Place the first course of Titanium™ PSU-30 parallel to the eave, using a heavy pressure roller under safe conditions to further secure the membrane.

Surfacing: Approved for asphalt shingle, mechanically fastened roof tile, foam-on roof tile, metal roofing, wood shakes & shingles or slate roof assemblies.

Note: For tile roof assemblies, refer to RAS 118, 119 or 120 and the tile manufacturer's NOA. For foam-on tile roof assemblies, approved use with Polyfoam Products PolyPro AH160 and Dow TileBond.



NOA No.: 11-0815.05
Expiration Date: 01/26/17
Approval Date: 01/26/12
Page 4 of 5

BUILDING PERMIT REQUIREMENTS:

Application for building permit shall be accompanied by copies of the following:

1. This Notice of Acceptance.
2. Any other documents required by the Building Official or applicable building code in order to properly evaluate the installation of this material.

LIMITATIONS:

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. This acceptance is for prepared roofing applications. Minimum deck requirements shall be in compliance with applicable building code.
3. Titanium Synthetic Underlayments shall be applied to a smooth, clean and dry surface with deck free of irregularities. All nails in the deck shall be carefully checked for protruding heads. Re-fasten any loose decking panels. Sweep the deck thoroughly to remove any dust and debris prior to application.
4. Titanium-UDL™ 25 PLUS and Titanium™ PSU-30 or Titanium-UDL™ 30 and Titanium™ PSU-30, two-ply underlayment system, may be used in asphalt shingle, mechanically fastened roof tile, foam-on roof tile, metal roofing, wood shakes & shingles or slate roof assemblies.
5. The standard maximum roof pitch for the Titanium-UDL™ 25 PLUS and Titanium™ PSU-30 or Titanium-UDL™ 30 and Titanium™ PSU-30 two-ply underlayment system shall be 5:12 for flat tiles and 6:12 on profiled tiles with lugs. For flat tile applications at slopes exceeding 5:12, flat tiles shall be staged 2 base tiles perpendicular to slope behind a mechanically attached batten or toe board with maximum 7 tiles high on the slope atop base tiles (Total of stack not to exceed 9 tiles). At roof slopes greater than the above limitations, the use of loading battens or toe boards are required to load the roof tile.
6. Titanium Synthetic Underlayments shall not be applied over an existing roof membrane as a recover system.
7. Titanium-UDL™ 30 / Titanium™ PSU-30 and Titanium-UDL™ 25 PLUS / Titanium™ PSU-30 two-ply underlayment system shall not be left exposed as a temporary roof for longer than 90 days of application.
8. Titanium Synthetic Underlayments are components used in roof system assemblies. Roof system assemblies are approved under a specific Notice of Acceptance. Refer to Prepared Roofing system Product Control Notice of Acceptance for listed approval of this product with specific prepared roofing products.
9. Titanium Synthetic Underlayments may be used with any approved roof covering Notice of Acceptance listing Titanium Synthetic Underlayments as a component part of an assembly in the Notice of Acceptance. If Titanium Synthetic Underlayments are not listed, a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.
10. All membranes or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



END OF THIS ACCEPTANCE



NOA No.: 11-0815.05
 Expiration Date: 01/26/17
 Approval Date: 01/26/12
 Page 5 of 5



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

TOWN OF SEWALL'S POINT
 BUILDING DEPARTMENT
 FILE COPY

RE-ROOF CERTIFICATION

PERMIT # _____

CONTRACTOR'S NAME: **Advanced Concepts Corp** PHONE # **772-219-1044** FAX: _____

OWNER'S NAME: **Anthony R. Lagana**

CONSTRUCTION ADDRESS: **1 Pineapple Lane** CITY **Stuart** STATE **FL.**

RE-ROOF: RESIDENTIAL(SINGLE FAMILY)

_____ COMMERCIAL **--REMOVE/REINSTALL ROOF TOP HVAC EQUIP _____ YES NO

**...DISCONNECT/RECONNECT HVAC ELECTRIC _____ YES NO

** REQUIRES A CONTRACTOR VERIFICATION FORM (HVAC AND/OR ELECTRICAL) W/ PERMIT APPLICATION

RE-ROOF DEEMED TO COMPLY WITH 553.844 F. S. YES _____ NO - INSURED VALUE OF RESIDENCE: \$79,083.00

ROOF TYPE: HIP _____ BOSTON-HIP _____ GABLE _____ FLAT _____ OTHER _____

ROOF PITCH: **6** /12 SLOPE

ROOF DECK:* _____ SHEATH-OVER - (APPLYING PLYWOOD PANELS OVER EXISTING SPACED

_____ RE-SHEATH - (REMOVAL OF SPACED SHEATHING/PLYWOOD FOR APPLICATION OF NEW PLYWOOD PANELS) - REQUIRES USE OF MINIMUM PLYWOOD AS PER FLORIDA BUILDING CODE "2004".

_____ SPACED SHEATH FILL-IN - SPACES BETWEEN EXISTING SPACED-SHEATHING BOARD MAY BE FILLED-IN WITH BOARDS OF THE SAME SIZE AND THICKNESS TO PROVIDE A CLOSELY FITTED SOLID DECK NAIL NEW BOARDS AS PER FLORIDA BUILDING CODE "2004".

EXISTING DECK TO REMAIN/REPAIRED & RENAILED

EXISTING ROOF COVERING: **Conc. tile** EXISTING COVERING TO BE REMOVED? YES NO _____

PROPOSED NEW ROOF COVERING: **Arch. Shingle**

MANUFACTURER **IKO** PRODUCT NAME **Cambridge AR** PRODUCT APPR # **11-0517.09**

(APPROVED ROOF COVERING MATERIAL WITH CURRENT FLORIDA PRODUCT APPROVAL)
 MANUFACTURER'S INSTALLATION SPECS MUST BE ON THE JOB SITE AT TIME OF INSPECTION.

*WHEN CONCRETE/CLAY TILES REPLACE ANY OTHER TYPE OF ROOF COVERING, THE EXISTING TRUSSES SHALL BE INSPECTED BY A FLORIDA REGISTERED ARCHITECT OR ENGINEER TO VERIFY ADEQUACY OF THE TRUSSES TO SUPPORT INCREASED DEAD LOADS. AN ENGINEERING INSPECTION REPORT SHALL BE SUBMITTED WITH THE PERMIT APPLICATION.

PROPOSED FLASHING: _____ GALV/STEEL ALUMINUM _____ COPPER _____ OTHER _____

RIDGEVENT TO BE INSTALLED: _____ YES NO

DESCRIPTION OF WORK: **Remove existing concrete roof tiles, re-nail T&G to code**
Install architectural shingles over peel & stick underlayment

I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

Anthony R. Lagana DATE: **2/27/14**
 SIGNATURE OF CONTRACTOR



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

**LICENSED GENERAL, BUILDING OR RESIDENTIAL CONTRACTORS'
 REROOF WINDSTORM LOSS MITIGATION COMPLIANCE AFFIDAVIT**

A RESIDENTIAL STRUCTURE VALUED AT \$300,000 OR MORE SHALL COMPLY WITH THE FOLLOWING:

- Roof to wall connections must be enhanced up to 15% additional cost of the reroofing cost.
- A certified or registered general, building or residential contractor compliance affidavit must accompany the re-roof permit application and submit details to perform the following:
 1. Sufficient amount of eave sheathing shall be removed to view 6 ft. of roof rafters.
 2. Wherever a strap is missing or an existing strap has fewer than 4 fasteners on each end of connection with the wall, the connection shall be strengthened by adding:
 - a. Metal connectors, clips, straps and fasteners to achieve an uplift capacity as specified in Table 201.3 OR
 - b. Approved strap ties or right angle gusset brackets with a minimum uplift capacity of 500 lbs shall be installed to the top plate or masonry wall below
 - c. Refer to sections 201.3.1 to 201.3.4 for prescriptive requirements.

A RESIDENTIAL STRUCTURE VALUED AT \$750,000 OR MORE SHALL COMPLY WITH THE FOLLOWING:

When any activity requiring a building permit that is applied for on or after July 1, 2008, and for which the estimated cost is \$50,000 or more for a building that is located in the wind borne debris region as defined in s. 1609.2 of the Florida Building Code, Building:
 Opening protections as required within the Florida Building Code, Building or Florida Building Code, Residential for new construction shall be provided.

TO BE COMPLETED IF INSURED VALUE OF SINGLE FAMILY IS OVER \$300,000.00 AND WAS PERMITTED PRIOR TO MARCH 1, 2002.

YEAR PERMITTED 1989 INSURED OR P.A. IMPROVED VALUE \$ 79,083.00

DETAILS OF MITIGATION WORK TO BE PERFORMED (Add additional sheets if necessary):

(\$395412 total limit of liability less \$39,541.00 other structures; \$197,705.00 contents; \$79,032 loss of use)

~~DOES NOT MEET THRESHOLD SET IN FS-553.844-(5)(b)~~

JOB SITE ADDRESS: 1 Pineapple Lane

QUALIFIER NAME: Anthony R. Lagana

LICENSE NO.: CCC057601

COMPANY NAME: Advanced Concepts Group, Inc.

PHONE NO. 772-219-1044

X Anthony R. Lagana
 Qualifier's Signature

X Anthony R. Lagana
 Owner's Signature

Date: 02/27/2014

Date: 02/27/2014

Sworn to and subscribed before me

Sworn to and subscribed before me

this 27th day of FEBRUARY 2014

this 27th day of FEBRUARY 2014

By Christine C. Bergeron

By Christine C. Bergeron

Notary Public, State of Florida

Notary Public, State of Florida



Personally known to me _____

Personally known to me _____

Produced ID# DL

Produced ID Type: EL D/L L 250-016-44-252-0

Type: L 250-016-44-252-0





TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

TOWN OF SEWALL'S POINT
 BUILDING DEPARTMENT
 FILE COPY

RE-ROOF CERTIFICATION

PERMIT # 10792

CONTRACTOR'S NAME: Advanced Concepts Grp PHONE #: 772-219-1044 FAX: _____

OWNER'S NAME: Anthony R. Lagana

CONSTRUCTION ADDRESS: 1 Pineapple Lane CITY Stuart STATE FL.

RE-ROOF: RESIDENTIAL(SINGLE FAMILY)
 COMMERCIAL **--REMOVE/REINSTALL ROOF TOP HVAC EQUIP _____ YES _____ NO

** DISCONNECT/RECONNECT HVAC ELECTRIC _____ YES NO

** REQUIRES A CONTRACTOR VERIFICATION FORM (HVAC AND/OR ELECTRICAL) W/ PERMIT APPLICATION

RE-ROOF DEEMED TO COMPLY WITH 553.844 F. S. YES _____ NO - INSURED VALUE OF RESIDENCE: \$79,083.00

ROOF TYPE: HIP _____ BOSTON-HIP _____ GABLE _____ FLAT _____ OTHER _____

ROOF PITCH: 6 /12 SLOPE

ROOF DECK: * _____ SHEATH-OVER - (APPLYING PLYWOOD PANELS OVER EXISTING SPACED
 _____ RE-SHEATH - (REMOVAL OF SPACED SHEATHING/PLYWOOD FOR APPLICATION OF
 NEW PLYWOOD PANELS) - REQUIRES USE OF MINIMUM PLYWOOD AS PER
 FLORIDA BUILDING CODE "2004".
 _____ SPACED SHEATH FILL-IN - SPACES BETWEEN EXISTING SPACED-
 SHEATHING BOARD MAY BE FILLED-IN WITH BOARDS OF THE SAME
 SIZE AND THICKNESS TO PROVIDE A CLOSELY FITTED SOLID DECK
 NAIL NEW BOARDS AS PER FLORIDA BUILDING CODE "2004".
 EXISTING DECK TO REMAIN/REPAIRED& RENAILED

EXISTING ROOF COVERING: Conc. tile EXISTING COVERING TO BE REMOVED? YES NO _____

PROPOSED NEW ROOF COVERING: 26 GA 5V Crimp Metal Roof Panels

MANUFACTURER Gulf Coast Supply PRODUCT NAME 5V Crimp Metal PRODUCT APPR # 11651.12R1

(APPROVED ROOF COVERING MATERIAL WITH CURRENT FLORIDA PRODUCT APPROVAL)
 MANUFACTURER'S INSTALLATION SPECS MUST BE ON THE JOB SITE AT TIME OF INSPECTION.

*WHEN CONCRETE/CLAY TILES REPLACE ANY OTHER TYPE OF ROOF COVERING, THE EXISTING TRUSSES SHALL BE
 INSPECTED BY A FLORIDA REGISTERED ARCHITECT OR ENGINEER TO VERIFY ADEQUACY OF THE TRUSSES TO SUPPORT
 INCREASED DEAD LOADS. AN ENGINEERING INSPECTION REPORT SHALL BE SUBMITTED WITH THE PERMIT APPLICATION.


PROPOSED FLASHING: _____ GALV./STEEL ALUMINUM _____ COPPER _____ OTHER _____

RIDGEVENT TO BE INSTALLED: _____ YES NO

DESCRIPTION OF WORK: Remove existing concrete roof tiles, re-nail T&G to code
Install 26 ga 5V crimp panels over peel & stick underlayment

I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE
 WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

Anthony R. Lagana DATE: 5/17/14
 SIGNATURE OF CONTRACTOR



TOWN OF SEWALL'S POINT BUILDING DEPARTMENT
 One S. Sewall's Point Road
 Sewall's Point, Florida 34996
 Tel 772-287-2455 Fax 772-2204765

A FWP

RE: Permit # 10792

Date 6/24/14

Inspection Affidavit

I Anthony R. Lagana, licensed as a(n) Contractor /Engineer/Architect,
 (please print name and circle Lic. Type) FS 468 Building Inspector*

License #: CCC057601

On or about 6/23/14 1400 HRS, I did personally inspect the roof
 (Date & time)

deck nailing and/or secondary water barrier work at 1 Pineapple Lane
 (circle one) (Job Site Address)

Based upon that examination I have determined the installation was done according to the
 Hurricane Mitigation Retrofit Manual (Based on 553.844 F.S.)

Anthony R. Lagana
 Signature

STATE OF FLORIDA
 COUNTY OF

Sworn to and subscribed before me this 24th day of June, 2014

By Anthony Lagana

Notary Public, State of Florida
Christie C. Bergeron
 (Print, type or stamp name)

Commission No.:



CHRISTINE C. BERGERON
 MY COMMISSION # FF 111061
 EXPIRES: June 21, 2018
 Elected thru Budget Notary Services

Personally known or
 Produced Identification

Type of identification produced. _____

* General, Building, Residential, or Roofing Contractor or any individual certified under 468 F.S. to make such an inspection. Include photographs of each plane of the roof with the permit # or address # clearly shown marked on the deck for each inspection

NO	MATERIAL	QUANTITY	UNIT	REMARKS
0	GAF Timberline 30 shingles	25	SQ	EXAMPLE
1	Polyglass Polystick MTS 60mils	4650+/-	Sq. Ft.	
2	Dade Curb-Mount, self flashing			
	Skylight	2	ea.	
3	IKO Industries Cambridge AR			
	Shingles	4650 +/-	Sq. Ft.	
4	8d Ring Shank round head nails	As needed per code		



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidadecounty.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Polyglass USA Inc.
150 Lyon Drive
Fernley, NV 89408

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION ~~of Polyglass Polymeric Underlayments~~

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This revises NOA #11-1229.01 and consists of pages 1 through 8.
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 12-0713.02
Expiration Date: 09/13/16
Approval Date: 02/14/13
Page 1 of 8

ROOFING COMPONENT APPROVAL

Category: Roofing
Sub-Category: Underlayment
Material: SBS , APP Self-Adhering Modified Bitumen

PRODUCTS DESCRIPTION:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Polystick MTS underlayment <i>Manufacturing Location #2</i>	Roll: 65'8" x 3'3- ³ / ₈ " 60 mils thick	TAS 103	A homogeneous, rubberized asphalt waterproofing membrane, glass fiber reinforced with polyolefinic film on the upper surface for use as an underlayment for metal roofing, roof tile, slate tiles and shingle underlayment.
Polystick IR-Xe underlayment <i>Manufacturing Location #1 & #2</i>	Roll: 65' x 3'3- ³ / ₈ " Or 65' x 3' 60 mils thick	TAS 103 and ASTM D 1970	A fine granular/sand top surface self-adhering, APP polymer modified, fiberglass reinforced, bituminous sheet material for use as an underlayment in sloped roof assemblies. Designed as an ice & rain shield and as a flat roof tile underlayment.
Polystick TU underlayment <i>Manufacturing Location #1 & #2</i>	Roll: 32'10" x 3'3- ³ / ₈ " 100 mils thick	TAS 103 and ASTM D 1970	A heavy granuled surface self adhering, APP polymer modified, fiberglass or polyester reinforced, bituminous sheet material for use as an underlayment in sloped roof assemblies. Designed as a a roof tile underlayment.
Polystick TU Plus underlayment (Surface Printing) <i>Manufacturing Location #1 & #2</i>	Roll: 65' x 3'3- ³ / ₈ " 80 mils thick	TAS 103 and ASTM D 1970	A rubberized asphalt self-adhering, glass-fiber/polyester reinforced waterproofing membrane. Designed as a metal roofing and roof tile underlayment.
Polystick TU P underlayment <i>Manufacturing Location #2</i>	Roll: 32'10" x 3'3- ³ / ₈ " 130 mils thick	TAS 103 and ASTM D 1970	A rubberized asphalt waterproofing membrane, glass-fiber/polyester reinforced, with a granular surface designed for use as a tile roof underlayment.
Polystick Tile Pro <i>Manufacturing Location #2</i>	Roll: 61' x 3'3- ³ / ₈ " 60 mils thick	TAS 103 and ASTM D 1970	A rubberized asphalt self-adhering, glass-fiber/polyester reinforced waterproofing membrane. Designed as a metal roofing and roof tile underlayment.
Polystick Dual Pro <i>Manufacturing Location #2</i>	Roll: 61' x 3'3- ³ / ₈ " 60 mils thick	TAS 103 and ASTM D 1970	A rubberized asphalt self-adhering, glass-fiber/polyester reinforced waterproofing membrane. Designed as a metal roofing and roof tile underlayment.



NOA No.: 12-0713.02
 Expiration Date: 09/13/16
 Approval Date: 02/14/13
 Page 2 of 8

PRODUCTS DESCRIPTION:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
Polystick TU Max <i>Manufacturing Location #2</i>	Roll: 65'8" x 3'3-3/8" 60 mils thick	TAS 103 and ASTM D 1970	A rubberized asphalt self-adhering, polyester reinforced waterproofing membrane. Designed as a a roof tile underlayment.

MANUFACTURING PLANTS:

1. Hazelton, PA
2. Winter Haven, FL

EVIDENCE SUBMITTED:

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>	
Exterior Research & Design, LLC	11756.04.01-1	TAS 103	04/27/01	
	11756.08.01-1	ASTM D 1970	08/14/01	
	02202.08.05	TAS 103	08/29/05	
	P5110.08.07	TAS 103	08/29/07	
	P10870.09.08-R1	TAS 103	12/04/08	
	P10870.04.09	TAS 103/ASTM D4798 & G155	04/13/09	
	P33360.06.10	ASTM D1970	07/01/10	
	P33370.03.11	TAS 103	03/02/11	
	P33370.04.11	ASTM D 1623	04/26/11	
	P36900.09.11	TAS 103/ASTM D4798 & G155	09/01/11	
Trinity ERD	P37300.10.11	TAS 110/ASTM D4798 & D1970	10/19/11	
	P40390. 08.12-1	TAS 103 & TAS 110	08/06/12	
	P40390.08.12-2	ASTM D 1623	08/07/12	
	P40390.10.12	ASTM D 1970	10/03/12	
	PRI Asphalt Technologies	PRI01111	ASTM D 4977	04/08/02
		PUSA-005-02-01	ASTM D 4977	01/31/02
		PUSA-018-02-01	ASTM D 2523	07/14/03
		PUSA-035-02-01	TAS 103	09/29/06
		PUSA-033-02-01	ASTM D 1970	01/12/06
		PUSA-055-02-02	TAS 103	12/10/07
PUSA-083-02-01		TAS 103	06/30/08	
PUSA-089-02-01		TAS 103/ASTM D4798 & G155	07/06/09	
Momentum Technologies, Inc.		JX20H7A	TAS 103/ASTM D4798 & G155	04/01/08
		RX14E8A	TAS 103/ASTM D4798 & G155	11/09/09
	DX23D8B	TAS 103/ASTM D4798 & G155	02/18/10	
	DX23D8A	TAS 103/ASTM D4798 & G155	02/18/10	



INSTALLATION PROCEDURES:

Deck Type 1:	Wood, non-insulated
Base Sheet:	One or more plies of ASTM D 226 Type II or ASTM D 2626.
Fastening:	Per FBC 1518.2 & 1518.4 Nails and tin caps 12" grid, 6" o.c. at a minimum 4" head lap. (for base sheet only)
Membrane:	Polystick membranes self-adhered.
Surfacing:	None

1. All nails in the deck shall be carefully checked for protruding heads. Re-fasten any loose decking panels, and sweep the deck thoroughly to remove any dust and debris prior to application.
2. Place the underlayment over metal drip edge in accordance with RAS 111.
3. Place the first course of membrane parallel to the eave, rolling the membrane to obtain maximum contact. Remove the release film as the membrane is applied. . All side laps shall be a minimum of 3-½" and end laps shall be a minimum of 6." Roll the membrane into place after removing the release strip. Vertical strapping of the roof with Polystick is acceptable. Membrane shall be back nailed in accordance with applicable building code.
4. When applying the membrane in the valley, start at the low point and work to the high point, rolling the membrane from the center outward in both directions.
5. For ridge applications, center the membrane and roll from the center outward in both directions.
6. Roll or broom the entire membrane surface so as to have full contact with the surface, giving special attention to lap areas.
7. Flash vent pipes, stacks, chimneys and penetrations in compliance with Roof Assembly current Product Control Notice of Acceptance.
8. All protrusions or drains shall be initially taped with a 6" piece of underlayment. The flashing tape shall be pressed in place and formed around the protrusion to ensure a tight fit. A second layer of Polystick shall be applied over the underlayment.



GENERAL LIMITATIONS:

1. Fire classification is not part of this acceptance.
2. Polystick MTS, TU Plus, Tile Pro and Dual Pro may be used in asphaltic shingles, wood shakes and shingles, non-structural metal roofing, roof tile systems and quarry slate roof assemblies. Polystick IR-Xe, TU, and TU P may be used in all the previous assemblies listed except metal roofing. Polystick TU Max may be used in roof tile systems only.
3. Deck requirements shall be in compliance with applicable building code.
4. Polyglass Polystick membranes shall be applied to a smooth, clean and dry surface. The deck shall be free of irregularities.
5. Polyglass Polystick membranes and underlayments shall not be adhered directly over a pre-existing roof membrane as a recover system.
6. Polyglass Polystick membranes shall not be left exposed as a temporary roof for longer than the amount of days listed in the table below after application. Polyglass reserves the right to revise or alter product exposure times; not to exceed the preceeding maximum time limitations.

Exposure Limitations (days)								
	MTS	IR-Xe	TU	TU Plus	TU P	Tile Pro	Dual Pro	TU Max
Winter Haven, FL.	180	180	180	180	180	180	180	90
Hazleton, PA.	N/A	30	30	180	N/A	N/A	N/A	N/A

7. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9N-3 of the Florida Administrative Code.
8. In roof tile application, data for the attachment resistance of roof tiles shall be as set forth in the roof tile manufacturer's Notice of Acceptance. Polystick TU, TU Plus, Tile Pro and TU Max may be used in both adhesive set and mechanically fastened roof tile applications. Polystick IR-Xe, and Dual Pro are limited to mechanically fastened roof tile applications. Polystick MTS is limited to mechanically fastened with battens roof tile applications. Polystick TU P may be used in both adhesive set and mechanically fastened roof tile applications with the exception of mortar set tile applications.
9. The maximum roof slope for use as roof tile underlayment for (direct-to-deck) tile assemblies shall be as follows: (See Table Below)


Tile Profile	Polystick MTS	Polystick IR-Xe	Polystick TU, TU Plus, TU P, Tile Pro	Polystick TU Max
Flat Tile	Prohibited without battens	5:12	No limitation	No limitation
Profiled Tile	Prohibited without battens	Prohibited	No limitation	No limitation

The above slope limitations can be exceeded only by using battens and counter battens in accordance with the Approved Tile System Notice of Acceptance and applicable Florida Building Code requirements. **Battens are required for both loading and installation of tiles at all times.**



GENERAL LIMITATIONS: (CONTINUED)

- 10. Care should be taken during the loading procedure to keep foot traffic to a minimum and to avoid dropping of tile directly on the underlayment. Refer to Polyglass' Tile loading detail below for loading procedure for all underlayments except Polystick MTS which shall be loaded onto battens.



- 11. Refer to prepared roofing system Product Control Notice of Acceptance for listed approval of this product with specific prepared roofing products. Polystick MTS, IR-Xe, TU, TU Plus, TU P, TU Max, Dual Pro and Tile Pro may be used with any approved roof covering Notice of Acceptance listing Polystick MTS, IR-Xe, TU, TU Plus, TU P, TU Max, Dual Pro and Tile Pro as a component part of an assembly in the Notice of Acceptance. If Polystick MTS, IR-Xe, TU, TU Plus, TU P, TU Max, Dual Pro and Tile Pro is not listed, a request may be made to the Authority Having Jurisdiction (AHJ) or the Miami-Dade County Product Control Department for approval provided that appropriate documentation is provided to detail compatibility of the products, wind uplift resistance, and fire testing results.

LABELING:

- 1. All membranes or packaging shall bear the imprint or identifiable marking of the manufacturer's name or logo, city and state of manufacturing facility and the following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.



BUILDING PERMIT REQUIREMENTS:

Application for building permit shall be accompanied by copies of the following:

- 1. This Notice of Acceptance.
- 2. Any other documents required by the Building Official or applicable building code in order to properly evaluate the installation of this materials.



POLYGLASS GENERAL APPLICATION GUIDELINES FOR POLYSTICK MEMBRANES:

1. Polyglass does accept the direct application of Polystick underlayment membranes to wood decks. Installers are cautioned to refer to applicable local building codes prior to direct deck installation to ensure this is acceptable. Please also refer to applicable Product Data Sheets of the corresponding products.
2. All rolls, with the exception of Polystick TU Plus should be back-nailed in selvage edge seam as per Polyglass Back Nailing Guide. Nails shall be, 11 gauge ring shank type, applied with a minimum 1" metal disk as required in Dade County or simplex type nail as otherwise allowable in other regions, at a minimum rate of 12" o.c. Polystick TU Plus should be back nailed in designated area marked "nail area, area para clavar" on the face of membrane, with the above stated nails and/or disks. The head lap membrane is to cover the area being back-nailed. (Please refer to applicable local building codes prior to installation.)
3. All seal lap seams (selvage laps) must be rolled with a hand roller to ensure full contact.
4. All fabric over fabric; and granule over granule end laps, shall have a 6" wide, uniform layer of Polyglass Polyplus 55 Premium Modified Flashing Cement, Polyglass Polyplus 50 Premium MB Flashing Cement, Polyglass PG500 MB Flashing Cement, applied in between the application of the lap. The use of mastic between the laps does not apply to Polystick MTS.
5. A maximum of 6 tiles per stack are allowed when loading tile on the underlayments. Refer to the Polyglass Tile Loading Guidelines. See General Limitations #9 and #10.
6. Battens and/or Counter-battens, as required by the tile manufacturers NOA's, must be used on all projects for pitch/slopes of 7"/12" or greater. It is suggested that on pitch/slopes in excess of 6 ¼"/12", precautions should be taken, such as the use of battens to prevent tile sliding during the loading process.
7. Minimum cure time after membrane installation & before loading of roofing tiles is Forty-Eight (48) Hours.
8. Polystick membranes may not be used in any exposed application such as crickets, exposed valleys, or exposed roof to wall details.
9. Repair of Polystick membranes is to be accomplished by applying Polyglass Polyplus 55 Premium Modified Flashing Cement, Polyglass Polyplus 50 Premium MB Flashing Cement, Polyglass PG500 MB Flashing Cement to the area in need of repair, followed by a patch of the Polystick material of like kind should be set and hand rolled in place over the area needing such repair. Patching membrane shall be a minimum of 6 inches in either direction. The repair should be installed in such a way so that water will run parallel to or over the top of all laps of the patch.
10. All self-adhered membranes must be rolled to ensure full contact with approved substrates. Polyglass requires a minimum of 40 lbs for a weighted roller for the rolling of the field membrane. Hand rollers are acceptable for rolling of patches or small areas of the roof. Brooming may be used where slope prohibits rolling.
11. All approved substrates should be dry, clean and properly prepared, before any application of Polystick membranes commences. An approved substrate technical bulletin can be furnished upon request. It is recommended to refer to applicable building codes prior to installation to verify acceptable substrates.
12. The Polyglass Miami-Dade Notice of Acceptance (NOA) approval for Polystick membranes and PolyProtector UDL can be furnished upon request by our Technical Services Department by calling 1 (800) 894-4563.



13. Questions in regards to the application of Polyglass products should be directed to our Technical Services Department at 1 (800) 894-4563.
14. Polyglass recommends that applicators follow good roofing practices and applicable procedures as outlined by the National Roofing Contractors Association (NRCA).

PLEASE CHECK WITH LOCAL BUILDING CODES REGARDING LIMITATIONS OF SPECIFIC APPLICATIONS. LOCAL CODES MAY SUPERSEDE POLYGLASS REQUIREMENTS AND RECOMMENDATIONS.

END OF THIS ACCEPTANCE



NOA No.: 12-0713.02
Expiration Date: 09/13/16
Approval Date: 02/14/13
Page 8 of 8



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Maxim Industries, Inc.
1630 Terre Colony Court
Dallas, TX 75212

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: ~~Dade Curb Mount & Self Flashing Skylights~~

APPROVAL DOCUMENT: Drawing No. DCM-1 & DSF-1, titled " Dade Curb Mount & Dade Self Flashing ", sheets No. 1 and 2 of 2, prepared by Maxim Industries, Inc., dated 04/01/03 with no revisions, signed and sealed by Richard Boyette, P.E. on 04/10/2003, bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and the expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large & Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein and the dome shall be properly marked by Sheffield Plastics.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 08-0219.02 and consists of this page 1, evidence submitted pages E-1 & E-2 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.




Helmy A. Makar
04/18/2013

NOA No. 13-0306.04
Expiration Date: 05/15/2014
Approval Date: 04/18/2013
Page 1

Maxim Industries, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. **EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL #03-0224.11**
 - A. **DRAWINGS**
 1. *Drawing No. DCM-1 & DSF-1, sheet 1 and 2 of 2, titled "Dade Curb Mount & Dade Self Flashing", prepared by Maxim Industries, Inc, dated 04/01/03, with no revision, signed and sealed by R. Boyette, P.E.*
 - B. **TESTS**
 1. *Test report on Large Missile Impact Test per TAS 201, Cyclic Load Test per TAS 203 and Uniform Static air Pressure Test per TAS 202 on "Dade Self-Flashing, Dade Curb mount", prepared by Architectural Testing, Inc, report No. 01-43381.01 issued on 01/29/03, signed and sealed by S. M. Uric, P.E.*
 - C. **CALCULATIONS**
 1. *Anchor calculations prepared by Richard Burette, signed and sealed by R. Burette on 02/11/03*
 - D. **MATERIAL CERTIFICATIONS**
 1. *Notice of Acceptance No. 01-0709.07 issued to Sheffield Plastics, Inc. on 08/23/01, expiring on 08/27/06.*
 - E. **STATEMENTS**
 1. *Code compliance letter issued by Richard Burette, P.E. on 02/11/03, signed and sealed by R. Boyette, P.E.*
2. **EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 08-0219.02**
 - A. **DRAWINGS**
 1. *None.*
 - B. **TESTS**
 1. *None.*
 - C. **CALCULATIONS**
 1. *None.*
 - D. **QUALITY ASSURANCE**
 1. *By Miami-Dade County Building Code Compliance Office.*
 - E. **MATERIAL CERTIFICATIONS**
 1. *None.*



Helmy A. Makar, P.E., M.S.
Product Control Unit Supervisor
NOA No. 13-0306.04
Expiration Date: 05/15/2014
Approval Date: 04/18/2013

Maxim Industries, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

3. NEW EVIDENCE SUBMITTED

A. DRAWINGS

I. None.

B. TESTS

I. None.

C. CALCULATIONS


I. None.

D. QUALITY ASSURANCE

I. By Miami-Dade County Department of Regulatory and Economic Resources.

E. MATERIAL CERTIFICATIONS


I. None.



Henry A. Makar, P.E., M.S.
Product Control Unit Supervisor
NOA No. 13-0306.04
Expiration Date: 05/15/2014
Approval Date: 04/18/2013

- ① Minimum #12 X 1.25" fastener by others. Pre-punched installation holes 4" from each corner, maximum 10.5" on center. Minimum penetration = 1".
- ② .060" X 1.5" X 1.75" 6063-T6 extruded aluminum retaining angle. Aluminum angle mitered and welded @ 4 corners.
- ③ 52.5" X 100.375" X .118" Hyzod inner polycarbonate dome @ 4" height. NOA: #01-0709-07.
- ④ 52.5" X 100.375" X .118" Hyzod outer polycarbonate dome @ 8" height. NOA: #01-0709-07.
- ⑤ OSI PR 256 urethane sealant: Located between aluminum angle retainer and top dome & between bottom dome and aluminum frame.
- ⑥ Butyl tape: 1" X .125" located between top and bottom domes.
- ⑦ 6063-T5 Extruded Aluminum Frame. 0.060" shape mitered and welded @ 4 corners.
- ⑧ #12 X 1.75" Fastener. One fastener located equidistant from each corner. (Four fasteners per skylight)
- ⑨ #10 X .375" stainless steel fastener @ 4" from each corner, maximum 11" on center.
- ⑩ Minimum distance = 4" from angle lip to roof surface for shingles or BUR without insulation. For insulation and tile roof add tile height and insulation thickness to the 4" minimum height.
- ⑪ All units equal to or less than 32 square feet will be accepted under this NOA.

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No 13-0306.04
 Expiration Date 05/15/2014
 By Heather A. Miller
 Miami Dade Product Control



Dade Curb Mount Model

RICHARD BOYETTE

Date: 04/01/03 Draw. #DCM-1
 Drawing: Dade Curb Mount
 Sheet#: 1 of 2
 Design Pressure: 60psf +/-
 Max. Skylight ID: 51.75" X 99.75"

Approved as complying with the
 Florida Building Code
 Date 05/15/03
 NOA# 07-0224.11
 Miami Dade Product Control
 Division
 By [Signature]

FL PE # 42485
 4031 COCONUT BLVD
 ROYAL PALM BCH FL 33411
 561-790-5766


[Signature]
 4/19/03

MAXIM
 INDUSTRIES, INC

6170 Vanderbilt Avenue Dallas, TX 75214
 Phone: 214.824.1557 Fax: 240.371.7345

- ① Minimum #12 X 1.5" fastener by others. Pre-punched installation holes 3" from each corner, maximum 12" on center. Minimum penetration = 1".
- ② .060" X 1.5" X 1.75" 6063-T6 extruded aluminum retaining angle. Aluminum angle mitered and welded @ 4 corners.
- ③ 49" X 97" X .118" Hyzod inner polycarbonate dome @ 4" height. NOA: #01-0709-07.
- ④ 49" X 97" X .118" Hyzod outer polycarbonate dome @ 8" height. NOA: #01-0709-07.
- ⑤ OSI PR 256 urethane sealant: Located between aluminum angle retainer and top dome & between bottom dome and aluminum frame.
- ⑥ Butyl tape: 1" X .125" located between top and bottom domes.
- ⑦ 6063-T5 Extruded Aluminum Frame. 0.060" shape mitered and welded @ 4 corners.
- ⑧ #12 X 1.75" Fastener. One fastener located equidistant from each corner. (Four fasteners per skylight)
- ⑨ #10 X .375" stainless steel fastener @ 4" from each corner, maximum 10" on center.
- ⑩ Minimum distance = 4" from angle lip to roof surface for shingles or BUR without insulation. For insulation and tile roof add tile height and insulation thickness to the 4" minimum height.
- ⑪ All units equal to or less than 32 square feet will be accepted under this NOA.

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No 13-0306.04
 Expiration Date 05/15/2014
 By *Healy*
 Miami Dade Product Control



Roof deck by others. Minimum thickness = 1" for 1" fastener penetration. All roof details shall comply with Chapter 15 of the Florida Building Code.

Dade Self Flashing Model

PRODUCT RENEWED
 as complying with the Florida
 Building Code
 Acceptance No 08-0219.02
 Expiration Date 05/15/2013
 By *Healy*
 Miami Dade Product Control
 Division

Date: 04/01/03 Draw. #DSF-1
 Drawing: Dade Self Flashing
 Sheet#: 2 of 2
 Design Pressure: 60psf +/-
 Max. Skylight ID: 48" X 96"

Approved as complying with the
 Florida Building Code
 Date 05/15/03
 NOA# 03-0224.11
 Miami Dade Product Control
 Division
 By *[Signature]*

RICHARD BOYETTE
 FL PE # 42485
 4031 COCONUT BLVD
 ROYAL PALM BCH FL 334
 561-790-5766

[Signature]

6170 Vanderbilt Avenue Dallas, TX 75214
 Phone: 214.824.1557 Fax: 240.371.7345



BUILDING AND NEIGHBORHOOD COMPLIANCE DEPARTMENT (BNC)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidadecounty.gov/building/

NOTICE OF ACCEPTANCE (NOA)

Iko Industries Ltd.
40 Hansen Rd. S.
Brampton, Ontario CANADA
L6W3H4

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County BNC - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BNC reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: 

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This revises NOA# 10-0913.02 and consists of pages 1 through 4.
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 11-0517.09
Expiration Date: 05/05/16
Approval Date: 07/07/11
Page 1 of 4

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: Asphalt Shingles
Materials: Laminate
Deck Type: Wood

SCOPE

This approves a roofing system using **Cambridge AR** asphalt shingles manufactured by IKO Industries Ltd. as described in Section 2 of his Notice of Acceptance.

PRODUCT DESCRIPTION

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
Cambridge AR	13 3/4" x 40 7/8"	TAS 110	A heavy weight, fiberglass reinforced laminate asphalt shingle.

MANUFACTURING LOCATION

1. Kankakee, IL

EVIDENCE SUBMITTED

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
PRI Construction Materials Inc.	IKO-050-02-01	TAS 100	12/21/09
FM Approvals	3041689	ASTM D 3462	02/23/11
FM Approvals	3036971	ASTM D 3161 (TAS-107)	01/04/09
FM Approvals	3042673	ASTM E 108	04/12/11

LIMITATIONS

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Shall not be installed on roof mean heights in excess of 33 ft.
3. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9B-72 of the Florida Administrative Code.

INSTALLATION

1. Shingles shall be installed in compliance with Roofing Application Standard RAS 115.
2. Flashing shall be in accordance with Roofing Application Standard RAS 115
3. The manufacturer shall provide clearly written application instructions.
4. Exposure and course layout shall be in compliance with Detail 'A', attached.
5. Nailing shall be in compliance with Detail 'B', attached.



NOA No.: 11-0517.09
Expiration Date: 05/05/16
Approval Date: 07/07/11
Page 2 of 4

LABELING

1. Shingles shall be labeled with the Miami-Dade Seal as seen below, or the wording "Miami-Dade County Product Control Approved".




BUILDING PERMIT REQUIREMENTS

1. Application for building permit shall be accompanied by copies of the following:
 - 1.1 This Notice of Acceptance.
 - 1.2 Any other documents required by the Building Official or the applicable code in order to properly evaluate the installation of this system.




NOA No.: 11-0517.09
Expiration Date: 05/05/16
Approval Date: 07/07/11
Page 3 of 4

DETAIL A
CAMBRIDGE AR COURSE LAYOUT



DETAIL B
CAMBRIDGE AR



END OF THIS ACCEPTANCE



NOA No.: 11-0517.09
Expiration Date: 05/05/16
Approval Date: 07/07/11
Page 4 of 4

TOWN OF SEWALLS POINT

BUILDING DEPARTMENT - INSPECTION LOG

Date of Inspection

 Mon

 Tue

 Wed

 Thur

 Fri

6/24-14

Page _____ of _____

PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
	4 N. RIDGEVIEW	INVESTIGATE	BATHROOM REMODEL	
		NO PERMIT	NO PERMIT	
				INSPECTOR
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
10792	1 PINEAPPLE	DECK - IN	PASS	
	1 PINEAPPLE	METAL	PASS	
	ADVANCED CONCEPTS			INSPECTOR <i>[Signature]</i>
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
	FORD			
	5 ORRWOOD	TREE	OK	
				INSPECTOR
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR
PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
				INSPECTOR

TOWN OF SEWALLS POINT

BUILDING DEPARTMENT - INSPECTION LOG

Date of Inspection Mon Tue Wed Thur Fri 7/18-14 Page 1 of 1

PERMIT #	OWNER/ADDRESS/CONTRACTOR	INSPECTION TYPE	RESULTS	COMMENTS
10998	Robert Green Stuart Roof Repair 26 ISLAND RD	Final Inspection	PASS PICCOLI	CLOSE INSPECTOR <i>CF</i>
10927	AM 17 ISLAND RD KRAUSS & CRANE	A/c FINAL	PASS	CLOSE INSPECTOR <i>CF</i>
10926	86 S. SPY RD KRAUSS & CRANE	M/C FINAL	PASS	CLOSE INSPECTOR <i>CF</i>
10889	WILLIAMS 110 HONEY SEWALLS KRAUSS & CRANE	M/C FINAL	FAIL NO ANSWER	INSPECTOR <i>CF</i>
10922	MEYER 5 MIRIAM ELITE GAS	INT GAS ROUGH	CANCEL	INSPECTOR
10833	DOUGHERTY 15 ORA HILL WAY W. WHITE CONSO	FRAME & TRUBES	PASS	INSPECTOR <i>CF</i>
10742	LARANA 1 PINE HILL ADVANCED CONCEPTS	Frame Form	PASS	CLOSE INSPECTOR <i>CF</i>

428

TOWN OF SEWALL'S POINT

APPLICATION FOR TREE REMOVAL, RELOCATION, REPLACEMENT

Permit # 428

Date Issued _____

This application shall include a written statement giving reasons for removal, relocation or replacement and a site plan which shall include the dimensional location on a survey, scale drawing, or aerial photograph, superimposed with lot lines to scale, of all existing or proposed structures, improvements and site uses, location of affected trees identified with an estimated size and number, etc..

Owner KIRK H. HENDERSON Address 1 PINEAPPLE LANE SEWALL'S POINT, FL. 34996 Phone HOME 878-6025

Contractor SAME Address _____ Phone _____

Number of trees to be removed (list kinds of trees) (4) → 3 PINE TREES & 1 CABBAGE PALM.

Number of trees to be relocated within 30 days (no fee) (list kinds of trees) NONE

Number of trees to be replaced within 30 days (list kinds of trees) NONE

Permit Fee: \$ 8.00 (\$5. for first tree plus \$1. for each additional tree - not to exceed \$25.)

(No permit fee for trees which are relocated on property or lie within a utility easement and are required to be removed in order to provide utility service, nor for a tree which is dead, diseased, injured or hazardous to life or property.)

Plans approved as submitted _____ Plans approved as marked _____

Permit good for one year. Fee for renewal of expired permit \$5.

Signature of applicant Kirk H. Henderson Date submitted 12-8-88

Approved by Building Inspector Dale Brown Date 12/8/88

Approved by Building Commissioner _____ Date _____

Completed _____
Date _____ Checked by _____

THE FOLLOWING TREES MAY BE REMOVED OR DESTROYED WITHOUT OBTAINING A PERMIT: BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND STRANGLER FIG. FOR THE PURPOSES OF THIS PERMIT, A TREE IS DEFINED AS ANY SELF-SUPPORTING WOODY OR FIBROUS PERENNIAL PLANT WHICH HAS A MINIMUM HEIGHT OF TWELVE (12) FEET.
THE FOLLOWING TREES MUST BE REMOVED BEFORE CONSTRUCTION BEGINS: BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND MELALEUCA.

TOWN OF SEWALL'S POINT, FLORIDA

Date 6/2/00 1900 TREE REMOVAL PERMIT No 0330

APPLIED FOR BY TRISTAN TREE/LANDSCAPE (Contractor or Owner)

Owner ROD McCARTNEY, VACANT (#3 PINEAPPLE LANE)

Sub-division PINEAPPLE LANE, Lot 7, Block _____

Kind of Trees SEE APPL. (ATTACHED)

No. Of Trees: REMOVE 7 INSP. 5/31/00

No. Of Trees: RELOCATE -0- WITHIN 30 DAYS (NO FEE) - ALL DEAD/DISEASED/PROHIBITED

No. Of Trees: REPLACE -0- WITHIN 30 DAYS - NO FEE

REMARKS SEE LOCATION SKETCH (ATTACHED)

Signed, [Signature]
Applicant

Signed, [Signature]
Town Clerk BUNG. OFF.

FEE \$ -0-

TOWN OF SEWALL'S POINT

Call 287-2455 - 8:00 A.M.-12:00 Noon for Inspection
WORK HOURS 8:00 A.M. - 5:00 P.M.—NO SUNDAY WORK.

TREE REMOVAL PERMIT

RE: ORDINANCE 103

[Empty grid area for project details]

PROJECT DESCRIPTION _____

REMARKS _____

TOWN OF SEWALL'S POINT

FILE

APPLICATION FOR TREE REMOVAL, RELOCATION, REPLACEMENT

WSP 5/25
UNABLE TO
VERIFY
SCHEM WSP 5/20
LOCATE
CK. PLAT BOOK.
RESCUED 5/31

RECEIVED Permit # 0330
MAY 24 2000 Date Issued 6/2/00
BY: _____

This application shall include a written statement giving reasons for removal, relocation or replacement and a site plan which shall include the dimensional location on a survey, scale drawing, or aerial photograph, superimposed with lot lines to scale, of all existing or proposed structures, improvements and site uses, location of affected trees identified with an estimated size and number, etc.

Owner Ron McCartney Address 3 Pineapple Ln Phone 286-5573
~~45 W Highport Rd~~

Contractor Tristan Tree Services Address 2313 Pines Rd PSL Phone 335-9274

Number of trees to be removed (list kinds of trees) 7 1 Dead oak 3 Malaleuca
3 Dead Pine Pepper tree clusters

Number of trees to be relocated within 30 days (no fee) (list kinds of trees): _____

Number of trees to be replaced _____ (list kinds of trees): _____

(ALL DEAD/DISEASED/PROHIBITED)

Permit Fee \$ 0 ~~(\$25.00 first tree plus \$10.00 - each additional tree - not to exceed \$100.00 \$15.00)~~

(No permit fee for trees which are relocated on property or lie within a utility easement & are required to be removed in order to provide utility service, nor for a tree which is dead, diseased, injured or hazardous to life or property.)

Plans approved as submitted Plans approved as marked _____

Permit good for one year. Fee for renewal of expired permit is \$5.00

Signature of applicant [Signature] Date submitted 5/22/00

Approved by Building Inspector [Signature] Date 5/31/00

Approved by Building Commissioner _____ Date _____

Completed _____ Date _____ Checked by _____

FREE


THE FOLLOWING TREES MAY BE REMOVED OR DESTROYED WITHOUT OBTAINING A PERMIT. BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND STRANGLER FIG. FOR THE PURPOSE OF PERMIT, A TREE IS DEFINED AS ANY SELF-SUPPORTING WOODY OR FIBROUS PERENNIAL PLANT HAS A MINIMUM HEIGHT OF TWELVE (12) FEET.

THE FOLLOWING TREES MUST BE REMOVED BEFORE CONSTRUCTION BEGINS: BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND MELALEUCA?

ELITE

0330


1/25/10



TOWN OF SEWALL'S POINT

Building Department - Inspection Log

Date of Inspection: Mon Wed Fri 5/31, 2000; Page 1 of 1.

PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
* 4912	CHICOS	FINAL-PHASE I	Passed BG.	VERIFY F.D. INSP. (5/30)
5	HARBOR Bay Plaza COSTELLO CONST.	LARRY MASSING BOBSMITH	288-5362	221-5181 PAUL
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4589	DEGIOIA PN 4900	FINAL Hurricane shutters	Passed	M-DC PROD APPR. DOCS. REQ.
3	130 N. Sewall's Pt. Rd. COMPLETE HURRICANE PROT. "MARK"	692-8585	BG	Permit # 4900
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4859	ABBOTT	POOL DECK	Passed	COMP. TEST & REU FORWARDED
4	108 N. Sewall's Pt. Rd. E.S. UNLIMITED		BG	SURVEY ON FILE. NO permit on job.
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4589	DEGIOIA		Passed	SEE CHECKLIST
3	130 N. Sewall's Pt. Rd. CONWAY	FINAL C.O. (REINSPECT)	BG	Except ELEVATOR Need SURVEY FOR ENTIRE WALL.
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4628	HELLREGER	DOORS INSTALLATION	Passed	OFFICE CC: OF PKOI APPR APPROV
1	11 CASTLE Hillway STRAHMORE	INSTALLATION (USED 4" TAP CONS)	BG	Need Specs. FOR BREAKFAST Rm. BUTT GLASS & FAMILY Rm. ALUM. SLIDERS
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
4771	VANWAGNER	INSULATION FOR	Passed	(WALLS PASSED 5/26)
2	3 PALMWAY CASTLE Hill RICKY HOMER	KNEEWALL	BG	
PERMIT	OWNER/ADDRESS/CONTR.	INSPECTION TYPE	RESULTS	REMARKS
X	CASTLE Hill H.O. ASSN.	- COMPLAINT		MEASURED OPG
X	- DRAINAGE RESTORATION AREA	- DR. OPG. SAFETY		13 1/2" HIGH X 36" WIDE
X	NE CORNER CASTLE Hill & OAK Hill	HAZARD		(INFO SHALLOW B/SW)

OTHER: ~~EVN~~ VTR PER. APPL. CARTON; 3 PINEAPPLE CANS - TRUSTAN TREE/UNSCR. APPROVED

* #4912 Bob Smith made inspection 5-31-00 A.M. Passed.
(FIRE DEPT)

INSPECTOR (Name/Signature): _____