

14 North Sewall's Point Road

2415

RE-ROOF

Permit No. _____

Date _____

2415

APPLICATION FOR PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner PETER DAYTON Present Address 14 WE PALM CT

Phone 288 0361

Contractor RALPH PARKS INC. Address _____

Phone 283 3421

Where licensed _____ License number _____

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: _____

RESURFACE ROOF

State the street address at which the proposed structure will be built: _____

Subdivision KNOWLES Lot number # 7 Block number _____

Contract price \$ 10,000.00 Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.

Contractor _____

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner PD/A

TOWN RECORD

Date submitted 10/14/89 Approved: _____

Building Inspector _____ Date _____

Approved: _____ Commissioner _____ Date _____

Final Approval given: _____ Date _____

Certificate of Occupancy issued (if applicable) _____ Date _____

SP1282

Permit No. _____

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

2779

POOL

Permit No. _____

Date _____

APPLICATION FOR A PERMIT TO BUILD DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner Dr. Peter Dayton Present Address 14 N.E. Palm Ct.

Phone _____

Contractor Ralph A. Parks Address P.O. Box 2654

Phone 283-3421 Stuart

Where licensed State of Fla License number CBC 013350

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: per patio under rear existing house - see plans

State the street address at which the proposed structure will be built: 14 N.E. Palm Court

Subdivision Palm Lot number 7 Block number _____

Contract price \$ 2000⁰⁰ Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.

Contractor [Signature]

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner Edwin M. Dayton

TOWN RECORD

Date submitted _____ Approved: _____ Building Inspector _____ Date _____

Approved: _____ Commissioner _____ Date _____ Final Approval given: _____ Date _____

Certificate of Occupancy issued (if applicable) _____ Date _____

SP1282

Permit No. _____


Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

Dorlan Residence
14 N.E. Palm Ct.

PCN# 35-37-41-008-000-00070-9-0000

scope - Form and Pour Ratio slab with thickened


edge. No bearing walls.



Ext Bearing column wrapped in wood

40±

12±



Contractor: Lapa & Parks
283-3421

Thickened edge with Dia #5 continuous

10x10 mesh
over virgin

3000 lb. pump mix

10±

4±

2790

SCREEN

ENCLOSURE

Permit No. _____

Date _____

APPLICATION FOR PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

2790

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner PETER FLEEN DAYTON Present Address 14 NE PALM CT

Phone 288-0361

Contractor J & K ALUMINUM INC Address 3110 SLATER ST SEVAST FLA

Phone 283-1297

Where licensed MARTIN COUNTY License number SFA 00122

Electrical contractor _____ License number _____

Plumbing contractor _____ License number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: Pool SCREEN ENCL

State the street address at which the proposed structure will be built:

14 NE PALM CT SEWELL'S POINT

Subdivision Knowles Lot number 7 Block number _____

Contract price \$ 2,000 Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "red-tagging" the construction project.

Contractor Gene Fortis

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.

Owner Elen M. Dayton

TOWN RECORD Approved: Rob Brown 6/5/90
Building Inspector Date

Date submitted _____

Approved: _____ Commissioner Date Final Approval given: _____ Date

Certificate of Occupancy issued (if applicable) _____ Date

SP1282

Permit No. _____

Approval of these plans in no way relieves the contractor or builder of complying with the Town of Sewall's Point Ordinances, the South Florida Building Code and the State of Florida Model Energy Efficiency Building Code.

MARTIN COUNTY
1989 COUNTY OCCUPATIONAL LICENSE 1990

LICENSE 82-518-685 CERT
PHONE 000-000-00 SIC NO. 0000
LOCATION:

THIS FORM BECOMES A RECEIPT ONLY WHEN VALIDATED BY RECEIPTING MACHINE
SHOWING TRANSACTION NUMBER, DATE AND AMOUNT PAID. PLEASE MAIL OR BRING THIS
LICENSE WITH YOUR REMITTANCE.
PENALTY 10% FOR MONTH OF OCTOBER,
5% ADDITIONAL EACH MONTH THERE
AFTER UP TO 25% PLUS COLLECTION
COSTS.

33 51868582 00002100 4

PREV. YR. \$ 9.00
L.C. FEE \$ 10.00
TRANSFERS HAZ. WST. \$ 2.00
DEL. PEN. \$ 21.00
SUBTOTAL \$ 42.00

MAKE CHECKS PAYABLE TO:
Larry C. O'Steen, Tax Collector, P.O. Box 9013, Stuart, FL 34995

NOTE: A PENALTY IS IMPOSED FOR FAILURE TO KEEP THIS
LICENSE EXHIBITED CONSPICUOUSLY AT YOUR ESTABLISHMENT
OR PLACE OF BUSINESS.

G & K ALUMINUM
GENE RASTRELLI
3110 SE SLATER ST
STUART, FL 34997-5949

AT ABOVE ADDRESS FOR THE PERIOD BEGINNING ON THE
1ST DAY OF OCTOBER 1989
AND ENDING FIRST DAY OF OCTOBER A.D. 1990

ORIGINAL

MARTIN COUNTY CONTRACTORS
CERTIFICATE OF COMPETENCY

RASTRELLI GENE
G & K ALUMINUM
3110 SE SLATER ST.
STUART, FL 334975949

EXPIRES SEPTEMBER 30, 19 90

AUDIT
CONTROL
NUMBER






10223

CERTIFICATE NUMBER

SPA00122

M/M DAYLON
14 NE PALM CT.
STUART, FL. 34996

EXISTING HOUSE



MARCH 1988

TREASURE COAST CHAPTER, INC
OF THE ALUMINUM ASSOCIATION
OF FLORIDA



PREPARED BY:


NASH ENGINEERING, INC.
810 SATURN ST. SUITE 16
JUPITER, FLORIDA 33477
(305)747-7254

| ROOF PAN (ALLOY 3003 H-16) | | PAN THICKNESS | Sx | MAX. SPAN @ WIND VELOCITIES SHOWN | | |
|-----------------------------------|--|---------------|---------------------|-----------------------------------|--------|--------|
| 1.75" PAN w/.032 CLEAT | | | | 100MPH | 110MPH | 120MPH |
| | | .032 | .238in ³ | | | 10' |
| CLEAT ALTERNATIVES FOR 1-3/4" PAN | | | | | | |
| T-BAR | | .032 | | | | 11' |
| T-BAR | | .032 | | | | 11' |
| EXTRUDED "I" CLEAT | | .032 | | | | 13' |

NOTE:
PANS MAY OVERHANG 1/3 OF SIMPLE SPAN. SPANS MAY BE INCREASED 2% FOR EACH 12" OF OVERHANG UP TO 3'-0". CONSULT AN ENGINEER FOR GREATER OVERHANG.

| ROOF PAN (ALLOY 3003 H-16) | | PAN THICKNESS | Sx | MAX. SPAN @ WIND VELOCITIES SHOWN | | |
|----------------------------|--|---------------|---------------------|-----------------------------------|--------|--------|
| 2" INTERLOCKING PANEL | | | | 100MPH | 110MPH | 120MPH |
| | | .024 | .450in ³ | | | 13'-4" |
| | | .032 | .606in ³ | | | 15'-6" |
| | | .032 | .346in ³ | | | 11'-0" |


NOTE:
PANS MAY OVERHANG 1/3 OF SIMPLE SPAN. SPANS MAY BE INCREASED 2% FOR EACH 12" OF OVERHANG UP TO 3'-0". CONSULT AN ENGINEER FOR GREATER OVERHANG.



1"x2" OPEN BACK
ALLOY 6063-T5
A = 0.233in²
WT = 0.280#/L.F.
I = 0.1425in⁴
Sx = 0.1425in³

SPACING AND SPAN TABLES

| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 8'-6" | 7'-4" | 4'-6" | 4'-0" |
| 4' | 7'-4" | 6'-2" | 3'-10" | 3'-6" |
| 5' | 6'-7" | 5'-2" | 3'-6" | 3'-2" |
| 6' | 6'-0" | 5'-0" | 3'-2" | 2'-10" |
| 7' | 5'-6" | 4'-8" | 2'-11" | 2'-8" |
| 8' | 5'-2" | 4'-4" | 2'-9" | 2'-6" |
| 9' | 4'-10" | 4'-2" | 2'-8" | 2'-4" |
| 10' | 4'-8" | 3'-10" | 2'-5" | 2'-3" |




2"x2" PATIO BEAM
ALLOY 6063-T5
A = 0.412in²
WT = 0.494#/L.F.
I = 0.2133in⁴
Sx = 0.2133in³

SPACING AND SPAN TABLES

| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 10'-5" | 8'-6" | 5'-6" | 5'-0" |
| 4' | 9'-0" | 7'-6" | 4'-9" | 4'-4" |
| 5' | 8'-0" | 6'-9" | 4'-3" | 3'-10" |
| 6' | 7'-4" | 6'-2" | 3'-10" | 3'-6" |
| 7' | 6'-10" | 5'-8" | 3'-8" | 3'-4" |
| 8' | 6'-4" | 5'-4" | 3'-4" | 3'-0" |
| 9' | 6'-0" | 5'-0" | 3'-2" | 2'-11" |
| 10' | 5'-8" | 4'-9" | 3'-0" | 2'-9" |

CLEATED ROOF PANS




2"x3" PATIO BEAM
ALLOY 6063-T5
A = 0.85in²
WT = 0.79#/L.F.
I = 0.741in⁴
Sx = 1.068in³
Sb = 0.4359in³
Sx = 0.57in³

SPACING AND SPAN TABLES

| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 16'-5" | 13'-9" | 8'-8" | 8'-0" |
| 4' | 14'-3" | 11'-11" | 7'-8" | 6'-11" |
| 5' | 12'-9" | 10'-8" | 6'-9" | 6'-2" |
| 6' | 11'-8" | 9'-9" | 6'-2" | 5'-7" |
| 7' | 10'-9" | 9'-1" | 5'-8" | 5'-2" |
| 8' | 10'-1" | 8'-5" | 5'-4" | 4'-10" |
| 9' | 9'-6" | 7'-11" | 5'-0" | 4'-7" |
| 10' | 9'-1" | 7'-6" | 4'-9" | 4'-4" |


INTERLOCKING ROOF PANS



2"x4" SELF MATING BEAM
ALLOY 6063-T8
WALL = .030
FLANGE = .120
A = 0.950in²
WT = 1.14#/L.F.
I = 2.45in⁴
Sx = 1.25in³

SPACING AND SPAN TABLES


| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 25'-0" | 20'-11" | 13'-3" | 12'-0" |
| 4' | 21'-8" | 18'-1" | 11'-5" | 10'-5" |
| 5' | 19'-4" | 16'-2" | 10'-3" | 9'-4" |
| 6' | 17'-8" | 14'-9" | 9'-4" | 8'-8" |
| 7' | 16'-4" | 13'-8" | 8'-8" | 7'-11" |
| 8' | 15'-3" | 12'-10" | 8'-0" | 7'-4" |
| 9' | 14'-4" | 12'-0" | 7'-8" | 7'-0" |
| 10' | 13'-8" | 11'-5" | 7'-3" | 6'-7" |



2"x6" SELF MATING BEAM
ALLOY 6063-T8
A = 1.396in²
WT = 1.67#/L.F.
I = 8.46in⁴
Sx = 2.82in³

SPACING AND SPAN TABLES

| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 37'-10" | 31'-8" | 20'-0" | 18'-3" |
| 4' | 32'-9" | 27'-5" | 17'-4" | 15'-10" |
| 5' | 29'-4" | 24'-8" | 15'-8" | 14'-2" |
| 6' | 26'-8" | 22'-5" | 14'-2" | 12'-11" |
| 7' | 24'-8" | 20'-8" | 13'-1" | 12'-0" |
| 8' | 23'-2" | 19'-5" | 12'-3" | 11'-2" |
| 9' | 21'-10" | 18'-3" | 11'-8" | 10'-6" |
| 10' | 20'-9" | 17'-4" | 11'-0" | 10'-0" |




2"x9" SELF MATING BEAM
ALLOY 6063-T8
A = 2.830 S.I.
WT = 1.576#/L.F.
Sx = 7.21in³

MAXIMUM CLEAR SPAN FOR SCREENED ROOF BEAMS AT VARIOUS BEAM SPACING

| 5'-0" | 5'-6" | 6'-0" | 6'-6" | 7'-0" | 7'-6" | 8'-0" |
|-------|-------|--------|--------|--------|--------|--------|
| --- | --- | 52'-8" | 50'-0" | 48'-8" | 47'-0" | 45'-8" |

2"x9" SELF MATING BEAM



2"x7" SELF MATING BEAM
ALLOY 6063-T8
A = 1.782in²
WT = 2.14#/L.F.
I = 17.139in⁴
Sx = 4.89in³

SPACING AND SPAN TABLES


| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 48'-4" | 41'-4" | 28'-2" | 25'-10" |
| 4' | 42'-9" | 35'-9" | 22'-8" | 20'-8" |
| 5' | 38'-3" | 32'-0" | 20'-3" | 18'-5" |
| 6' | 35'-0" | 29'-2" | 18'-5" | 16'-10" |
| 7' | 32'-4" | 27'-0" | 17'-1" | 15'-7" |
| 8' | 30'-3" | 25'-3" | 16'-0" | 14'-7" |
| 9' | 28'-6" | 23'-10" | 15'-0" | 13'-9" |
| 10' | 27'-0" | 22'-8" | 14'-4" | 13'-0" |

2"x4" SELF MATING BEAM

2"x7" SELF MATING BEAM

| DATE | BY | DESCRIPTION |
|-----------|----|-------------------------------------|
| 4-8-88 | JC | MOVED DETAILS AROUND ON ALL 5 PAGES |
| 4-25-88 | JC | ADDED SPAN DEFINITION SHOTS |
| REVISIONS | | |

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS


| | |
|---------|------------|
| DRAWN | COMPTON |
| CHECKED | NASH |
| SCALE | N.T.S. |
| DATE | MARCH 1988 |
| JOB NO. | 88010 |

John Nash
4/27/88


SHEET
1
OF FIVE SHEETS




SUPER GUTTER - FASCIA ATTACHMENT




NOTE: ANGLES MAY HAVE 1 LEG INSIDE POST




POOL ENCLOSURE (TYPICAL)




POOL ENCLOSURE & SCREEN ROOM WITH SCREEN ROOF



POOL ENCLOSURE (CONNECTION TYPICALS)



POOL ENCLOSURE (POST TO BEAM TYPICALS)



SPAN TABLE - FOR SUPER GUTTER AS EDGE BEAM

| GUTTER/EDGE BEAM SPAN B | VARIOUS SPANS OF PAN ROOF A | | | | |
|-------------------------|-----------------------------|--------|--------|--------|-------|
| | 8' | 10' | 12' | 14' | 16' |
| | 13'-9" | 12'-4" | 11'-3" | 10'-5" | 9'-9" |


SUPER GUTTER AS EDGE BEAM SPAN TABLE C-2

| BEAM SIZE | MAXIMUM CLEAR SPAN FOR SCREENED ROOF BEAMS @ VARIOUS SPACING | | | | | | | |
|--|--|-----------|-----------|-----------|------------|------------|------------|------------|
| | 4'-0" C-C | 5'-0" C-C | 6'-0" C-C | 8'-0" C-C | 10'-0" C-C | 12'-0" C-C | 14'-0" C-C | 16'-0" C-C |
| 2"x4" S.M. BEAM S ₁ = 1.25 | 21'-8" | 19'-4" | 18'-6" | 17'-8" | 17'-0" | 16'-4" | 15'-10" | 15'-3" |
| 2"x4" S.M. BEAM W/ INSERT S ₁ = 1.785 | 25'-5" | 22'-9" | 21'-9" | 20'-9" | 20'-0" | 19'-3" | 18'-8" | 18'-0" |
| 2"x6" S.M. BEAM S ₁ = 2.03 | 32'-9" | 29'-4" | 28'-0" | 26'-9" | 25'-9" | 24'-9" | 24'-0" | 23'-2" |
| 2"x7" S.M. BEAM S ₁ = 4.09 | 42'-9" | 38'-3" | 36'-7" | 35'-0" | 33'-8" | 32'-4" | 31'-4" | 30'-3" |
| 2"x7" S.M. BEAM W/ INSERT S ₁ = 5.25 | 49'-2" | 44'-0" | 42'-0" | 40'-2" | 38'-8" | 37'-2" | 36'-0" | 34'-9" |
| 3"x7" I BEAM W/ SNAP S ₁ = 2.09 | 25'-10" | 25'-0" | 24'-3" | 23'-7" | 23'-0" | 22'-5" | 21'-11" | 21'-5" |
| 3"x7" I BEAM W/ SNAP S ₁ = 3.19 | 34'-10" | 31'-1" | 29'-10" | 28'-8" | 27'-5" | 26'-4" | 25'-5" | 24'-8" |
| 4"x8" I BEAM W/ SNAP S ₁ = 4.93 | 42'-10" | 38'-4" | 36'-8" | 35'-0" | 33'-9" | 32'-5" | 31'-5" | 30'-4" |
| 2"x9" S.M. BEAM S ₁ = 7.21 | -- | -- | -- | 52'-6" | 50'-0" | 48'-8" | 47'-0" | 45'-8" |

SCREEN ROOF BEAM - SPAN TABLE S-1

| DATE | BY | DESCRIPTION |
|---------|----|-------------------------------------|
| 3-24-88 | JC | DETAIL 3-4 UPDATED |
| 4-8-88 | JC | MOVED DETAILS AROUND ON ALL 5 PAGES |
| 4-25-88 | JC | ADDED SPAN DEFINITION TO SHT. 5 |



TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS

| | |
|---------|------------|
| DRAWN | COMPTON |
| CHECKED | HASH |
| SCALE | N.T.S. |
| DATE | MARCH 1988 |
| JOB NO. | 88017 |

SHEET
3
OF FIVE SHEETS



| | | | |
|---|--|--|--|
| SUPER GUTTER ALLOY 6063-T6 $A = 1.20h^2$ $WT = 1.44g/L.F.$ $I = 3.946h^4$ $S_x = 1.973h^3$ |  | 2"x8" S.M.B. ALLOY 6063-T6 $A = 1.396h^2$ $WT = 1.67g/L.F.$ $I = 8.46h^4$ $S_x = 2.82h^3$ |  |
|---|--|--|--|




COMBINATION $S_x = 4.80h^3$

SPAN TABLE - FOR COMBINATION - SUPER GUTTER + 2"x8" S.M.B.

| VARIOUS SPANS OF ROOF PANS 'A' | VARIOUS SPANS OF SCREEN ROOFS 'B' | | | | | | | | | | | | |
|--------------------------------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 18' | 20' | 22' | 24' | 26' | 28' | 30' | 32' | 34' | 36' | 38' | 40' | 42' |
| 4'-0" | 30'-0" | 18'-0" | 18'-0" | 18'-0" | 17'-0" | 17'-0" | 17'-0" | 16'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 15'-0" |
| 5'-0" | 18'-0" | 18'-0" | 17'-0" | 17'-0" | 16'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 14'-0" | 14'-0" | 14'-0" | 14'-0" |
| 6'-0" | 17'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 12'-0" |
| 10'-0" | 16'-0" | 16'-0" | 15'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 11'-0" | 11'-0" |
| 12'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 10'-0" | 10'-0" | 10'-0" | 10'-0" | 10'-0" |
| 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 10'-0" | 10'-0" | 9'-0" | 9'-0" | 9'-0" | 9'-0" |

| | | | |
|---|--|--|--|
| SUPER GUTTER ALLOY 6063-T6 $A = 1.20h^2$ $WT = 1.44g/L.F.$ $I = 3.946h^4$ $S_x = 1.973h^3$ |  | 2"x7" S.M.B. ALLOY 6063-T6 $A = 1.782h^2$ $WT = 2.14g/L.F.$ $I = 17.139h^4$ $S_x = 4.89h^3$ |  |
|---|--|--|--|




COMBINATION $S_x = 6.87h^3$

SPAN TABLE - FOR COMBINATION - SUPER GUTTER + 2"x7" S.M.B.

| VARIOUS SPANS OF ROOF PANS 'A' | VARIOUS SPANS OF SCREEN ROOFS 'B' | | | | | | | | | | | | |
|--------------------------------|-----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 18' | 20' | 22' | 24' | 26' | 28' | 30' | 32' | 34' | 36' | 38' | 40' | 42' |
| 4'-0" | 30'-0" | 18'-0" | 18'-0" | 18'-0" | 17'-0" | 17'-0" | 17'-0" | 16'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 15'-0" |
| 5'-0" | 18'-0" | 18'-0" | 17'-0" | 17'-0" | 16'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 14'-0" | 14'-0" | 14'-0" | 14'-0" |
| 6'-0" | 17'-0" | 16'-0" | 16'-0" | 15'-0" | 15'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 12'-0" |
| 10'-0" | 16'-0" | 16'-0" | 15'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 11'-0" | 11'-0" |
| 12'-0" | 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 10'-0" | 10'-0" | 10'-0" | 10'-0" | 10'-0" |
| 14'-0" | 14'-0" | 13'-0" | 13'-0" | 12'-0" | 12'-0" | 11'-0" | 11'-0" | 10'-0" | 10'-0" | 9'-0" | 9'-0" | 9'-0" | 9'-0" |

CARRIER BEAM - SPAN TABLE S-2
(SUPER GUTTER & 2"x8" S.M.B.)

CARRIER BEAM - SPAN TABLE S-3
(SUPER GUTTER & 2"x7" S.M.B.)




GLASS ROOM "HAT"
(REINFORCEMENT OF .040 POST)

2"x7" SELF MATING BEAM WITH INSERT ALLOY 6063-T6
 $A = 2.501 S.I.$
 $WT = 2.93g/L.F.$
 $I = 21.699h^4$
 $S_x = 6.35h^3$

SPACING AND SPAN TABLES

| SPACING | SCREEN ROOF 7# PER S.F. | SCREEN WALL 10# PER S.F. | SOLID WALL 25# PER S.F. | SOLID ROOF 30# PER S.F. |
|---------|----------------------------|-----------------------------|----------------------------|----------------------------|
| 3' | 56'-0" | 47'-6" | 30'-0" | 27'-5" |
| 4' | 48'-2" | 41'-2" | 26'-0" | 23'-9" |
| 5' | 44'-0" | 36'-10" | 24'-3" | 21'-3" |
| 6' | 40'-2" | 33'-6" | 21'-3" | 19'-4" |
| 7' | 37'-2" | 31'-1" | 19'-8" | 17'-11" |
| 8' | 34'-9" | 29'-0" | 18'-5" | 16'-0" |
| 9' | 32'-9" | 27'-5" | 17'-4" | 15'-10" |
| 10' | 31'-0" | 26'-0" | 16'-5" | 15'-0" |

2"x7" S.M.B. WITH INSERT




GLASS ROOMS
(SANDWICH SYSTEM)


| DATE | BY | DESCRIPTION |
|---------|----|-------------------------------------|
| 3-23-88 | JC | DETAILS 4-1, 4-2, 4-8 UPDATED |
| 4-8-88 | JC | MOVED DETAILS AROUND ON ALL 5 PAGES |
| 4-15-88 | JL | ADDED SPAN DEFINITION SHEETS |


REVISIONS

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA




ALUMINUM CONSTRUCTION
DETAILS


| | | | |
|---------|------------|--|-------------------------------------|
| DRAWN | COMPTON |  1/27/88 | SHEET 4 OF FIVE SHEETS |
| CHECKED | NASH | | |
| SCALE | N.T.S. | | |
| DATE | MARCH 1988 | | |
| JOB NO. | 68018 | SEAL | |




TYPICAL PLAN VIEW



TYPICAL ELEVATION



TYPICAL SECTION




WALL DETAIL


ATTACHED A-FRAME COMBINATION PATIO-CABANA OR CARPORT

TYPICAL UTILITY ROOM


TYPICAL UTILITY ROOM




TYPICAL DETAIL



END CONNECTION



- CHAIR RAIL CONNECTION ALTERNATIVES (PER CHAP. XXVII SECTION 2803.)
- 1. INTERNAL SCREWS
 - 2. EXTERNAL SCREWS
 - 3. INTERNAL "U" CHANNEL
 - 4. EXTERNAL ANGLES



SPAN DEFINITION


RIDGE BEAM

RIDGE BEAM

SCREEN ROOM (WITH ALUMINUM ROOF)

| DATE | BY | DESCRIPTION |
|-----------|----|---------------------------------------|
| 3-23-88 | JC | DETAIL 5-6 UPDATED & DETAIL 5-7 ADDED |
| 4-8-88 | JC | MOVED DETAILS AROUND ON ALL 5 PAGES |
| 4-25-88 | JC | ADDED SPAN DEFINITION TO SHIT. 5 |
| REVISIONS | | |

TREASURE COAST CHAPTER, INC.
OF THE ALUMINUM ASSOCIATION
OF FLORIDA



ALUMINUM CONSTRUCTION
DETAILS

| | |
|---------|------------|
| DRAWN | COMPTON |
| CHECKED | NASH |
| SCALE | N.T.S. |
| DATE | MARCH 1988 |
| JOB NO. | 88018 |

John Nash
4/27/88
SEAL

SHEET
5
OF FIVE SHEETS

4135

SIDING

4135

TAX FOLIO NO. 35 37 41 008 000 00070. 94000

DATE 1/30/97

APPLICATION FOR A PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING.

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs; plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner Peter Dayton Present Address 14 N.E. Palm Ct.

Phone 283 8423 Sewall's Point

Contractor Ralph H. Parks Inc. Address 735 Colorado Ave. Stuart, Fla.

Phone 781-1616

Where licensed Fla. License Number CB013350

Electrical Contractor License Number _____

Plumbing Contractor License Number _____

Describe the structure, or addition or alteration to an existing structure, for which this permit is sought: Remove & Replace siding on residence; specifically tree

4 towers & damaged areas surround said residence & paint.
State the street address at which the proposed structure will be built:

Subdivision Knowles Subdivision Lot Number 7 Block Number _____

Contract Price \$ 28,000⁰⁰ Cost of Permit \$ 224⁰⁰

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector of Town Commissioner "Red-Tagging" the construction project.

Contractor R.H. Parks Inc.

I understand that this structure must be in accordance with the approved plans and that it must comply with all code requirements of the Town of Sewall's Point before final approval by a Building Inspector will be given.


Owner X P.D.

TOWN RECORD
Approved: Dale Buer Building Inspector Date 1/30/97

Date submitted _____
Approved: [Signature] Commissioner Date _____
Final Approval given: _____ Date _____

Certificate of Occupancy issued(if applicable) _____ Date _____

SPI282 Permit No. _____



NOTICE OF COMMENCEMENT

STATE OF FLA.
COUNTY OF Martin

The undersigned hereby informs all concerned that improvements will be made to certain real property, and in accordance with Section 713.13, Florida Statutes, the following information is stated in this NOTICE OF COMMENCEMENT. This notice shall be void and of no force and effect if construction is not commenced within 30 days of recordation.

DESCRIPTION OF PROPERTY:

General description of improvements: Remove & Replace Siding

Owner: Peter M. Dayton
Address: 14 N.E Palm Court, Swalls Point

Owner's interest in site of the improvement: fee simple

Contractor: Ralph H. Parks Inc.
Address: 702654 Stuart, Fla. 34995

Surety (if any): _____
Address: _____
Amount of Bond: _____

Lender: _____
Address: _____

Name of person within the State of Florida designated by owner upon whom notices or other documents may be served:


Name: Peter M. Dayton
Address: 14 N.E Palm Court, Swalls Point

In addition to himself, owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.06(2)(b), Florida Statutes:

Name: Ralph H. Parks Inc.
Address: 702654, Stuart, Fla. 34995

STATE OF FLORIDA
MARTIN COUNTY


THIS IS TO CERTIFY THAT THE
FOREGOING _____ PAGES IS A TRUE
AND CORRECT COPY OF THE ORIGINAL.
MARSHA STALEY CLERK



BY _____
DATE 1/31/97

[Signature]

Sworn to and subscribed before me this 30 day
of January, 1997.



DOROTHEA L. CAIN
My Comm Exp. 3/05/99
Bonded By Service Ins
No. CC443212

Personally Known Other I. D.

Dorothea L. Cain
I am a Notary Public of the
STATE OF FLA. AT LARGE, and
My Commission Expires:
Dorothea L. Cain

4270

SCREEN

ENCLOSURE

SAILFISH ALUMINUM 01-95
801 S.W. JASLO AVENUE
PORT ST. LUCIE, FL 34953
PH. 407-336-3409


10/7 19 97

PAY TO THE ORDER OF

Town of Sewall's Pt

\$ 100.00

one hundred dollars 100

DOLLARS  Security features included. Details on back.

RIVERSIDE NATIONAL BANK
409 S. FEDERAL HWY of Florida STUART FLORIDA 34994

FOR

Dayton permit

Sin Scheid

MASTER PERMIT NO. _____

TOWN OF SEWALL'S POINT

Date 10/7/97

BUILDING PERMIT NO. 4270

Building to be erected for PEPE DAYTON

Type of Permit SCREEN ENCL

Applied for by SAILFISH ALUM. INT. (Contractor)

Building Fee 100

Subdivision KNOWLES Lot 7 Block _____

Radon Fee _____

Address 14 NE PALM CT

Impact Fee _____

Type of structure POOL ENCL.

A/C Fee _____

Electrical Fee _____

Parcel Control Number: _____

Plumbing Fee _____

Roofing Fee _____

Amount Paid 100 - Check # 2127 Cash _____ Other Fees (_____)

Total Construction Cost \$ 2390

TOTAL Fees 100

Signed X *Sin Scheid*

Signed *[Signature]*

Applicant

Town Building Inspector

TAX FOLIO NO. _____

DATE 10-7-97

APPLICATION FOR A PERMIT TO BUILD A DOCK, FENCE, POOL, SOLAR HEATING DEVICE, SCREENED ENCLOSURE, GARAGE OR ANY OTHER STRUCTURE NOT A HOUSE OR A COMMERCIAL BUILDING

This application must be accompanied by three (3) sets of complete plans, to scale, including a plot plan showing set-backs, plumbing and electrical layouts, if applicable, and at least two (2) elevations, as applicable.

Owner Pete Dayton Present address 14 NE Palm Ct.

Phone 288-0361 Sewalls Pt.

Contractor Sail Fish Inc. Address 80 SW Jasio Ave

Phone 336-3409 Port. St. Lucie

Where licensed Martin License number SP01985

Electrical Contractor _____ License number _____

Plumbing Contractor _____ License number _____

Describe the structure or addition or alteration to an existing structure, for which this permit is sought: Replace POOL ENCLOSURE

State the street address at which the proposed structure will be built:

14 NE Palm Ct. Sewalls Pt.

Subdivision Knowles Lot Number 7 Block Number _____

Contract price \$ 2390.00 Cost of permit \$ _____

Plans approved as submitted _____ Plans approved as marked _____

I understand that this permit is good for 12 months from the date of its issue and that the structure must be completed in accordance with the approved plan. I further understand that approval of these plans in no way relieves me of complying with the Town of Sewall's Point Ordinances and the South Florida Building Code. Moreover, I understand that I am responsible for maintaining the construction site in a neat and orderly fashion, policing the area for trash, scrap building materials and other debris, such debris being gathered in one area and at least once a week, or oftener when necessary, removing same from the area and from the Town of Sewall's Point. Failure to comply may result in a Building Inspector or Town Commissioner "Red-Tagging" the construction project.

Contractor Bud Janel
by a Building Inspector will be given. _____ before final approval

Owner _____





TOWN RECORD

Date submitted _____ Approved: _____
Building Inspector Date

Approved: _____ Final approval given: _____
Commissioner Date Date

CERTIFICATE OF OCCUPANCY issued (if applicable) _____
Date

PERMIT NO. _____



EXTRUSIONS - SPECIFICATIONS

ALL EXTRUSIONS NOT FULLY ATTACHED TO EXISTING STRUCTURE, AND ALL WALL PROTECTIONS, GUARDS, TRAYS & EOP SYSTEM STRUCTURE, WIND-RACKS, AND SECTION W/1/2" S.C. SHALL BE ATTACHED TO EXISTING STRUCTURE, AND APPROVED BY THE ARCHITECT.

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5

| SECTION PROPERTIES | |
|--------------------|-------------------|
| W 8x10 | 0.040 0.040 0.040 |
| S 8x10 | 0.119 0.119 0.119 |
| A 8x10 | 0.315 0.315 0.315 |
| K _y | 1.175 1.175 1.175 |

ALLOY 6063-T5



APPROVED AS NOTED

CONCRETE - SLABS, FOOTINGS & FASTENER DETAILS

CONCRETE FASTENERS

CONCRETE STRAP

CONTINUOUS STRAP

FOOTING (WHERE REQUIRED)

MONOLITHIC SLAB WITH

SLAB ON GRADE

WITHOUT FOOTING

NOTE: SLABS & FOOTINGS TO BE

CONSTRUCTED ON UNDISTURBED

GROUND

NO PERMANENT SETBACK AREAS

IN SET-BACK AREAS

PERMANENT SETBACK AREAS

CONSTRUCTION SPECIFICATIONS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES





(120 MPH WIND REGIONS)

THESE PLANS ARE FOR EXCLUSIVE USE BY:

MASTER PLANS

ALUMINUM SCREEN ENCLOSURES

(120 MPH WIND REGIONS)



TOWN OF SEWALL'S POINT

553

APPLICATION FOR TREE REMOVAL, RELOCATION, REPLACEMENT

Permit # _____

Date Issued _____

This application shall include a written statement giving reasons for removal, relocation or replacement and a site plan which shall include the dimensional location on a survey, scale drawing, or aerial photograph, superimposed with lot lines to scale, of all existing or proposed structures, improvements and site uses, location of affected trees identified with an estimated size and number, etc.

Owner PETER DAYTON Address 14 RAUM COURT Phone 288-0361

Contractor Superior Lawn Care Address P.O. Box 2494 Phone 288-0816
Jensen Beach

Number of trees to be removed (list kinds of trees) 1 Cabbage Palm

- 0 - None

Number of trees to be relocated within 30 days (no fee) (list kinds of trees):

- 0 - None

Number of trees to be replaced (list kinds of trees):

Remove one cabbage palm

Permit Fee \$ 48.00 (\$25.00 - first tree plus \$10.00 - each additional tree - not to exceed \$100.00.)

(No permit fee for trees which are relocated on property or lie within a utility easement & are required to be removed in order to provide utility service, nor for a tree which is dead, diseased, injured or hazardous to life or property.)

Plans approved as submitted N/A Plans approved as marked _____

Permit good for one year. Fee for renewal of expired permit is \$5.00

Signature of applicant Shaun M. Sluiger Date submitted 6-29-93

Approved by Building Inspector [Signature] Date 6/29/93

Approved by Building Commissioner [Signature] Date 6/29/93

Completed _____ Date _____ Checked by _____

THE FOLLOWING TREES MAY BE REMOVED OR DESTROYED WITHOUT OBTAINING A PERMIT. BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND STRANGLER FIG. FOR THE PURPOSE OF THIS PERMIT, A TREE IS DEFINED AS ANY SELF-SUPPORTING WOODY OR FIBROUS PERENNIAL PLANT WHICH HAS A MINIMUM HEIGHT OF TWELVE (12) FEET.

THE FOLLOWING TREES MUST BE REMOVED BEFORE CONSTRUCTION BEGINS: BRAZILIAN PEPPER, FLORIDA HOLLY TREE, AUSTRALIAN PINE AND MELALEUCA?